

THE STATE OF NEVADA

PROOF OF APPROPRIATION OF WATER FOR STOCK WATERING PURPOSES

01808

3/1/23

105.69E

From Tooley Spring - On Map Atlas this is Tule Spring
Through the pipe and troughs in connections with said spring, and known as the Tooley troughs, the undersigned, being first duly sworn, deposes and says that the statements herein contained relative to the appropriation of water by George H. Lytle are full and correct to the best of his knowledge and belief.

If proof is not made by claimant, deponent should state on this line by virtue of what authority he represents the claimant

(1) Name of claimant George H. Lytle
Address St. George, County of Washington
State of Utah

(2) The means of diversion employed is 1-1/4 inch pipe 138 ft long

(3) The water is impounded in three concrete troughs 16x4x1.3 ft

(4) The construction of the ditch or other works was begun over 30 years ago and completed and used over 30 years ago

(5) The nature of the claimant's title to the land upon which the works are located is Lands are unsurveyed and are more than 6 miles from any U.S. Land corner but lands upon which the spring and troughs are located have been used for over 30 years.

(6) The claimant's water right was (was not) recorded in the office of the County Recorder of Lincoln County, at page of Book of

(7) The approximate number of animals watered by the claimant during the first year was 200 and said watering was conducted for an approximate period of 30 days during each of the following months from September to June of the year.

In later years 700 head were watered from Sept. to June and 200 head from June to September of each year thereafter.

(8) The approximate number of animals watered by claimant in subsequent years was as follows: 700 head of cattle from September to June of each year and about 200 head from June to September of the year

(9) The amount of water which it has been necessary to divert for the said purpose has been.....

.663 the entire flow cubic feet per second.

40 miners inches equals 1 cubic foot per second

(10) The water is diverted from its source at S 88° 45' W 261 ft feet  
pinicle on North slope of Tooley Knoll ~~more than 5 miles~~ from any U.S.  
land ~~border~~, said pinicle ~~xxxxxx~~ being 10 ft. diameter and 8 ft. high  
with monument on top containing a cedar post 4 inches diameter.  
~~Ex North, Diablo Base and Meridian~~ Said Knoll is located 20 1/4 miles from  
the ~~Old Mormon Well~~ ~~or road leading to Camp on Salt Lake Route No. 8~~  
of description.

(11) The works are located at point above described point on unsurveyed lands  
Describe as within a 40 acre subdivision of public survey or by a tie in same manner as under (10)  
known

Remarks: This spring has long been publicly/and is now and has been  
for years the min source of supply for the watering of claimants  
cattle.

*George H Lytle*

Subscribed and sworn to before me this 14th day of April 1921

*Paul Swann*

Notary Public in and for the County of Washington  
State of Utah

My Commission expires January 16th, 1925, 191

This part of form to be left blank by claimant

Filing Serial No. **01808**

STATE OF NEVADA

Proof of Appropriation of  
Water for Stock Purposes

Water Source Tooley Spring  
Through Pipeline and troughs.

Claimant George H. Lytle,  
St. George, Utah

Filed in State Engineer's Office on

March 4, 1923

Robert A. Allen

State Engineer

Certificate No. \_\_\_\_\_ issued hereunder

\_\_\_\_\_, 1923