

02199

THE STATE OF NEVADA
PROOF OF APPROPRIATION OF WATER FOR
STOCK WATERING PURPOSES

From The Well
Name of natural water course

Through Gasoline pump and pipe line to concrete troughs
Name of ditch, pipe line, etc.

A. M. Swallow, the undersigned, being first
duly sworn, deposes and says that the statements herein contained relative to the appropriation of water by
Murray Sheep Company are full and correct to the
best of his knowledge and belief.

Acting Secretary for Nevada.

If proof is not made by claimant, deponent should state on this line by virtue of what authority he represents the claimant

(1) Name of claimant Murray Sheep Company
Address Garrison, County of Willard
State of Utah

(2) The means of diversion employed is Well, pump, pipe line and ditch
Dam and ditch, pipe line, flume, etc.


(3) The water is impounded in concrete troughs and reservoir
Troughs, reservoirs, tanks, etc.

(4) The construction of the ditch or other works was begun prior to the year 1900
and completed prior to the year 1900.

(5) The nature of the claimant's title to the land upon which the works are located is
Government land

(6) The claimant's water right ~~was~~ (was not) recorded in the office of the County Recorder of
..... County, at Page of Book of

(7) The approximate number of animals watered by the claimant during the first year was about 3000 sheep
and said watering was conducted for an approximate period of 30 days during
each of the following months from March 1st to December 1st.



(8) The approximate number of animals watered by claimant in subsequent years was as follows:
approximately 3000 sheep have been watered since the year 1900
during the months from March 1st to December 1st of each year.

(9) The amount of water which it has been necessary to divert for the said purpose has been about
one-fortieth cubic feet per second.
40 miners inches equals 1 cubic foot per second.

(10) The water is diverted from its source at N. 9°49' W., 53.463 feet from
True bearing to nearest 5 minutes distance
the East $\frac{1}{4}$ Corner corner of Section 2, T. 6 N., R. 69 E.
Mount Diablo Base and Meridian.

NOTE—Information under (10) must invariably be given when a public corner is within 6 miles, unless the State Engineer consents to some other form of description.

(11) The works are located at same.
Describe as within a 40-acre subdivision of public survey or by a tie in same manner as under (10)

Remarks:

Well is 80 ft. deep cased with corrugated galvanized pipe 42" in diameter, water is pumped from the well by gasoline pump also by windmill into concrete tank, 16ft. square, 6 ft. deep thence into concrete troughs and thence into reservoir below the troughs.

The concrete troughs are 4 ft. wide, 45 ft. long, 1 ft. deep., the reservoir is about 60ft. by 90 ft. 2 ft. deep.

Remarks:.....
.....
.....
.....
.....
.....

Murray Sheep Co.
By W. M. Dalton, Sec. for Nevada

Subscribed and sworn to before me this 14th day of December, 1928.

W. M. Dalton

Notary Public in and for the County of White Pine, State of Nevada.

My commission expires May 1st., 1929.

This part of form to be left blank by claimant

Filing Serial No.

02199

STATE OF NEVADA

Proof of Appropriation of

Water for Stock Purposes

Water Source

Through

Claimant

Filed in State Engineer's Office on

....., 192

State Engineer

Certificate No. issued hereunder

....., 192

Form Aa 500-5-12-25

OFFICE
STATE ENGINEER
DEC 16 22
RECEIVED
AMS