

02296

THE STATE OF NEVADA  
PROOF OF APPROPRIATION OF WATER FOR  
STOCK WATERING PURPOSES

02296

From North Summit Spring  
Name of natural water course

Through Storage reservoir, and pipe line to watering troughs  
Name of ditch, pipe line, etc.

Charles Keough, the undersigned, being first  
duly sworn, deposes and says that the statements herein contained relative to the appropriation of water by  
Charles Keough and predecessors in interest are full and correct to the  
best of his knowledge and belief.

If proof is not made by claimant, deponent should state on this line by virtue of what authority he represents the claimant

(1) Name of claimant Charles Keough

Address Tonopah, County of Nye

State of Nevada

(2) The means of diversion employed is storage reservoir and pipe line  
Dam and ditch, pipe line, flume, etc.

(3) The water is impounded in troughs  
Troughs, reservoirs, tanks, etc.

(4) The construction of the ditch or other works was begun 1895  
and completed 1895

(5) The nature of the claimant's title to the land upon which the works are located is  
Possessory

(6) The claimant's water right was (was not) recorded in the office of the County Recorder of  
County, at Page of Book of

(7) The approximate number of animals watered by the claimant during the first year was 100 cattle  
and said watering was conducted for an approximate period of 30 days during  
each of the following months January 1st to December 31 st., of each year.

(8) The approximate number of animals watered by claimant in subsequent years was as follows:

Number of stock watered in successive year has varied, 100 cattle from 1895 to 1910. In 1910 in addition to watering 50 head of cattle 2000 sheep were watered. Use changed in 1923 to Angora Goats and from 1000 to 2000 head on the average watered every year to date.

(9) The amount of water which it has been necessary to divert for the said purpose has been .025 or sufficient to water 100 cattle and 2000 Goats cubic feet per second.

40 miners inches equals 1 cubic foot per second

(10) The water is diverted from its source at S. 53° 26' E. 14,808 feet from the U.S. Mineral Monument No. 173

True bearing to nearest 5 minutes distance

the corner of Section T R E. This spring being situated in unsurveyed land, which will be T. 5N. R. 36E. Mount Diablo Base and Meridian. when surveyed.

Note—Information under (10) must invariably be given when a public corner is within 6 miles, unless the State Engineer consents to some other form of description.

(11) The works are located at 25 ft. east of spring. Describe as within a 40-acre subdivision of public survey or by a tie in same manner as under (10)

Remarks:

Remarks:.....  
.....  
.....  
.....  
.....

*Shast Keough*

Subscribed and sworn to before me this 30 day of March, 1939

*J. J. Connelley*

Notary Public in and for the County of Mineral

My commission expires July 7<sup>th</sup>, 1939

This part of form to be left blank by claimant

Filing Serial No. 02296

STATE OF NEVADA

Proof of Appropriation of  
Water for Stock Purposes

Water Source.....

Through.....

Claimant.....

Filed in the office of the State Engineer on

....., 19.....

State Engineer

Certificate No..... issued hereunder

....., 19.....

