

IN THE OFFICE OF THE STATE ENGINEER OF THE STATE OF NEVADA

RECEIVED

JUL 06 1990

Div. of Water Resources  
Branch Office - Las Vegas, NV

IN THE MATTER OF APPLICATION NUMBER 53990  
FILED BY Las Vegas Valley Water District  
ON October 17, 1989, TO APPROPRIATE THE  
WATERS OF Underground

PROTEST

Comes now Frank Delmuc

whose post office address is SR Box 415 Piache NV 89043  
Printed or typed name of protestant  
Street No. or P.O. Box, City, State and Zip Code

whose occupation is \_\_\_\_\_, and protests the granting

of Application Number 53990, filed on October 17, 1989

by Las Vegas Valley Water District  
Printed or typed name of applicant to appropriate the

waters of Underground  
Underground or name of stream, lake, spring or other source situated in Lincoln

County, State of Nevada, for the following reasons and on the following grounds, to wit:

~~This application is one of 105 applications filed by the Las Vegas Valley Water District seeking to appropriate 589,000 acre feet of ground water for municipal use within the service area of the District in Clark County. Diversion and export of such a quantity of water will lower the static water level in 181 Basin, will adversely affect the quality of remaining ground water and will further threaten springs, seeds and phreatophytes which provide water and habitat critical to the survival of wildlife, grazing livestock and other surface area existing uses.~~

THEREFORE the protestant requests that the application be Denied  
(Denied, issued subject to prior rights, etc., as the case may be)

and that an order be entered for such relief as the State Engineer deems just and proper.

Signed Frank Delmuc  
Agent or protestant

Printed or typed name, if agent  
Address Box 415  
Street No. or P.O. Box No.  
Piache Nev. 89043  
City, State and Zip Code No.

Subscribed and sworn to before me this 29th day of June, 1990.

Judy A. Etchart  
Notary Public

State of Nevada  
County of Lincoln



**\$10 FILING FEE MUST ACCOMPANY PROTEST. PROTEST MUST BE FILED IN DUPLICATE. ALL COPIES MUST CONTAIN ORIGINAL SIGNATURE.**