# Water for Nevada




## APPENDIX D
## STREAM AND LAKE INVENTORY

# 6

FORECASTS FOR THE FUTURE - FISH AND WILDLIFE

# FORECASTS FOR THE FUTURE-FISH AND WILDLIFE

## APPENDIX D

## INVENTORY:

## STATISTICAL DATA

## FOR THE

## STREAMS AND LAKES OF NEVADA

* * * * *

BY

ROBERT E. WALSTROM

NATURAL RESOURCE CONSULTANT

* * * * *

For

THE STATE ENGINEER'S OFFICE

Carson City, Nevada

September, 1973

TABLE OF CONTENTS


Page

INTRODUCTION. . . . . 1

DEFINITIONS

Key and Explanations to Columns . . . . . 2

Key to the Biological Stream Rating System for Cold Water Fisheries. . . . . 6

Key to the Average Biological Stream Rating System for Cold Water Fisheries . . . . . 7

Key to the Average Minimum c.f.s. for Cold Water Fisheries . . . . . 8

Key to Game Fish Species . . . . . 9

TOTALS

Totals (all waters) for Nevada . . . . . 10

Streams - Totals by Hydrographic Regions . . . . . 11

Lakes, reservoirs and ponds - Totals by Hydrographic Regions . . . . . 12

INVENTORY

Hydrographic Region 1 Waters . . . . . 13

Hydrographic Region 2 Waters . . . . . 15

Hydrographic Region 3 Waters . . . . . 18

Hydrographic Region 4 Waters . . . . . 26

Hydrographic Region 5 Waters . . . . . 36

Hydrographic Region 6 Waters . . . . . 38

Hydrographic Region 7 Waters . . . . . 40

Hydrographic Region 8 Waters . . . . . 42

Hydrographic Region 9 Waters . . . . . 44

Hydrographic Region 10 Waters. . . . . 46

Hydrographic Region 11 Waters. . . . . 54

Hydrographic Region 12 Waters. . . . . 57

Page

Hydrographic Region 13 Waters. . . . . 59

Hydrographic Region 14 Waters. . . . . 61

FIGURES

Figure 1. Map Illustrating Counties, Hydrographic Regions, Hydrographic Areas and Water Resources Inter-basin Flows . Inside Back Cover

# INTRODUCTION

This inventory was prepared as an integral part of the Nevada State Water Plan under the direction of the Division of Water Resources and is an appendix to "Forecasts for the Future-Fish and Wildlife". The inventory is designed to provide a standard reference source on statistical data relative to the waters of the State of Nevada.

The statistical information contained herein was extracted by Robert E. Walstrom, Natural Resource Consultant, for the Division of Water Resources, from the stream and lake survey files of the Nevada Department of Fish and Game, the University of Nevada at Reno - Division of Agricultural Resource Economics, the files of the Nevada Division of Water Resources and other available publications. Basic lake and reservoir data were taken from "Water for Nevada, Water Planning Report No. 3", prepared by the Nevada State Engineer's Office, October 1971.

Every precaution was taken to insure the accuracy of the statistical data. However, it is recognized that possible errors do exist and much information is not available at present. Therefore, it is requested that corrected or additional information in respect to the waters of Nevada be sent to the Department of Conservation and Natural Resources, Division of Water Resources, 201 So. Fall Street, Carson City, Nevada 89701.

## KEY AND EXPLANATIONS TO COLUMNS

Two groups are set up within each hydrographic region. One group consists of "Streams" and the other consists of "Lakes, reservoirs and ponds".

In the "Stream" grouping there are 17 major columns which are described as follows:

1. No. - The survey number that was utilized by the University of Nevada at Reno, Division of Agricultural and Resource Economics for computerization of each water in Nevada for the report "Forecasts for the Future - Recreation", prepared for the Nevada Division of Water Resources as a part of the State Water Planning Program.

2. Stream Name - The most common local name of the water.

3. Valley or Mountain Range - The location of the water by valley or mountain range or nearest prominent landmark.

4. Twn and Rng - The reference location for the water by township and range.

5. County - The 17 Counties in the State of Nevada (Figure 1)

| | |
|---|---|
| Ca: Carson City | Li: Lincoln |
| Ch: Churchill | Ly: Lyon |
| Cl: Clark | Mi: Mineral |
| Do: Douglas | Ny: Nye |
| El: Elko | Pe: Pershing |
| Es: Esmeralda | St: Storey |
| Eu: Eureka | Wa: Washoe |
| Hu: Humboldt | Wh: White Pine |
| La: Lander | |

6. Hydrographic Area - The 232 subdivisions of the Hydrographic Regions as defined by the State Engineer's Office. Primarily these are sub-drainage systems within the 14 major drainage basins. (See Figure 1).

7. Date of Survey - The date that the stream survey was conducted by the Nevada Department of Fish and Game.

8. Biological Rating - A numerical rating system developed by the Nevada Department of Fish and Game for their use in evaluating a stream for cold water fishery purposes. See Pg.6 "Key to the Biological Stream Rating System for Cold Water Fisheries". As a general rule, the higher the numerical rating, the better the stream as a cold water fishery. The maximum rating obtainable with the system is 311.

9. Total Length - The length of an individual stream in miles and 10ths of miles from its source to its terminus or to where it joined another stream to which it was tributary.

10. Fishable Length - The length of a section of a stream in miles and 10ths of miles where game fish populations were found to occur.

11. Average Width - The mean width of a stream measured in feet, 10ths and 100ths of feet. The measurements were taken at several locations in the upper, middle and lower sections of the stream and averaged.

12. Average Depth - The mean depth of a stream measured in inches. The averages shown were determined from the measurements taken on the date of the survey and under the flow conditions that existed at that time. Several measurements were taken at several locations in the upper, middle and lower sections of the stream.

13. Average Flow - The mean flow in cubic feet per second of the stream determined from measurements taken on the date of the survey in several locations on the upper, middle and lower sections of the stream.

14. Average Minimum c.f.s. for Cold Water Fishery - The average minimum flow of water measured in cubic feet per second, necessary to maintain a cold water fishery as developed by Robert E. Walstrom, Natural Resource Consultant, for the Nevada Division of Water Resources. (See page 8 , "Key to the average Minimum c.f.s. for Cold Water Fisheries").

15. Ownership - Total - This indicates the miles of land, in miles and 10ths of miles, bordering the entire stream that is under the control of: 1. Forest Service, 2. Bureau of Land Management, 3. Private and 4. Others[1]

16. Ownership - Fishable Length - This indicates the miles of land, in miles and 10ths of miles, bordering the portion of the stream where a game fish population was found to occur that is under the control of: 1. Forest Service, 2. Bureau of Land Management, 3. Private and 4. Others.[1]

17. Game Fish Species - This lists those species of game fish that are known to occur in the body of water. The abbreviations can be interpreted by referring to - "Key to Game Fish Species", page 9

In the "Lakes, Reservoirs and Ponds" grouping there are 15 major columns which are described as follows:

1. No. - The same as for "Streams" above.
2. Lake, Reservoir or Pond - " " "
3. Valley Or Mountain Range - " " "
4. Twn and Rng - " " "
5. County - " " "
6. Hydrographic Area - " " "
7. Date of Survey - " " "
8. Average Width - The mean width of the body of water measured in miles (M) or feet (F).
9. Average Length - The mean length of the body of water measured in miles (M) or feet (F).
10. Average Depth - The mean depth of the body of water measured in feet and 10ths of feet.

---

1. Includes Bureau of Indian Affairs, Nevada Department of Fish and Game etc.

11. Maximum Depth - The greatest depth of the body of water measured in feet and 10ths of feet.

12. Surface Acres - Surface area in acres and 10ths of acres.

13. Volume-Acre Feet - Volume in acre feet and 10ths of acre feet.

14. Shoreline Ownership Percent - Based upon the surface area of the body of water, the approximate percentage of the shoreline that is under the control of: 1. Forest Service, 2. Bureau of Land Management, 3. Private and 4. Others.[1]

15. Game Fish Species - The same as for "Streams" above.

1. Includes Bureau of Indian Affairs, Nevada Department of Fish and Game, etc.

## KEY TO THE BIOLOGICAL STREAM RATING SYSTEM FOR COLD WATER FISHERIES[1]

There are 10 biological factors which determine the average cold water fishery. Each of these key factors must be considered, each with the others, in order to determine the quality of the stream for a cold water fishery.

All biological conditions vary in direct proportion to the descriptive rating with one exception. The numerical ratings for spawning conditions are reversed. For example, other environmental factors being equal a stream with good spawning conditions is assigned a lower overall rating than one with poor spawning conditions. This illustrates to the Department of Fish and Game the relative need for stocking each individual stream.

### BIOLOGICAL FACTORS

**VELOCITY** (feet per second)

| | | |
|---|---|---|
| 0.0 - 0.9 | (Sluggish) | - 3 points |
| 1.0 - 1.4 | (slow) | - 5 |
| 1.5 - 2.4 | (fast) | - 2 |
| 2.5 - 3.4 | (rapid) | - 0 |
| 3.5 - | (torrential) | - 0 |

**TEMPERATURE** (°F)

| | |
|---|---|
| 32 - 40 | - 0 points |
| 41 - 50 | - 2 |
| 51 - 55 | - 5 |
| 56 - 60 | -10 |
| 61 - 65 | - 5 |
| 66 - 75 | - 0 |
| 76 - | - 0 |

**VOLUME FLOW** (cubic feet per second)

| | |
|---|---|
| 0.00 - 0.25 | - 0 points |
| 0.26 - 0.50 | - 5 |
| 0.51 - 1.00 | - 10 |
| 1.01 - 2.00 | - 20 |
| 2.01 - 3.00 | - 40 |
| 3.01 - 4.00 | - 60 |
| 4.01 - 5.00 | - 80 |
| 5.01 - 6.00 | - 85 |
| 6.01 - 7.00 | - 90 |
| 7.01 - 8.00 | - 95 |
| 8.01 - 9.00 | -100 |
| 9.01 -10.00 | -105 |
| 10.01 - | -105 |

**BOTTOM TYPE**

| | |
|---|---|
| Rock or rubble | -10 points |
| Gravel | - 6 |
| Sand | - 2 |
| Mud | - 2 |
| Hardpan | - 0 |
| Bedrock | - 0 |
| Clay | - 0 |

**TURBIDITY**

| | |
|---|---|
| Clear | - 2 |
| Cloudy | - 1 |
| Murky | - 0 |
| Muddy | - 0 |

**OTHER FACTORS**

| | Ex. | Gd. | Fr. | Pr. |
|---|---|---|---|---|
| Pools | 75 | 50 | 25 | 0 |
| Cover | 50 | 30 | 10 | 0 |
| Riffles | 4 | 3 | 2 | 0 |
| Spawning | 0 | 10 | 15 | 20 |
| Food | 30 | 20 | 5 | 0 |

1. Developed by the Nevada Department of Fish and Game, Fisheries Division.

## KEY TO THE AVERAGE BIOLOGICAL STREAM RATING FOR COLD WATER FISHERIES[1]

A biological rating system was developed from examination of nearly 400 streams in the stream survey file of the Nevada Fish and Game. Each stream was rated from 0 to 311, according to the quality of the various biological factors. The table below is an average biological rating only and any serious degrading of any one of the elements could very well preclude a fishery even though the over-all rating may be average or above. For example, on a 10 foot stream with a biological rating of 166, which would indicate an average cold water fishery, the turbidity or velocity could be such that no fishery could exist.

### BIOLOGICAL RATING

| Average Width (Feet) | Average[2] Biological Rating (0 - 311) |
|---|---|
| 1 | 58 |
| 2 | 72 |
| 3 | 85 |
| 4 | 99 |
| 5 | 111 |
| 6 | 125 |
| 7 | 137 |
| 8 | 147 |
| 9 | 157 |
| 10 | 166 |
| 11 | 173 |
| 12 | 180 |
| 13 | 186 |
| 14 | 190 |
| 15 | 194 |

1. Developed by Robert E. Walstrom, Natural Resource Consultant. from data (1951 to 1970) obtained from the Nevada Department of Fish and Game and available publications.

2. The average cannot be construed as a limit.

KEY TO THE AVERAGE MINIMUM C.F.S. FOR

COLD WATER FISHERIES[1]

This table lists the recommended average cubic feet per second required for a cold water fishery on streams up to 15 feet in width. The table is based on the examination of over 500 streams and their associated average minimum flows and compiled from published reports and estimates of Nevada fish and game field personnel.

Cubic Feet Per Second Requirement

| Average Width (Feet) | Average Minimum[2] Cubic Feet Per Second |
|---|---|
| 1 | 0.2 |
| 2 | 0.6 |
| 3 | 1.2 |
| 4 | 1.8 |
| 5 | 2.3 |
| 6 | 3.0 |
| 7 | 3.7 |
| 8 | 4.4 |
| 9 | 5.1 |
| 10 | 5.9 |
| 11 | 6.7 |
| 12 | 7.6 |
| 13 | 8.4 |
| 14 | 9.3 |
| 15 | 10.2 |

1. Developed by Robert E. Walstrom, Natural Resource Consultant, from data (1951 to 1970) obtained from the Nevada Department of Fish and Game and available publications.

2. The average cannot be construed as a limit.

## KEY TO THE GAME FISH SPECIES

| | |
|---|---|
| B | Bluegill |
| BB | Black Bullhead |
| BC | Black Crappie |
| BT | Brook Trout |
| BNB | Brown Bullhead |
| BNT | Brown Trout |
| CC | Channel Catfish |
| CT | Cutthroat Trout |
| DT | Dolly Varden Trout |
| GT | Golden Trout |
| GS | Green Sunfish |
| KT | Kokanee Salmon |
| LB | Largemouth Black Bass |
| MT | Mackinaw Trout |
| NP | Northern Pike |
| RT | Rainbow Trout & Rainbow Hybrids |
| SP | Sacramento Perch |
| ST | Silver Salmon |
| SB | Smallmouth Black Bass |
| STB | Striped Bass |
| WP | Walleye |
| W | Whitefish |
| WBA | White Bass |
| WC | White Catfish |
| WCR | White Crappie |
| YP | Yellow Perch |

End. Species Rare and Endangered Species

## TOTALS FOR NEVADA - ALL WATERS

It must be noted that totals represent only those figures available for tabulation on individual waters. Some figures are not available at present on certain waters and these totals will be updated as they become available. Additionally, it should be noted that the totals include fishable as well as nonfishable waters.

| STREAMS | | |
|---|---|---|
| No. | Total Length (miles) | Species of Game Fish |
| 1,122 | 7,500 | 22 |

| LAKES, RESERVOIRS AND PONDS | | | |
|---|---|---|---|
| No. | Surface Acres[1] | Volume (Acre-feet) | Species of Game Fish |
| 384 | 425,400 | 185,734,600 | 25 |

| TOTALS - ALL WATERS | |
|---|---|
| No. | Species of Game Fish |
| 1,506 | 26 |

1. Includes only Nevada portions of Lakes Mead, Mohave, Tahoe and Topaz.

Total length, surface acres and volume rounded to nearest 100.

| STREAMS - TOTALS BY HYDROGRAPHIC REGION | | | |
|---|---|---|---|
| Hydrographic Region | No. | Total Length[1] (Miles) | Species of Game Fish |
| 1 | 11 | 110 | 2 |
| 2 | 59 | 530 | 4 |
| 3 | 301 | 1,600 | 7 |
| 4 | 327 | 2,920 | 15 |
| 5 | 4 | 20 | 7 |
| 6 | 35 | 220 | 8 |
| 7 | - | - | - |
| 8 | 34 | 240 | 14 |
| 9 | 14 | 220 | 12 |
| 10 | 266 | 1,180 | 5 |
| 11 | 52 | 280 | 4 |
| 12 | - | - | - |
| 13 | 18 | 210 | 8 |
| 14 | 1 | - | - |

1. Rounded to nearest 10.

| LAKES, RESERVOIRS AND PONDS - TOTALS BY HYDROGRAPHIC REGION | | | | |
|---|---|---|---|---|
| Hydrographic Region | No. | Surface Acres | Volume (Acre -feet) | Species of Game Fish |
| 1 | 47 | 21,290 | 43,570 | 5 |
| 2 | 21 | 3,210 | 19,000 | 7 |
| 3 | 27 | 8,210 | 109,870 | 8 |
| 4 | 64 | 27,980 | 358,050 | 18 |
| 5 | 1 | 410 | - | 7 |
| 6 | 41 | 151,930[1] | 150,051,230 | 15 |
| 7 | - | - | - | - |
| 8 | 27 | 47,560 | 401,070 | 13 |
| 9 | 17 | 42,630[2] | 3,132,500 | 11 |
| 10 | 90 | 9,630 | 36,020 | 10 |
| 11 | 16 | 4,040 | 17,730 | 8 |
| 12 | - | - | - | - |
| 13 | 29 | 108,370[3] | 31,564,740 | 12 |
| 14 | 4 | 140 | 860 | 2 |

1. Includes only Nevada portion of Lake Tahoe.
2. Includes only Nevada portion of Topaz Lake.
3. Includes only Nevada portion of Lakes Mead and Mohave.

| No. | HYDROGRAPHIC REGION 1 | | | | County | Hydrographic Area | Date of Survey | Biological Rating | Total Length | Fishable Length | Average Width | Average Depth | Average Flow | Average Minimum C.F.S. for Cold Water Fishery | Ownership Total Length | | | | Ownership Fishable Length | | | | Game Fish Species |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Stream Name | Valley or Mountain Range | Twn | Rng | | | | | | | | | | | Forest Service | B.L.M. | Private | Other | Forest Service | B.L.M. | Private | Other | |
| 507 | Alder Creek | Pine Forest Mountains | 44N | 28E | Hu | 002 | 9-54 | 137 | 10.0 | 8.0 | 6.33 | 3 | 2.74 | 3.0 | | | | | | 3.5 | | | BT,RT |
| 473 | Cottonwood Creek | Bilk Creek Mountains | 47N | 32E | Hu | 001 | | | 7.0 | | | | | | | | | | | | | | |
| 471 | Cove Creek | Bartlett Butte | 42N | 27E | Hu | 003 | | | 4.0 | | | | | | | | | | | | | | |
| 472 | Craine Creek | Pine Forest Mountains | 42N | 27E | Hu | 003 | | | 8.0 | | | | | | | | | | | | | | BT,RT |
| 1366 | Knott Creek | Pine Forest Mountains | 43N | 28E | Hu | 003 | | | | | | | | | | | | | | | | | RT |
| 1311 | Mosquito Valley Creek | Mosquito Lake | 45N | 19E | Wa | 012 | | | 0 | | | | | | | | | 0 | 0 | 0 | 0 | 0 | |
| 431 | Pole Creek | Snowstorm Mountains | 42N | 27E | Hu | 003 | | | 4.0 | | | | | | | | | | | | | | |
| 1312 | Sand Creek | Forty Nine Mountains | 43N | 18E | Wa | 014 | | | 19.0 | 0 | | | | | | | | 0 | 0 | 0 | 0 | 0 | |
| 504 | Thousand Creek | Big Springs Butte | 46N | 27E | Hu | 022 | | | 28.0 | | | | | | | | | | | | | | |
| 506 | Virgin Creek | Virgin Creek Valley | 44N | 25E | Hu | 004 | | | 18.0 | | | | | | | | | | | | | | |
| 455 | Wilder Creek | Bilk Creek Mountains | 46N | 31E | Hu | 001 | 9-54 | 143 | 11.0 | 5.0 | 5.25 | 2 | 1.06 | 2.3 | | 5.5 | | | | | | | BT,RT |

| No. | HYDROGRAPHIC REGION 1 | | | | County | Hydrographic Area | Date of Survey | Average Width | Average Length | Average Depth | Maximum Depth | Surface Acres | Volume (Acre-feet) | Shoreline Ownership Percentage | | | | Game Fish Species |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Lake, Reservoir or Pond | Valley or Mountain Range | Twn | Rng | | | | | | | | | | Forest Service | B.L.M. | Private | Other | |
| | Alkali Lake | Long Valley | 44N | 19E | Wa | 009 | | | | | 3,750.0 | 3,750.0 | | | | | | Terminal Lake |
| 404 | Alkali Reservoir | Black Rock Desert | 43N | 25E | Hu | 029 | | | | | 97.0 | 1,233.0 | | | | | | Playa Lake |
| | Bald Mountain Lake | Catnip Mountain | 46N | 22E | Wa | 007 | | | | | 216.0 | 216.0 | | | | | | Terminal Lake |
| 499 | Big Springs Reservoir | Sage Hen Hills | 46N | 25E | Hu | 004 | | | | 9.0 | 480.0 | 1,680.0 | | | | | | RT |
| 406 | Blue Lake | Pine Forest Range | 43N | 28E | Hu | 002 | | | | | 20.0 | 120.0 | 0 | 100% | 0 | 0 | | CT, RT |
| 407 | Bog Hot Reservoir | Pueblo Mountains | 46N | 28E | Hu | 002 | | | | | 38.0 | 154.0 | | | | | | LB |
| | Boulder Lake | Canyon Peak | 40N | 19E | Wa | 015 | | | | | 15.0 | 78.0 | | | | | | Terminal Lake |
| 1387 | Boulder Reservoir | Long Valley | 40N | 20E | Wa | 015 | | | | | 10.0 | 40.0 | | | | | | RT |
| | Broyles Reservoir | Long Valley | 44N | 19E | Wa | 009 | | | | | 78.0 | 510.0 | | | | | | |
| | Cap Johnson Reservoir | Near Vya | 43N | 20E | Wa | 009 | | | | | 160.0 | 1,500.0 | | | | | | |
| | Carter Reservoir | Near Vya | 43N | 18E | Wa | 014 | | | | | 222.0 | 935.0 | | | | | | |
| 1396 | Catnip Reservoir | Catnip Mountains | 46N | 27E | Wa | 006 | | | | | 55.0 | 220.0 | 0 | 0 | 0 | 100% | | CT (closed) |
| | Central Lake | Long Valley | 41N | 19E | Wa | 009 | | | | | 321.0 | 150.0 | | | | | | Terminal Lake |
| | Coleman Reservoir | North of Vya | 47N | 20E | Wa | 013 | | | | | 40.0 | 500.0 | | | | | | |
| 408 | Continental Reservoir | Black Rock Desert | 46N | 28E | Hu | 002 | | | | | 500.0 | 4,250.0 | | | | | | |
| | Duck Lake | Duck Flat | 37N | 18E | Wa | 016 | | | | | 3,000.0 | 3,000.0 | | | | | | Terminal Lake |
| 410 | Dufurrena Ponds | Virgin Creek Valley | 46N | 26E | Hu | 004 | | | | | 25.0 | 150.0 | | | | | | WCR |
| | Frog Pond Dam | Near Vya | 45N | 18E | Wa | 014 | | | | | 92.0 | 395.0 | | | | | | |
| | Forty-Nine Lake | Long Valley | 42N | 19E | Wa | 016 | | | | | 352.0 | 200.0 | | | | | | Terminal Lake |
| 500 | Gooch Lake | Virgin Creek Valley | 45½N | 24E | Hu | 004 | | | | | 154.0 | 154.0 | | | | | | Playa Lake |
| 411 | Gridley Lake | Knott Creek Valley | 44N | 27E | Hu | 003 | | | | | 320.0 | 320.0 | | | | | | Playa Lake |
| | Hill Dam | Long Valley | 45N | 19E | Wa | 012 | | | | | 77.0 | 396.0 | | | | | | |
| | Holy Lake, Big | Forty-Nine Mountains | 45N | 19E | Wa | 009 | | | | | 500.0 | 1,000.0 | | | | | | Terminal Lake |
| 788 | Holy Lake, Little | Forty-Nine Mountains | 45N | 19E | Wa | 009 | | | | 25.0 | 30.0 | 30.0 | 0 | 0 | 100% | 0 | | Terminal Lake |
| 414 | Knott Creek Reservoir | Pine Forest Range | 43N | 28E | Hu | 003 | | | 7.0 | 18.0 | 98.0 | 1,620.0 | | 50% | | | | RT |
| | Little Valley Res. | Long Valley | 46N | 20E | Wa | 011 | | | | | 80.0 | 400.0 | | | | | | |
| | Lost Creek Reservoir | Lost Creek | 37N | 20E | Wa | 016 | | | | | 12.0 | 98.0 | | | | | | |
| | Massacre Lake | Long Valley | 43N | 21E | Wa | 008 | | | | | 2,532.0 | 3,000.0 | | | | | | Terminal Lake |
| | Middle Lake | Long Valley | 43N | 21E | Wa | 008 | | | | | 1,198.0 | 900.0 | | | | | | Terminal Lake |
| | Mosquito Lake | Long Valley | 45N | 19E | Wa | 012 | | | | | 935.0 | 400.0 | | | | | | Terminal Lake |
| | Mud Lake | Long Valley | 45N | 20E | Wa | 009 | | | | | 900.0 | 1,200.0 | | | | | | Terminal Lake |
| | New Years Lake | North of Vya | 45N | 18E | Wa | 014 | | | | | 1,500.0 | 6,000.0 | | | | | | |
| 501 | Onion Lake | Rock Spring Table | 43N | 26E | Hu | 003 | | | | | 774.0 | 774.0 | | | | | | Playa Lake |
| 416 | Onion Res., Little | Pine Forest Range | 43N | 28E | Hu | 002 | 1968 | | | | 30.0 | 325.0 | | | | | | RT |
| 418 | Onion Valley Reservoir | Pine Forest Range | 44N | 28E | Hu | 002 | | | | | 101.0 | 1,500.0 | 0 | 100% | 0 | 0 | | RT |
| | Racetrack Reservoir | Long Valley | 46N | 21E | Wa | 006 | | | | | 32.0 | 75.0 | | | | | | |
| 502 | Rock Springs Table Res. | Virgin Creek Valley | 44N | 25E | Hu | 004 | | | | | 40.0 | 500.0 | | | | | | |
| | Rye Grass Reservoir | Round Mountain | 46N | 22E | Wa | 006 | | | | | 200.0 | 498.0 | | | | | | |
| 503 | Smith Lake | Virgin Creek Valley | 44N | 24E | Hu | 007 | | | | | 5.0 | 10.0 | | | | | | |
| | Swan Lake | Catnip Mountain | 45N | 22E | Wa | 007 | | | | | 130.0 | 300.0 | | | | | | Terminal Lake |
| | Swan Lake Reservoir | Catnip Mountain | 45N | 22E | Wa | 007 | | | | | 500.0 | 1,000.0 | | | | | | |
| | Toney Reservoir | Long Valley | 46N | 20E | Wa | 009 | | | | | 15.0 | 85.0 | | | | | | |
| 505 | Virgin Valley Res. | Virgin Creek Valley | 45N | 26E | Hu | 004 | | | | | 20.0 | 50.0 | | | | | | |
| 1412 | Wall Canyon Reservoir Upper (Dam No. 2) | Granite Range | 38N | 19E | Wa | 016 | | | | 55.0 | 133.0 | 2,200.0 | 0 | 0 | 100% | 0 | | CT, BNT |
| | Wall Creek Dam | Granite Range | 37N | 19E | Wa | 016 | | | | | 182.0 | 400.0 | | | | | | |
| | West Lake | Long Valley | 43N | 21E | Wa | 008 | | | | | 1,248.0 | 900.0 | | | | | | |
| | Wimer Reservoir | Long Valley | 45N | 20E | Wa | 009 | | | | | 70.0 | 350.0 | | | | | | |

| No. | HYDROGRAPHIC REGION 2 | | | | County | Hydrographic Area | Date of Survey | Biological Rating | Total Length | Fishable Length | Average Width | Average Depth | Average Flow | Average Minimun C.F.S. for Cold Water Fishery | Ownership Total Length | | | | Ownership Fishable Length | | | | Game Fish Species |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Stream Name | Valley or Mountain Range | Twn | Rng | | | | | | | | | | | Forest Service | B.L.M. | Private | Other | Forest Service | B.L.M. | Private | Other | |
| 458 | Alta Creek | Pine Forest Mountain | 45N | 30E | Hu | 029 | 8-54 | 70 | 5.0 | 5.0 | 2.19 | 1 | 0.78 | 0.6 | | | | | | | | | BT |
| 459 | Andorna Creek | Santa Rosa Mountains | 41N | 37E | Hu | 033 | 8-53 | 46 | 7.0 | 3.0 | 2.16 | 2 | 0.48 | 0.6 | 2.8 | 2.4 | | | | 2.5 | | | CT |
| 460 | Bartlett Creek | Black Rock Range | 41N | 27E | Hu | 028 | 9-54 | 72 | 18.0 | 6.0 | 3.25 | 2 | 0.75 | 1.2 | 0 | | | 0 | | 6.0 | | | BT, RT |
| 461 | Battle Creek | Black Rock Range | 40N | 23E | Hu | 028 | | | 12.0 | | | | | | | | | | | | | | |
| 463 | Big Creek | Pine Forest Mountains | 43N | 30E | Hu | 029 | 9-54 | 135 | 10.0 | 5.0 | 5.16 | 3 | 4.40 | 2.3 | 0 | | | 0 | | 4.9 | | | RT |
| 462 | Big (Alexander) Creek | Jackson Mountains | 39N | 32E | Hu | 031 | 9-57 | 87 | 6.0 | 3.0 | 3.50 | 2 | 0.44 | 1.8 | | | | 0 | | 3.0 | 0 | 0 | BT |
| 464 | Bilk Creek | Bilk Creek Mountains | 44N | 32E | Hu | 029 | 9-54 | 128 | 20.0 | 15.0 | 5.58 | 4 | 2.78 | 3.0 | 0 | | | 0 | | 4.0 | | | CT, RT |
| 465 | Bottle Creek | Jackson Mountains | 40N | 32E | Hu | 031 | 6-57 | 95 | 9.0 | 7.0 | 4.83 | 3 | 1.64 | 2.3 | | | 7.5 | | | | | | BT, RT |
| 466 | Buffalo Creek | Santa Rosa Mountains | 42N | 37E | Hu | 033 | 8-53 | 100 | 7.0 | 4.0 | 2.16 | 2 | 0.48 | 0.6 | 4.0 | 0.3 | | | | | | | BT, RT |
| 1317 | Buffalo Creek | Smoke Creek Desert | 33N | 19E | Wa | 021 | | | | | | | | | | | | | | | | | |
| 468 | Canyon Creek | Santa Rosa Mountains | 45N | 38E | Hu | 033 | 6-52 | 54 | 11.0 | 3.0 | 2.16 | 3 | 0.46 | 0.6 | 2.5 | | | 2.5 | | | | | BT |
| 469 | Chicken Creek | Pine Forest Mountains | 42N | 28E | Hu | 028 | | | 4.0 | 1.0 | | | | | | | | | | | | | |
| 634 | Cottonwood Creek | Granite Mountains | 35N | 23E | Wa | 024 | 5-57 | 64 | 9.0 | 0 | 4.00 | 2 | 1.46 | 1.8 | | 3.0 | | 0 | 0 | 0 | 0 | | |
| 1368 | Dog Creek | Santa Rosa Mountains | 42N | 38E | Hu | 033 | | | | | | | | | | | | | | | | | |
| 478 | Eagle Creek | Santa Rosa Mountains | 44N | 37E | Hu | 033 | | | 6.0 | | | | | | | | | | | | | | |
| 479 | Eight Mile Creek | Santa Rosa Mountains | 46N | 38E | Hu | 033 | 8-53 | 121 | 11.0 | 3.0 | 5.00 | 5 | 3.00 | 2.3 | 3.3 | 7.7 | 0 | 0 | | | | | |
| 480 | Flat Creek | Santa Rosa Mountains | 44N | 38E | Hu | 033 | 3-52 | 92 | 10.0 | 5.0 | 2.17 | 5 | 0.55 | 0.6 | 3.0 | 2.5 | | | | | | | BT |
| 481 | Granite Creek | Pine Forest Mountains | 45N | 30E | Hu | 029 | 8-54 | 90 | 3.6 | 3.5 | 2.50 | 1 | 0.53 | 1.2 | | 0 | | | | | | | BT |
| 643 | Granite Creek | Granite Mountains | 34N | 23E | Wa | 024 | 5-57 | 118 | 5.0 | 3.0 | 3.80 | 4 | 2.73 | 1.8 | | | 1.5 | | | | | | BNT |
| 1307 | Hanging Rock Creek | Calico Mountains | 41N | 22E | Wa | 025 | | | | 0 | | | 0.30 | | | | | | | 0 | 0 | 0 | 0 | |
| 482 | Happy Creek | Jackson Mountains | 41N | 32E | Hu | 029 | 9-57 | 91 | 6.5 | 4.0 | 5.08 | 2 | 0.52 | 2.3 | 0 | 6.5 | 0 | 0 | 0 | 4.0 | 0 | 0 | BT, RT |
| 1308 | High Rock Creek | Calico Mountains | 39N | 23E | Wa | 025 | | | | 0 | | | | | | | | | 0 | 0 | 0 | 0 | |
| 484 | Horse Creek | Santa Rosa Mountains | 46N | 34E | Hu | 030 | 8-53 | 91 | 7.0 | 4.0 | 2.83 | 2 | 0.87 | 1.2 | 4.0 | 1.0 | | | 4.0 | 0 | 0 | 0 | |
| 483 | Horse Canyon Creek | Santa Rosa Mountains | 42N | 38E | Hu | 033 | | | 6.0 | | | | | | | | | | | | | | |
| 485 | House Creek | Bilk Creek Mountains | 45N | 33E | Hu | 030 | | | 3.0 | 2.0 | | | | | | 2.0 | | | | | | | |
| 488 | Jackson Creek | Jackson Mountains | 40N | 31E | Hu | 028 | 9-57 | 96 | 8.5 | 4.0 | 4.60 | 2 | 1.14 | 2.3 | 0 | 8.5 | 0 | 0 | 0 | 4.0 | 0 | 0 | BT |
| 516 | Jakes Creek | Snowstorm Mountains | 46N | 39E | Hu | 033 | | | 3.5 | | | | | | | | | | | | | | |
| 490 | Kings River | Trout Creek Mountains | 47N | 33E | Hu | 030 | 8-59 | 168 | 36.0 | 10.0 | 5.70 | 4 | 1.09 | 3.0 | | | | | | | | | BT, RT |
| 491 | Leonard Creek | Pine Forest Mountains | 42N | 28E | Hu | 028 | 9-54 | 128 | 20.0 | 12.0 | 6.00 | 3 | 2.77 | 3.0 | | 8.5 | | | | | | | BT, RT |
| 497 | Mahogany Creek | Black Rock Mountains | 42N | 26E | Hu | 027 | 8-69 | | | 5.5 | 4.95 | 4 | 2.00 | 2.3 | | 3.1 | | | | | | | |
| 518 | Mary Sloan Creek | Jackson Mountains | 40N | 31E | Hu | 029 | 6-57 | 70 | 4.0 | 1.0 | 1.13 | 2 | 0.49 | 0.2 | 0 | 4.0 | 0 | 0 | 0 | 1.0 | 0 | 0 | RT |
| 424 | McConnel Creek | Santa Rosa Mountains | 42N | 38E | Hu | 033 | 8-53 | 101 | 9.5 | 4.0 | 2.91 | 3 | 0.93 | 1.2 | 2.4 | | | 0.9 | | | | | BT |
| 425 | McDermitt Creek | Disaster Peak | 47N | 36E | Hu | 033 | 7-53 | 121 | 13.0 | 6.0 | 4.08 | 4 | 1.57 | 1.8 | | 1.7 | | | | | | | BT, RT |
| 426 | Mud Creek | Split Peak | 45N | 31E | Hu | 029 | | | | 7.0 | | | | | | | | | | | | | |
| 1314 | Mud Meadows Creek | Mud Meadow Valley | 40N | 25E | Wa | 026 | | | | 0 | | | | | | | | | 0 | 0 | 0 | 0 | |
| 651 | Negro Creek | Granite Mountains | 36N | 23E | Wa | 024 | 5-57 | 81 | 13.5 | 3.0 | 4.15 | 2 | 1.17 | 1.8 | | 0.1 | | | | | | | BT |
| 428 | N.Y. Canyon Creek | Pine Forest Mountains | 42N | 28E | Hu | 028 | | | | 3.0 | | | | | | | | | | | | | |
| 424 | Piaute Creek | Black Rock Mountains | 39N | 27E | Hu | 028 | | | | 14.0 | | | | | | | | | | | | | |
| 561 | Popular (Log Cabin) Creek | Bilk Creek Mountains | 46N | 32E | Hu | 030 | 9-54 | 78 | 8.0 | 7.0 | 2.50 | 1 | 0.25 | 1.2 | 0 | 5.5 | | | | | | | BT, RT |
| 432 | Quinn River | Santa Rosa Mountains | 41N | 35E | Hu | 028 | 8-54 | 101 | 100.0 | 25.0 | 4.37 | 3 | 1.10 | 1.8 | | | | | | | | | BNT, BT, CT, RT |
| | | | | | | 029 | | | | | | | | | | | | | | | | | |
| | | | | | | 030 | | | | | | | | | | | | | | | | | |
| | | | | | | 033 | | | | | | | | | | | | | | | | | |
| 432 | Quinn River, E.F. | Santa Rosa Mountains | 47N | 39E | Hu | 033 | | | | | | | | | | | | | | | | | BNT,BT,CT,RT |
| 1370 | Quinn River, S.F. | Santa Rosa Mountains | 47N | 39E | Hu | 033 | | 92 | | 8.0 | 5.50 | | 1.18 | 3.0 | | | | | | | | | BNT, RT |
| 433 | Raster Creek | Bilk Creek Mountains | 47N | 32E | Hu | 030 | 9-54 | 94 | 8.0 | 5.0 | 2.50 | 1 | 0.35 | 1.2 | | 0 | | | | 0 | | | BT, RT |
| 435 | Rebel Creek | Santa Rosa Mountains | 43N | 37E | Hu | 033 | 8-53 | 149 | 10.0 | 5.0 | 3.25 | 2 | 1.26 | 1.2 | 4.0 | | | | | 0 | | | BT, RT |
| 637 | Red Mountain Creek | Granite Mountains | 35N | 23E | Wa | 024 | 5-57 | 140 | 16.0 | 3.5 | 8.00 | 3 | 2.46 | 4.4 | | 3.5 | | | | | | | BNT, BT |
| 436 | Rock Creek | Sonoma Range | 42N | 37E | Hu | 033 | | | 6.0 | | | | | | | 2.0 | | | | | | | |

| No. | HYDROGRAPHIC REGION 2 | | | | County | Hydrographic Area | Date of Survey | Biological Rating | Total Length | Fishable Length | Average Width | Average Depth | Average Flow | Average Minimum C.F.S. for Cold Water Fishery | Ownership Total Length | | | | Ownership Fishable Length | | | | Game Fish Species |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Stream Name | Valley or Mountain Range | Twn | Rng | | | | | | | | | | | Forest Service | B.L.M. | Private | Other | Forest Service | B.L.M. | Private | Other | |
| 438 | Rodeo Creek | Bilk Creek Mountains | 46N | 32E | Hu | 033 | | | 4.0 | 2.0 | | | | | | | | | | | | | |
| 439 | Sagehen Creek | Pine Forest Mountains | 42N | 28E | Hu | 028 | | | | 3.0 | | | | | | | | | | | | | |
| 440 | Siard Creek | Santa Rosa Mountains | 45N | 39E | Hu | 033 | 7-55 | 76 | 4.0 | 3.0 | 1.40 | 1 | 0.31 | 0.2 | 4.0 | 0 | 0 | 0 | 3.0 | 0 | 0 | 0 | BT, RT |
| 1313 | Smoke Creek | Smoke Creek Desert | 31N | 19E | Wa | 021 | 12-62 | | | 0 | | | 2.00 | | | | | | 0 | 0 | 0 | 0 | Non-fishable |
| 442 | Snow Creek | Pine Forest Mountains | 42N | 28E | Hu | 028 | | | 4.0 | 1.5 | | | | | | | | | | | | | |
| 1374 | Snow Creek | Black Rock Range | 41N | 26E | Hu | 026 | | | | | | | | | | | | | | | | | |
| 448 | Thomas Creek | Sonoma Range | 35N | 38E | Hu | 031 | 1-59 | 132 | 8.0 | 4.0 | 3.60 | 3 | 0.83 | 1.8 | | 1.8 | | | | | | | BT, RT |
| | | | | | | | 3-59 | | | | | | | | | | | | | | | | |
| 449 | Threemile Creek | Santa Rosa Mountains | 46N | 38E | Hu | 033 | 3-52 | 51 | 11.0 | 3.0 | 1.58 | 2 | 0.30 | 0.6 | 2.0 | 2.8 | | | | | | | |
| | | | | | | | 8-53 | | | | | | | | | | | | | | | | |
| 450 | Trout Creek | Jackson Mountains | 39N | 31E | Hu | 031 | 9-57 | 60 | 12.0 | 1.5 | 3.26 | 2 | 0.60 | 1.2 | 0 | 12.0 | 0 | 0 | 0 | 1.5 | 0 | 0 | BT |
| 451 | Trout (Crawley) Creek | Montana Mountains | 44N | 36E | Hu | 029 | 4-52 | 58 | 17.0 | 6.0 | 1.50 | 2 | 0.22 | 0.6 | 0 | 17.0 | 0 | 0 | 0 | 6.0 | 0 | 0 | CT |
| | | | | | | | 8-53 | | | | | | | | | | | | | | | | |
| 453 | Washburn Creek | Jordan Meadow Flat | 46N | 36E | Hu | 033 | | | 18.0 | 3.0 | | | | | | 2.8 | | | | | | | |
| 456 | Willow Creek | Jackson Mountains | 39N | 32E | Hu | 031 | 6-57 | 84 | 5.5 | 1.5 | 2.35 | 2 | 0.59 | 0.6 | 0 | 5.5 | 0 | 0 | 0 | 1.5 | 0 | 0 | BT |
| 457 | Willow Creek | Santa Rosa Mountains | 44N | 38E | Hu | 033 | 3-52 | 117 | 12.0 | 7.0 | 3.16 | 3 | 0.91 | 1.2 | 4.0 | 2.2 | | | | | | | BT, RT |
| | | | | | | | 8-53 | | | | | | | | | | | | | | | | |

| No. | HYDROGRAPHIC REGION 2 | | | | | | | | | | | | | | | Shoreline Ownership Percentage | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Lake, Reservoir or Pond | Valley or Mountain Range | Twn | Rng | County | Hydrographic Area | Date of Survey | Average Width | Average Length | Average Depth | Maximum Depth | Surface Acres | Volume (Acre-feet) | Forest Service | B.L.M. | Private | Other | Game Fish Species |
| 405 | Bilk Creek Reservoir | Bilk Creek Mountains | 43N | 32E | Hu | 029 | | | | | | 110.0 | 800.0 | | | | | CT, RT |
| 409 | Delong Reservoir | Black Rock Desert | 41N | 31E | Hu | 028 | | | | | | 500.0 | 2,275.0 | | | | | |
| | Denio Reservoir | Weimer Spring Creek | 39N | 22E | Wa | 025 | | | | | | 30.0 | 110.0 | | | | | |
| | Dewey Parker Reservoirs | Smoke Creek Desert | 31N | 20E | Wa | 021 | | | | | | 156.0 | 428.0 | | | | | |
| | Fly Reservoir | Granite Range | 34N | 23E | Wa | 024 | | | | | | 40.0 | 350.0 | | | | | |
| | Grass Valley Reservoir | Fox Mountain | 37N | 22E | Wa | 025 | | | | | | 10.0 | 50.0 | | | | | |
| 412 | High Rock Lake | Calico Mountains | 39N | 24E | Hu | 025 | | | | | | 650.0 | 500.0 | | | | | Playa Lake |
| 413 | Jungo Flat Lake | Desert Valley | 36N | 32E | Hu | 031 | | | | | | 10.0 | 25.0 | | | | | Playa Lake |
| 415 | Leonard Creek Lakes | Pine Forest Range | 42N | 28E | Hu | 028 | | | | | | | | | | | | |
| | Mud Meadows Reservoir | Black Rock Desert | 38N | 25E | Hu | 026 | | | | | | 80.0 | 215.0 | | | | | |
| | Negro Creek Dam | Granite Range | 35N | 23E | Wa | 024 | | | | | | 50.0 | 497.0 | | | | | |
| 1385 | Quinn Slough | | | | Hu | 033 | | | | | | | | | | | | WCR |
| 639 | Red Mountain Reservoir | Granite Range | 34N | 23E | Wa | 024 | 5-57 | | | | | 30.0 | | 0 | 0 | 100% | 0 | BNT, LB |
| 1381 | Soldier Meadow Res. | Soldier Meadows | 39N | 25E | Hu | 026 | | | | | | 250.0 | 2,750.0 | 0 | 0 | 100% | 0 | End. Species |
| 1390 | Squaw Valley Reservoir | Smoke Creek Desert | 34N | 22E | Wa | 021 | 12-60 | | | | | 47.0 | 1,200.0 | 0 | 0 | 100% | 0 | BB, GS, LB, RT |
| 1034 | Summit Lake | Black Rock Mountains | 41N | 25E | Hu | 027 | | | | | | 560.0 | 5,000.0 | 0 | 0 | 0 | 100% | CT (closed) |
| 1380 | Thacker Pass Reservoir | Double H Mountains | 44N | 35E | Hu | 030 | | | | | 10.0 | 1.0 | | | | | | RT |
| | Van Vleck Reservoir | Black Rock Desert | 39N | 25E | Hu | 026 | | | | | | 250.0 | 2,750.0 | | | | | |
| 421 | Weiss & Vogel Res. | Black Rock Desert | 37N | 25E | Hu | 026 | | | | | | 150.0 | 450.0 | | | | | |
| 422 | Wheeler Reservoir | Black Rock Desert | 38N | 25E | Hu | 026 | | | | | | 154.0 | 1,100.0 | | | | | |
| | Woodruff Reservoir | Calico Mountains | 39N | 23E | Wa | 025 | | | | | | 128.0 | 500.0 | | | | | |

| No. | HYDROGRAPHIC REGION 3 | | | | County | Hydrographic Area | Date of Survey | Biological Rating | Total Length | Fishable Length | Average Width | Average Depth | Average Flow | Average Minimum C.F.S. for Cold Water Fishery | Ownership Total Length | | | | Ownership Fishable Length | | | | Game Fish Species |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Stream Name | Valley or Mountain Range | Twn | Rng | | | | | | | | | | | Forest Service | B.L.M. | Private | Other | Forest Service | B.L.M. | Private | Other | |
| 1006 | Adams Creek | Tuscarora Mountains | 38N | 51E | E1 | 036 | | | | | | | | | | | | | | | | | |
| 1349 | Alder Creek | Merritt Mountains | 47N | 54E | E1 | 038 | | | 6.0 | | | | | | | | | | | | | | |
| 779 | Alexander Creek | Independence Mountains | 44N | 53E | E1 | 037 | | | 1.3 | | | | | | | | | | | | | | |
| 264 | Allegheny Creek | Merritt Mountain | 45N | 54E | E1 | 037 | 7-53 | 113 | 10.0 | 0 | 3.90 | 1 | 3.91 | 1.8 | 10.0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 622 | Amazon Creek | Tuscarora Mountains | 41N | 49E | E1 | 035 | | | | 0 | | | | | | | | | 0 | 0 | 0 | 0 | |
| 949 | Annie Creek, S.F. | Cornwall Mountain | 44N | 56E | E1 | 037 | | | 5.0 | | | | | | | | | | | | | | |
| 168 | Badger Creek | Independence Mountains | 44N | 54E | E1 | 037 | 11-53 | 88 | 7.0 | 5.0 | 3.30 | 2 | 0.86 | 1.2 | 7.0 | 0 | 0 | 0 | 5.0 | 0 | 0 | 0 | BT, RT |
| 1353 | Badger Creek | Merritt Mountains | 45N | 56E | E1 | 038 | | | 2.0 | | | | | | | | | | | | | | |
| 420 | Badger Creek | Evans Flat | 44N | 57E | E1 | 038 | | | 3.5 | | | | | | | | | | | | | | |
| 103 | Badger Creek | Independence Mtns. | 39N | 52E | E1 | 036 | | | 1.5 | 0 | | | | | | | | | 0 | 0 | 0 | 0 | |
| 94 | Bailey Creek | Wilson Peak | 43N | 52E | E1 | 035 | | | | | | | | | | | | | | | | | |
| 76 | Baker Creek | Haystack Mountains | 45N | 54E | E1 | 037 | | | 1.5 | 0 | | | | | | | | | 0 | 0 | 0 | 0 | |
| 167 | Bear Creek | Jarbidge Mountains | 46N | 58E | E1 | 039 | | | 5.0 | 3.5 | 2.50 | 4 | | 1.2 | | | | | | | | | BT |
| 475 | Bear Creek | Bear Mountain | 47N | 62E | E1 | 040 | | | 6.0 | 0 | | | | | | | | | 0 | 0 | 0 | 0 | |
| 252 | Beaver Creek | Independence Mtns. | 43N | 54E | E1 | 037 | 11-53 | 145 | 9.0 | 5.5 | 5.40 | 3 | 1.88 | 2.3 | 9.0 | 0 | 0 | 0 | 5.5 | 0 | 0 | 0 | RT |
| 1421 | Berry Creek | Tuscarora Mountains | 39N | 51E | E1 | 036 | | | | | | | | | | | | | | | | | |
| 106 | Big Bend Creek | Tennessee Mountain | 45N | 56E | E1 | 037 | | 87 | 2.0 | 2.0 | 1.50 | 2 | | 0.6 | | | | | | | | | RT |
| 1423 | Big Springs Creek | The Mahoganies | 46N | 54E | E1 | 037 | | | 3.0 | 0 | | | | | | | | | 0 | 0 | 0 | 0 | |
| 1424 | Billy Shaw Slough | Duck Valley | 47N | 51E | E1 | 037 | | | | 0 | | | | | | | | | 0 | 0 | 0 | 0 | |
| 1425 | Blackley Creek | Pin Mountain | 47N | 54E | E1 | 038 | | | 0.3 | 0 | | | | | | | | | 0 | 0 | 0 | 0 | |
| 262 | Blue Jacket | Bull Run Mountains | 44N | 52E | E1 | 035 | 7-57 | 112 | 4.5 | 3.0 | 6.33 | 3 | 1.61 | 3.0 | 4.5 | 0 | 0 | 0 | 3.0 | 0 | 0 | 0 | BT, RT |
| 1442 | Boll Creek & S.F. | Duck Valley | 47N | 52E | E1 | 037 | | | 3.0 | 0 | | | | | | | | | 0 | 0 | 0 | 0 | |
| 1430 | Boulder Creek | Tuscarora Mountains | 39N | 51E | E1 | 036 | | | 4.0 | | | | | | | | | | | | | | |
| 113 | Boyd Creek | Independence Mtns. | 42N | 52E | E1 | 036 | 7-57 | 65 | 4.3 | 1.0 | 2.16 | 2 | 0.04 | 0.6 | | | | | | | | | BT, RT |
| 1432 | Breakneck Creek | Duck Valley | 45N | 52E | E1 | 035 | | | 2.5 | | | | | | | | | | | | | | |
| 341 | Brown Creek | Ruby Mountains | 28N | 57E | E1 | 047 | 6-54 | 89 | 6.0 | 2.0 | 4.00 | 2 | 1.76 | 1.8 | | | | | | | | | BT |
| 109 | Browns Gulch Creek | Pin Mountain | 46N | 53E | E1 | 037 | | | 4.0 | 2.0 | | | | | | | | | | | | | RT |
| 231 | Bruneau River | Stag Mountain | 43N | 56E | E1 | 038 | 7-57 | 189 | 50.0 | 25.0 | 22.80 | 6 | 21.76 | | | | | | | | | | RT, W |
| 178 | Buck Creek | Twin Buttes | 46N | 57E | E1 | 039 | | | 12.0 | 11.0 | 5.00 | 4 | | 2.3 | | | | | | | | | BT |
| 1435 | Bull Creek | Independence Mtns. | 41N | 52E | E1 | 036 | | | 4.0 | 0 | | | | | | | | | 0 | 0 | 0 | 0 | |
| 143 | Bull Camp Creek | Hubbard Basin | 42N | 63E | E1 | 040 | 8-52 | 120 | 3.0 | 3.0 | 1.40 | 1 | 0.51 | 0.2 | | | | | | | | | RT |
| 1436 | Bull Camp Creek | Biroth Ridge | 46N | 60E | E1 | 040 | | | 1.0 | 0 | | | | | | | | | 0 | 0 | 0 | 0 | |
| 266 | Bull Run Creek | Independence Mtns. | 43N | 50E | E1 | 035 | 7-57 | 147 | 20.0 | 6.0 | 7.89 | 2 | 2.22 | 4.4 | | | | | | | | | BT, CT, RT |
| 218 | Burns Creek | Independence Mtns. | 40N | 52E | E1 | 036 | 6-56 | 84 | 9.3 | 5.5 | 3.06 | 2 | 0.61 | 1.2 | | | | | | | | | BT, RT |
| 1438 | Burnt Timber Creek | The Mahoganies | 46N | 55E | E1 | 038 | | | 2.5 | 0 | | | | | | | | | 0 | 0 | 0 | 0 | |
| 179 | California Creek | Merritt Mountains | 45N | 54E | E1 | 037 | 7-53 | 105 | 14.0 | 9.5 | 3.30 | 2 | 0.65 | 1.2 | | | | | | | | | RT |
| 216 | Camp Creek | O'Neil Basin | 44N | 59E | E1 | 040 | 8-52 | 91 | 14.0 | 12.0 | 10.30 | 4 | 2.25 | 5.9 | | | | | | | | | RT |
| 265 | Canyon Creek | O'Neil Basin | 45N | 60E | E1 | 040 | 8-52 | 133 | 20.0 | 20.0 | 12.00 | 3 | 3.30 | 7.6 | | 6.0 | | | | 6.0 | | | BT, RT |
| 171 | Cap Winn Creek | Independence Mtns. | 43N | 53E | E1 | 036 | 7-57 | 75 | 6.8 | 2.0 | 6.80 | 2 | 1.75 | 3.7 | | | | | | | | | RT |
| 1448 | Carlin Creek | Independence Valley | 39N | 52E | E1 | 036 | | | 1.0 | 0 | | | | | | | | | 0 | 0 | 0 | 0 | |
| 1354 | Cat Creek | Merritt Mountain | 47N | 55E | E1 | 038 | | | 5.0 | | | | | | | | | | | | | | |
| 1592 | Cat Creek, Little | Merritt Mountain | 47N | 55E | E1 | 038 | | | 1.5 | 0 | | | | | | | | | 0 | 0 | 0 | 0 | |
| 1355 | Caudle Creek | Gollaher Mountain | 47N | 66E | E1 | 039 | | | 6.0 | | | | | | | | | | | | | | |
| 1450 | Cave Creek | Granite Range | 45N | 65E | E1 | 040 | | | | | | | | | | | | | | | | | |
| 1451 | Cedar Creek | Salmon Falls Valley | 47N | 65E | E1 | 040 | | | 4.0 | 0 | | | | | | | | | 0 | 0 | 0 | 0 | |
| 1356 | Cherry Creek | Biroth Ridge | 46N | 59E | E1 | 039 | | | | 6.0 | | | | | | | | | | | | | |
| 180 | Chicken Creek | Independence Mtns. | 42N | 53E | E1 | 036 | 7-57 | 88 | 4.5 | 2.5 | 4.00 | 3 | 0.61 | 1.8 | 4.5 | 0 | 0 | 0 | 2.5 | 0 | 0 | 0 | RT |
| 1453 | Chicken Creek | Independence Mtns. | 43N | 54E | E1 | 037 | | | 4.5 | 0 | 1.50 | 2 | | 0.6 | | | | | 0 | 0 | 0 | 0 | |
| 1454 | Chicken Creek | Independence Mtns. | 42N | 52E | E1 | 035 | | | 3.0 | | | | | | | | | | | | | | |

| No. | HYDROGRAPHIC REGION 3 | | | | | | | | | | | | | | | | | Ownership Total Length | | | | Ownership Fishable Length | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Stream Name | Valley or Mountain Range | Twn | Rng | | County | Hydrographic Area | Date of Survey | Biological Rating | Total Length | Fishable Length | Average Width | Average Depth | Average Flow | Average Minimun C.F.S. for Cold Water Fishery | Forest Service | B.L.M. | Private | Other | Forest Service | B.L.M. | Private | Other | Game Fish Species |
| 1455 | Chicken Creek, Little | Pennsylvania Mtns. | 45N | 53E | E1 | 037 | | | 3.0 | | | | | | | | | | | | | | | |
| 107 | Chimney Creek | Chimney Creek, Valley | 44N | 48E | E1 | 035 | | | 4.0 | | | | | | | | | | | | | | | |
| 1459 | Chimney Creek | Elk Mountain | 47N | 61E | E1 | 040 | | | 3.5 | | | | | | | | | | | | | | | |
| 1460 | China Creek | Independence Mtns. | 41N | 53E | E1 | 036 | | | 2.0 | 0 | | | | | | | | | 0 | 0 | 0 | 0 | | |
| 173 | Chino Creek | Tuscarora Mountains | 42N | 49E | E1 | 035 | | | 25.0 | 4.5 | | | | | | | | | | 3.6 | | | | CT, RT |
| 1462 | Circle Creek | Duck Valley | 47N | 49E | E1 | 035 | | | | | | | | | | | | | | | | | | |
| 261 | Clear Creek | Independence Mtns. | 43N | 54E | E1 | 037 | | | 4.0 | 2.0 | 4.00 | 3 | | 1.8 | | | | | | | | | | RT |
| 176 | Clear Creek | Wildhorse Reservoir | 43N | 55E | E1 | 037 | | | 3.4 | | | | | | | | | | | | | | | |
| 1464 | Clover Creek | Pin Mountain | 47N | 54E | E1 | 038 | | | 1.5 | | | | | | | | | | | | | | | |
| 1466 | Coal Creek | Tuscarora Mountains | 41N | 51E | E1 | 036 | | | | | | | | | | | | | | | | | | |
| 203 | Cobb Creek | Duck Valley | 45N | 52E | E1 | 037 | | | 4.0 | 4.0 | | | | | | | | | | | | | | BT |
| 175 | Coffee Pot Creek | Tennessee Mountain | 46N | 56E | E1 | 038 | | | 3.5 | 0 | | 1 | | | | | | | 0 | 0 | 0 | 0 | | |
| 1487 | Coffin Creek | Independence Mtns. | 42N | 53E | E1 | 036 | | | 1.5 | | 1.50 | 1 | | 0.6 | | | | | | | | | | |
| 1471 | Cold Springs Creek | Hubbard Basin | 42N | 63E | E1 | 040 | | | | | | | | | | | | | | | | | | RT |
| 1473 | Cold Springs Creek | Wildhorse Range | 45N | 54E | E1 | 037 | | | | | | | | | | | | | | | | | | |
| 1474 | Cold Springs Creek | Elk Mountain | 47N | 61E | E1 | 040 | | | | | | | | | | | | | | | | | | |
| 1323 | Coleman Canyon Creek | Wildhorse Range | 44N | 55E | E1 | 037 | | | 1.5 | 1.0 | 3.00 | 2 | | 1.2 | | | | | | | | | | RT |
| 1472 | Columbet Creek | Bearpaw Mountain | 47N | 57E | E1 | 039 | | | 6.0 | | 4.00 | 3 | | 1.8 | | | | | | | | | | |
| 254 | Columbia Creek | Bull Run Mountains | 44N | 52E | E1 | 035 | 7-57 | 133 | 7.8 | 6.8 | 8.30 | 4 | 1.50 | 4.4 | 3.8 | 0 | 4.0 | 0 | 2.8 | 0 | 4.0 | 0 | | BT, RT, W |
| 1319 | Coon Creek | O'Neil Basin | 47N | 68E | E1 | 041 | 8-52 | 66 | 0.5 | 0.5 | 3.00 | 3 | 1.80 | 1.2 | | | | | | | | | | CT |
| 222 | Coon Creek | Copper Mountains | 45N | 57E | E1 | 038 | | | 8.0 | | | | | | | | | | | | | | | |
| 1593 | Coon Creek, Little | Copper Mountains | 46N | 57E | E1 | 038 | | | 2.0 | | | | | | | | | | | | | | | |
| 267 | Copper Creek | Copper Mountains | 44N | 57E | E1 | 038 | 7-57 | 167 | 8.0 | 7.0 | 5.60 | 3 | 3.08 | 3.0 | 6.5 | 0 | 1.5 | 0 | 5.5 | 0 | 1.5 | 0 | | RT |
| 174 | Corral Creek | Jarbidge Mountains | 46N | 58E | E1 | 039 | | | 8.0 | | | | | | | | | | | | | | | |
| 1475 | Corral Creek | Merritt Mountains | 46N | 54E | E1 | 038 | | | 1.5 | 0 | | | | | | | | | 0 | 0 | 0 | 0 | | |
| 1476 | Corral Springs Creek | Hicks Mountain | 47N | 55E | E1 | 038 | | | 1.5 | | | | | | | | | | | | | | | |
| 1477 | Cornwall Creek | Cornwall Mountains | 44N | 56E | E1 | 038 | | | 4.5 | | | | | | | | | | | | | | | |
| 290 | Cottonwood Creek | O'Neil Basin | 44N | 59E | E1 | 040 | 8-52 | 105 | 19.0 | 14.0 | 4.00 | 3 | 0.59 | 1.8 | | | | | 2.8 | | | | | RT |
| 1320 | Cottonwood Creek | Merritt Mountain | 47N | 54E | E1 | 038 | | | 2.0 | | | | | | | | | | | | | | | |
| 1321 | Cottonwood Creek | Bull Run Mountains | 43N | 52E | E1 | 035 | | | 2.0 | | 2.50 | 2 | | 1.2 | | | | | | | | | | RT |
| 1479 | Cottonwood Creek | Copper Mountains | 45N | 57E | E1 | 038 | | | 3.0 | | | | | | | | | | | | | | | |
| 1431 | Cottonwood Creek | Tuscarora Mountains | 41N | 51E | E1 | 036 | | | 5.0 | | | | | | | | | | | | | | | |
| 1482 | Cottonwood Creek | Porter Peak | 44N | 52E | E1 | 035 | | | 4.0 | | | | | | | | | | | | | | | |
| 1483 | Cottonwood Creek | Bear Mountain | 47N | 63E | E1 | 040 | | | 8.0 | | | | | | | | | | | | | | | |
| 1480 | Cottonwood Creek, Little | Copper Mountains | 45N | 57E | E1 | 038 | | | 2.5 | | | | | | | | | | | | | | | |
| 166 | Cougar Creek | O'Neil Basin | 45N | 59E | E1 | 039 | | | 3.5 | | | | | | | | | | | | | | | |
| 1324 | Cow Creek | Duck Valley | 46N | 53E | E1 | 037 | | | 2.5 | | | | | | | | | | | | | | | |
| 1488 | Cow Creek | Jarbidge Mountains | 47N | 58E | E1 | 039 | | | 5.0 | | | | | | | | | | | | | | | |
| 1489 | Cow Creek | Granite Range | 46N | 65E | E1 | 040 | | | | | | | | | | | | | | | | | | |
| 1490 | Cowan Creek | Hicks Mountain | 47N | 55E | E1 | 038 | | | 1.5 | 0 | | | | | | | | | 0 | 0 | 0 | 0 | | |
| 1491 | Coyote Creek | Mary's River Basin | 43N | 58E | E1 | 038 | | | 2.5 | | | | | | | | | | | | | | | |
| 1492 | Coyote Creek | Independence Valley | 39N | 52E | E1 | 036 | | | 2.0 | 0 | | | | | | | | | 0 | 0 | 0 | 0 | | |
| 1494 | Crooked Creek | Independence Mtns. | 43N | 54E | E1 | 037 | | | 3.5 | 0 | | | | | | | | | 0 | 0 | 0 | 0 | | |
| 282 | Dave Creek | Jarbidge Mountains | 46N | 58E | E1 | 039 | 8-58 | 114 | 9.5 | 7.0 | 8.90 | 2 | 2.28 | 5.1 | 3.5 | 2.0 | 4.0 | 0 | 1.0 | 2.0 | 4.0 | 0 | | RT |
| 1357 | Deadman Creek | Elk Mountain | 47N | 60E | E1 | 039 | | | 4.0 | | | | | | | | | | | | | | | |
| 1498 | Deadhorse Creek | Copper Mountains | 45N | 57E | E1 | 038 | | | 2.0 | | | | | | | | | | | | | | | |
| 1499 | Deadwood Creek | Elk Mountain | 47N | 61E | E1 | 040 | | | 0.5 | 0 | | | | | | | | | 0 | 0 | 0 | 0 | | |
| 259 | Deep Creek | Tuscarora Mountains | 42N | 50E | E1 | 035 | 7-57 | 36 | 16.0 | 0 | 2.45 | 1 | 0.71 | 0.6 | 2.0 | 0 | 14.0 | 0 | 0 | 0 | 0 | 0 | | |
| 260 | Deep Creek | Independence Mountains | 42N | 62E | E1 | 037 | | | 12.0 | | | | | | | | | | | | | | | |

| No. | HYDROGRAPHIC REGION 3 | | | | | | | | | | | | | | | | | Ownership Total Length | | | | Ownership Fishable Length | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Stream Name | Valley or Mountain Range | Twn | Rng | County | Hydrographic Area | Date of Survey | Biological Rating | Total Length | Fishable Length | Average Width | Average Depth | Average Flow | Average Minimum C.F.S. for Cold Water Fishery | Forest Service | B.L.M. | Private | Other | Forest Service | B.L.M. | Private | Other | Game Fish Species |
| 1501 | Deep Creek | Diamond A Desert | 47N | 56E | E1 | 038 | | | 6.0 | | | | | | | | | | | | | | |
| 228 | Deer Creek | Copper Mountains | 45N | 57E | E1 | 038 | | | 3.0 | 1.0 | 4.00 | 2 | | 1.8 | | | | | | | | | RT |
| 142 | Deer Creek | Elk Mountain | 47N | 61E | E1 | 040 | | | 4.0 | | | | | | | | | | | | | | BT |
| 184 | Deer Creek | Jarbidge Mountains | 46N | 58E | E1 | 039 | | | 8.0 | | | | | | | | | | | | | | BT |
| 1502 | Deer Creek | Maggie Summit | 44N | 53E | E1 | 037 | | | 4.0 | | | | | | | | | | | | | | |
| 1503 | Delaware Creek | Mt. Ichabod | 43N | 55E | E1 | 037 | | | 5.0 | 5.0 | | | | | | | | | | | | | |
| 1507 | Dip Creek | Merritt Mountain | 46N | 54E | E1 | 037 | | | | | | | | | | | | | | | | | |
| 1508 | Ditch Creek | Pin Mountain | 47N | 54E | E1 | 038 | | | 2.5 | | | | | | | | | | | | | | |
| 186 | Doby George Creek | Independence Mtns. | 43N | 52E | E1 | 035 | | | 3.0 | 2.0 | 3.50 | 2 | | 1.8 | | | | | | | | | RT |
| 183 | Dolly Creek | Mt. Ichabod | 43N | 56E | E1 | 038 | | | 2.5 | | | | | | | | | | | | | | |
| 1510 | Dora Creek | Wildhorse Reservoir | 44N | 55E | E1 | 037 | | | 1.0 | 0 | | | | | | | | 0 | 0 | 0 | 0 | 0 | |
| 1325 | Dorsea Creek | Bearpaw Mountain | 47N | 57E | E1 | 039 | | | 6.0 | | | | | | | | | | | | | | |
| 1514 | Dove Creek | Independence Valley | 40N | 52E | E1 | 036 | | | 1.0 | 1.0 | 8.00 | 4 | | 4.4 | | | | | | | | | BT |
| 134 | Dry Creek | Snake Mountains | 42N | 62E | E1 | 040 | 8-52 | 106 | 13.0 | 6.0 | 2.50 | 2 | 0.70 | 1.2 | | | | | | | | | RT |
| 1517 | Dry Creek | Duck Valley | 45N | 51E | E1 | 035 | | | 5.0 | 0 | | | | | | | | 0 | 0 | 0 | 0 | | |
| 1518 | Dry Creek | Pennsylvania Hill | 45N | 53E | E1 | 037 | | | 1.5 | 0 | | | | | | | | 0 | 0 | 0 | 0 | | |
| 1519 | Dry Creek | Evans Flat | 43N | 57E | E1 | 038 | | | 4.0 | 0 | | | | | | | | 0 | 0 | 0 | 0 | | |
| 1520 | Dry Creek | Independence Mtns. | 40N | 53E | E1 | 036 | | | 2.0 | 0 | | | | | | | | 0 | 0 | 0 | 0 | | |
| 1530 | Echo Creek | Cornwall Mountain | 44N | 56E | E1 | 038 | | | 3.5 | | | | | | | | | | | | | | |
| 1531 | Edgemont Creek | Porter Peak | 44N | 52E | E1 | 035 | | | 2.5 | 0 | | | | | | | | 0 | 0 | 0 | 0 | | |
| 1533 | Fall Creek | Gollaher Mountain | 47N | 67E | E1 | 040 | | | 3.0 | | | | | | | | | | | | | | |
| 1534 | Fall Creek | Sugar Loaf Peak | 46N | 68E | E1 | 041 | | | 3.0 | | | | | | | | | | | | | | |
| 1350 | Fall Creek | Biroth Ridge | 46N | 59E | E1 | 039 | | | 4.0 | | | | | | | | | | | | | | |
| 248 | Fawn Creek | Duck Valley | 45N | 52E | E1 | 037 | | | 4.5 | 4.0 | | | | | | | | | | | | | RT |
| 1535 | Fawn Creek | Bearpaw Mountain | 47N | 57E | E1 | 039 | | | 3.0 | | | | | | | | | | | | | | |
| 1536 | Fawn Creek | Copper Mountains | 44N | 57E | E1 | 038 | | | 1.5 | 0.5 | 4.00 | 2 | | 1.8 | | | | | | | | | RT |
| 185 | Flat Creek | Elk Mountain | 46N | 60E | E1 | 039 | | | 9.0 | | | | | | | | | | | | | | |
| 165 | Fox Creek | Jarbidge Mountains | 45N | 58E | E1 | 039 | | | 2.0 | 1.0 | 1.80 | 4 | | 0.6 | | | | | | | | | RT |
| 1543 | Gardner Creek | Wildhorse Range | 45N | 54E | E1 | 037 | | | 1.5 | 0 | | | | | | | | 0 | 0 | 0 | 0 | | |
| 1545 | Goat Creek | God's Pocket Peak | 45N | 59E | E1 | 040 | | | 1.5 | 0 | | | | | | | | 0 | 0 | 0 | 0 | | |
| 1326 | God's Pocket Creek | Biroth Ridge | 46N | 59E | E1 | 039 | | | 2.0 | | | | | | | | | | | | | | |
| 245 | Gold Creek | Sunflower Flat | 44N | 56E | E1 | 037 | | 70 | 4.0 | 0.3 | 1.70 | | | 0.6 | | | | | | | | | RT |
| 110 | Goose Creek, Big | Sugar Loaf Peak | 46N | 69E | E1 | 041 | 7-52 | 202 | 25.0 | 25.0 | 16.00 | 10 | 12.40 | | | | | | | | | | CT |
| 111 | Goose Creek, Little | Gollaher Mountain | 46N | 68E | E1 | 041 | 7-52 | 92 | 13.0 | 4.0 | 3.00 | 2 | 0.50 | 1.2 | | | | | | | | | RT |
| 1547 | Granite Creek | Duck Valley | 46N | 53E | E1 | 037 | | | 1.0 | 0 | | | | | | | | 0 | 0 | 0 | 0 | | |
| 1548 | Granite Creek | Tuscarora Mountains | 42N | 50E | E1 | 035 | | | | | | | | | | | | | | | | | |
| 1549 | Gravel Creek | Maggie Summit | 44N | 53E | E1 | 037 | | | 2.0 | 1.0 | | | | | | | | | | | | | |
| 1362 | Hammond Canyon Creek | Wildhorse Reservoir | 44N | 55E | E1 | 037 | | | 1.5 | 0.5 | 1.70 | 2 | | 0.6 | | | | | | | | | BT, RT |
| 1551 | Hanks Creek | Wildhorse Reservoir | 43N | 55E | E1 | 037 | | | 3.0 | 0 | | | | | | | | 0 | 0 | 0 | 0 | | |
| 1553 | Hardesty Creek | Goose Creek Valley | 47N | 70E | E1 | 041 | | | 2.5 | | | | | | | | | | | | | | |
| 367 | Harrington Creek | Independence Mtns. | 41N | 52E | E1 | 036 | | | 2.0 | 0 | | | | | | | | 0 | 0 | 0 | 0 | | |
| 188 | Hawes Creek | O'Neil Basin | 47N | 61E | E1 | 040 | | | 3.0 | | | | | | | | | | | | | | |
| 181 | Hay Meadow Creek | Haystack Mountain | 44N | 56E | E1 | 037 | | 74 | 6.0 | 0 | 3.50 | 2 | | 1.8 | | | | 0 | 0 | 0 | 0 | | |
| 1558 | Haystack Creek | Wildhorse Range | 45N | 54E | E1 | 037 | | | 4.0 | 0 | | | | | | | | 0 | 0 | 0 | 0 | | |
| 244 | Hendricks Creek | Wildhorse Range | 44N | 55E | E1 | 037 | | | 1.5 | 1.5 | 3.50 | 3 | | 1.8 | | | | | | | | | |
| 229 | Hicks Creek | Merritt Mountain | 47N | 55E | E1 | 038 | | | 4.0 | 2.0 | 6.00 | 3 | | 3.0 | | | | | | | | | RT |
| 1561 | Horse Creek | Gollaher Mountain | 47N | 66E | E1 | 040 | | | 3.0 | | | | | | | | | | | | | | |
| 1562 | Horse Creek | Sugar Loaf Peak | 46N | 68E | E1 | 041 | | | | | | | | | | | | | | | | | |
| 283 | Hot Creek | Wildhorse Reservoir | 43N | 55E | E1 | 037 | | | 4.0 | 0 | | | | | | | | 0 | 0 | 0 | 0 | | |
| 1565 | Hot Creek | Chicken Creek | 42N | 52E | E1 | 036 | | | 6.0 | 0 | | | | | | | | 0 | 0 | 0 | 0 | | |

| No. | HYDROGRAPHIC REGION 3 | | | | | | | | | | | | | | | | Ownership Total Length | | | | Ownership Fishable Length | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Stream Name | Valley or Mountain Range | Twn | Rng | County | Hydrographic Area | Date of Survey | Biological Rating | Total Length | Fishable Length | Average Width | Average Depth | Average Flow | Average Minimun C.F.S. for Cold Water Fishery | Forest Service | B.L.M. | Private | Other | Forest Service | B.L.M. | Private | Other | Game Fish Species |
| 1566 | Hot Creek | Gollaher Mountain | 47N | 67E | E1 | 040 | | | | | | | | | | | | | | | | | |
| 204 | Hutch Creek | Independence Mtns. | 44N | 53E | E1 | 037 | | | 1.5 | 0 | | | | | | | | 0 | 0 | 0 | 0 | | |
| 378 | Indian Creek | Independence Mtns. | 45N | 51E | E1 | 035 | | | 8.0 | 3.0 | 5.50 | 3 | | 3.0 | | | | | | | | | RT |
| 1358 | Indian Johnny Creek | The Mahoganies | 46N | 55E | E1 | 038 | | | 3.5 | 0 | | | | | | | | 0 | 0 | 0 | 0 | | |
| 1574 | Indian Mike Creek | Gollaher Mountain | 47N | 66E | E1 | 040 | | | 5.0 | | | | | | | | | | | | | | |
| 162 | Jack Creek | Jarbidge Mountain | 46N | 58E | E1 | 039 | | | 5.5 | | | | | | | | | | | | | | RT |
| 253 | Jack Creek | Independence Mtns. | 42N | 52E | E1 | 036 | 9-57 | 183 | 15.5 | 9.5 | 9.10 | 4 | 3.66 | 5.1 | 6.0 | 0 | 9.5 | 0 | 5.4 | 0 | 4.1 | 0 | BT, RT |
| 1577 | Jacks Creek | Independence Mtns. | 43N | 54E | E1 | 037 | | | 4.0 | 0 | 1.00 | 2 | | 0.2 | | | | | 0 | 0 | 0 | 0 | |
| 130 | Jakes Creek | Snake Mountains | 43N | 62E | E1 | 040 | 8-52 | 109 | 14.0 | 8.0 | 3.30 | 2 | 1.33 | 1.2 | | 8.4 | | | | | | | RT |
| 161 | Jarbidge River, E.F. | Jarbidge Mountains | 46N | 59E | E1 | 039 | 8-58 | | 18.0 | 13.0 | 19.50 | 5 | 37.82 | | 14.5 | 3.5 | 0 | 0 | 10.5 | 2.5 | 0 | 0 | DT, RT, W |
| 124 | Jarbidge River, W.F. | Jarbidge Mountains | 46N | 58E | E1 | 039 | 8-54 | 109 | 16.0 | 15.0 | 4.37 | 3 | 7.95 | 1.8 | | | | | | | | | CT,DT,RT,W |
| 1327 | Jenny Creek | Jarbidge Mountains | 46N | 58E | E1 | 039 | | | 2.0 | | | | | | | | | | | | | | |
| 250 | Jerrit Canyon Creek | Independence Mtns. | 40N | 53E | E1 | 036 | 9-56 | | 9.0 | 0 | 2.50 | 2 | | 1.2 | | | | | 0 | 0 | 0 | 0 | |
| 1581 | Jim Bob Creek | Biroth Ridge | 46N | 59E | E1 | 039 | | | 1.5 | | | | | | | | | | | | | | |
| 1583 | Jones Creek | Duck Valley | 46N | 53E | E1 | 037 | | | 1.0 | 0 | | | | | | | | | 0 | 0 | 0 | 0 | |
| 139 | Knoll Creek | White Peaks | 43N | 63E | E1 | 040 | | | 15.0 | 0 | | | | | | | | | 0 | 0 | 0 | 0 | |
| 1586 | Lake Creek | Little Owyhee River Valley | 47N | 45E | E1 | 034 | | | | | | | | | | | | | | | | | |
| 131 | Lime Creek | O'Neil Basin | 47N | 61E | E1 | 040 | 10-52 | 130 | 5.0 | 4.8 | 7.00 | 3 | 1.81 | 3.7 | 4.0 | 0 | 1.0 | 0 | 4.0 | 0 | 0.8 | 0 | RT |
| 121 | Lime Creek | Pennsylvania Hill | 45N | 53E | E1 | 037 | | | 1.5 | | | | | | | | | | | | | | |
| 1589 | Lime Creek | Tennessee Mountain | 45N | 56E | E1 | 038 | | | 1.0 | 0 | | | | | | | | | 0 | 0 | 0 | 0 | |
| 1601 | Log Creek | Pin Mountain | 47N | 54E | E1 | 038 | | | 1.0 | 0 | | | | | | | | | 0 | 0 | 0 | 0 | |
| 1595 | Log Creek, Little | Pin Mountain | 47N | 54E | E1 | 038 | | | 1.0 | 0 | | | | | | | | | 0 | 0 | 0 | 0 | |
| 122 | Lost Meadow Creek | Wildhorse Range | 44N | 54E | E1 | 037 | | | 3.0 | 0 | | | | | | | | | 0 | 0 | 0 | 0 | |
| 148 | Lynn Creek | Wilkins | 41N | 63E | E1 | 040 | | | 3.0 | | | | | | | | | | | | | | |
| 1608 | Machado Creek | Wildhorse Range | 44N | 54E | E1 | 037 | | | 1.5 | 0 | | | | | | | | | 0 | 0 | 0 | 0 | |
| 255 | Marsh Creek | Independence Mtns. | 43N | 52E | E1 | 035 | 6-56 | 212 | 5.5 | 3.0 | 7.00 | 5 | 6.90 | 3.7 | 3.0 | 0 | 2.5 | 0 | 1.6 | 0 | 1.4 | 0 | RT |
| 236 | Martin Creek | Tennessee Mountain | 44N | 56E | E1 | 037 | 7-53 | 112 | 32.0 | 12.0 | 3.42 | 4 | 2.07 | 1.2 | 8.0 | | | | 8.0 | | | | BT, RT |
| 1609 | Martin Creek | Tennessee Mountain | 45N | 55E | E1 | 037 | 8-53 | | 8.0 | 8.0 | | | | | | | | | | | | | BT, RT |
| 1610 | Mary's Creek | Blizzard Bluff | 47N | 53E | E1 | 037 | | | | | | | | | | | | | | | | | |
| 1612 | Mason Creek | Evans Flat | 43N | 57E | E1 | 038 | | | 4.5 | | | | | | | | | | | | | | |
| 221 | McCall Creek | Duck Valley | 45N | 52E | E1 | 037 | | | 2.5 | | | | | | | | | | | | | | BT |
| 281 | McCann Creek | Tuscarora Mountains | 39N | 51E | E1 | 036 | 7-56 | 44 | 7.5 | 1.0 | 4.00 | 3 | 0.93 | 1.8 | 0 | 0 | 7.5 | 0 | 0 | 0 | 1.0 | 0 | RT |
| 233 | McDonald Creek | Merritt Mountain | 47N | 55E | E1 | 038 | 7-53 | 177 | 12.5 | 10.0 | 6.00 | 4 | 3.01 | 3.0 | 10.5 | 0 | 2.0 | 0 | 10.5 | 0 | 2.0 | 0 | RT |
| 1614 | Meadow Creek | Tennessee Mountain | 46N | 56E | E1 | 038 | 7-53 | 134 | 11.5 | 10.0 | 4.59 | 3 | 2.88 | 2.3 | 11.5 | 0 | 0 | 0 | 10.0 | 0 | 0 | 0 | RT, W |
| 1615 | Meadow Creek | Granite Range | 45N | 64E | E1 | 040 | | | 5.0 | 0 | | | | | | | | | 0 | 0 | 0 | 0 | |
| 1616 | Meadow Creek | Goose Creek Valley | 46N | 70E | E1 | 041 | | | 5.0 | | | | | | | | | | | | | | |
| 227 | Merritt Creek | Merritt Mountain | 46N | 54E | E1 | 038 | 8-53 | 108 | 8.0 | 7.0 | 3.41 | 3 | 0.79 | 1.2 | 8.0 | 0 | 0 | 0 | 7.0 | 0 | 0 | 0 | BT, RT |
| 279 | Mill Creek | Pennsylvania Hill | 45N | 53E | E1 | 037 | | 110 | 5.0 | 3.0 | | | | | | | | | | | | | BT |
| 1618 | Mill Creek | Tennessee Mountain | 45N | 56E | E1 | 037 | 9-64 | | 2.0 | 1.0 | 3.50 | 3 | | 1.8 | | | | | | | | | RT |
| 1620 | Mill Creek | Independence Mtns. | 40N | 56E | E1 | 036 | | | 3.0 | 0 | | | | | | | | | 0 | 0 | 0 | 0 | |
| 1619 | Mill (Hays) Creek, E.F. & S.F. | Independence Mtns. | 42N | 53E | E1 | 036 | | | 4.0 | 1.5 | 4.00 | 3 | | 1.8 | | | | | | | | | BT, RT |
| 1329 | Miller Creek | Copper Mountains | 45N | 57E | E1 | 038 | | | 3.5 | | | | | | | | | | | | | | RT |
| 119 | Miller Creek | Independence Mtns. | 46N | 54E | E1 | 037 | | | 3.0 | 1.0 | | | | | | | | | | | | | RT |
| 210 | Milligan Creek | Gollaher Mountain | 46N | 67E | E1 | 040 | | | 4.0 | | | | | | | | | | | | | | |
| 1624 | Mitchell Creek | Duck Valley | 45N | 51E | E1 | 035 | | | 6.0 | | | | | | | | | | | | | | |
| 1625 | Monkey Creek | Bad Lands | 45N | 62E | E1 | 040 | | | | | | | | | | | | | | | | | |
| 239 | Niagra Creek | Independence Mtns. | 40N | 52E | E1 | 036 | | | 5.5 | | | | | | | | | | | | | | |
| 1628 | North Creek | Elk Mountain | 47N | 61E | E1 | 040 | | | 1.5 | | | | | | | | | | | | | | |

| No. | HYDROGRAPHIC REGION 3 | | | | County | Hydrographic Area | Date of Survey | Biological Rating | Total Length | Fishable Length | Average Width | Average Depth | Average Flow | Average Minimum C.F.S. for Cold Water Fishery | Ownership Total Length | | | | Ownership Fishable Length | | | | Game Fish Species |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Stream Name | Valley or Mountain Range | Twn | Rng | | | | | | | | | | | Forest Service | B.L.M. | Private | Other | Forest Service | B.L.M. | Private | Other | |
| 1630 | O'Neil Creek | Elk Mountain | 47N | 61E | El | 040 | | | 2.5 | | | | | | | | | | | | | | |
| 1631 | Ott Creek | Independence Mtns. | 42N | 53E | El | 036 | | | 1.5 | | | | | | | | | | | | | | |
| 104 | Owyhee River | Wildhorse Range | 42N | 51E | El | 037 | 11-53 | 216 | 45.0 | 18.0 | 30.60 | | 77.80 | | | | | | | | | | BT, RT, W |
| 257 | | | | | | | | | | | | | | | | | | | | | | | |
| 249 | Owyhee River, S.F. | Independence Mtns. | 41N | 47E | El | 035 | 7-57 | 208 | 80.0 | 9.0 | 26.00 | 7 | 27.50 | | | | | | | | | | BNT,BT,RT,W |
| 1596 | Owyhee River, Little | Little Owyhee | 47N | 45E | El | 034 | | | 14.0 | | | | | | | | | | | | | | |
| 494 | Owyhee River, Little | Owyhee Desert | 45N | 42E | Hu | 034 | | | | 15.0 | | | | | | | | | | | | | |
| 87 | Penrod (Martin) Creek | Tennessee Mountain | 44N | 55E | El | 037 | 7-53 | 146 | 13.0 | 6.0 | 3.50 | 1 | 2.04 | 1.8 | | | | | | | | | BT,RT |
| 270 | Pine Creek | Goose Creek Valley | | | El | 041 | 8-52 | 105 | 3.0 | 3.0 | 5.40 | 5 | 1.67 | 2.3 | | | | | | | | | CT |
| 158 | Pine Creek | Jarbidge Mountains | 45N | 58E | El | 039 | | | 3.0 | 2.5 | 4.00 | 3 | | 1.8 | | | | | | | | | RT |
| 112 | Piney Creek, Big | Sugar Loaf Peak | 47N | 68E | El | 041 | 8-52 | | 3.0 | 3.0 | 2.50 | 3 | | 1.2 | | | | | | | | | BT,CT |
| 224 | Pixley Creek | Merritt Mountain | 46N | 54E | El | 037 | | | 4.0 | 1.0 | 1.50 | 2 | | 0.6 | | | | | | | | | RT |
| 135 | Pole Creek | Snake Mountains | 45N | 61E | El | 040 | 11-52 | 71 | 9.0 | 5.0 | 3.00 | 3 | 0.96 | 1.2 | | | | | | | | | |
| 1330 | Pole Creek | Pine Mountain | 47N | 60E | El | 039 | | | 9.0 | | | | | | | | | | | | | | |
| 1635 | Pole Creek | Hicks Mountain | 47N | 55E | El | 038 | | | 2.5 | 0 | | | | | | | | 0 | 0 | 0 | 0 | | |
| 242 | Poorman Creek | Wildhorse Reservoir | 44N | 55E | El | 037 | | | 2.0 | 0 | 1.70 | 2 | 0.88 | 0.6 | | | | 0 | 0 | 0 | 0 | | |
| 1638 | Porcupine Creek | Pin Mountain | 47N | 54E | El | 038 | 1971 | | 1.5 | 0 | | | | | | | | 0 | 0 | 0 | 0 | | |
| 1597 | Primrose Creek, Little | Rocky Peak | 43N | 64E | El | 040 | | | | | | | | | | | | | | | | | |
| 1639 | Rain Creek | Pin Mountain | 47N | 54E | El | 038 | 1971 | | 3.5 | 0 | | | | | | | | 0 | 0 | 0 | 0 | | |
| 1640 | Raker Creek | Elk Mountain | 47N | 60E | El | 039 | | | 2.5 | | | | | | | | | | | | | | |
| 1641 | Rattlesnake Creek | Jarbidge Mountains | 47N | 58E | El | 039 | | | 4.5 | | | | | | | | | | | | | | |
| 1642 | Rattlesnake Creek | Hot Springs Butte | 46N | 56E | El | 038 | | | 5.0 | | | | | | | | | | | | | | |
| 1643 | Rattlesnake Creek | Mason Mountain | 42N | 57E | El | 038 | | | 5.0 | 0 | | | | | | | | 0 | 0 | 0 | 0 | | |
| 434 | Raven Creek | Owyhee Desert | 46N | 43E | Hu | 034 | | | 12.0 | | | | | | | | | | | | | | |
| 1333 | Red Cow Creek | Dry Creek Mountain | 41N | 50E | El | 035 | | | 7.0 | | | | | | | | | | | | | | |
| 1645 | Reed Creek | Duck Valley | 46N | 53E | El | 037 | | | 1.5 | | | | | | | | | | | | | | |
| 241 | Riffle Creek | Independence Mtns. | 43N | 54E | El | 037 | | | 5.0 | | | | | | | | | | | | | | BT, RT |
| 1334 | Robinson Creek | Biroth Ridge | 46N | 59E | El | 039 | | | | | | | | | | | | | | | | | |
| 237 | Rosebud Creek | Cornwall Mountain | 44N | 56E | El | 037 | | | 1.0 | 0 | | | | | | | | 0 | 0 | 0 | 0 | | |
| 126 | Sagehen Creek | Merritt Mountain | 47N | 54E | El | 038 | 8-63 | | 0.8 | 0.5 | 2.00 | 2 | | 0.6 | | | | | | | | | RT |
| 226 | Salmon Creek | Merritt Mountain | 47N | 54E | El | 037 | 8-53 | 51 | 8.0 | 5.0 | 1.16 | 2 | 0.25 | 0.2 | 8.0 | 0 | 0 | 0 | 5.0 | 0 | 0 | 0 | RT |
| 226 | Salmon Creek, Little | Merritt Mountain | 47N | 54E | El | 037 | | | 2.0 | 0 | | | | | 2.0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | RT,BNT |
| 160 | Salmon Falls River | O'Neil Basin | 47N | 64E | El | 040 | 1971 | 214 | 35.0 | 35.0 | 25.00 | 15 | 20.00 | | | 7.0 | | | | | | | BNT,RT,W |
| 1335 | Salmon Falls River,N.F. | Bad Lands | 45N | 62E | El | 040 | | | 10.0 | 10.0 | 20.00 | 12 | | | | | | | | | | | RT |
| 1336 | Salmon Falls River,S.F. | O'Neil Basin | 45N | 61E | El | 040 | | | 10.0 | 10.0 | 15.00 | 10 | | 10.2 | | | | | | | | | RT |
| 1650 | Sam Creek | Cornwall Mountain | 44N | 56E | El | 037 | | | 1.5 | | | | | | | | | | 0 | 0 | 0 | 0 | |
| 127 | Sand Creek | Merritt Mountain | 46N | 55E | El | 038 | | | 6.0 | 1.0 | 2.50 | 3 | | 1.2 | | | | | | | | | RT |
| 346 | Sanovia Creek | Bearpaw Mountain | 47N | 57E | El | 039 | | | 8.0 | | 3.50 | 3 | | 1.8 | | | | | | | | | |
| 1337 | Sawmill Creek | Jarbidge Mountains | 45N | 58E | El | 039 | | | 1.5 | | | | | | | | | | | | | | |
| 1651 | Schmitt Creek | Independence Mtns. | 40N | 53E | El | 036 | | | 1.5 | 0 | | | | | | | | | 0 | 0 | 0 | 0 | |
| 263 | Schoonover Creek | Independence Mtns. | 42N | 53E | El | 036 | 7-57 | 96 | 3.0 | 2.0 | 3.40 | 3 | 0.79 | 1.2 | 3.0 | 0 | 0 | 0 | 2.0 | 0 | 0 | 0 | RT |
| 1653 | Scott Creek | Bad Lands | 45N | 62E | El | 040 | | | 2.0 | 0 | | | | | | | | | 0 | 0 | 0 | 0 | |
| 234 | Seventy-Six Creek | Jarbidge Mountains | 44N | 57E | El | 038 | 7-71 | 80 | 11.0 | 7.0 | 5.80 | 5 | 0.90 | 3.0 | | | | | | | | | RT |
| 1657 | Shack Creek | Elk Mountain | 47N | 62E | El | 040 | | | 3.0 | 0 | | | | | | | | | 0 | 0 | 0 | 0 | |
| 1658 | Sheep Creek | Pin Mountain | 47N | 54E | El | 038 | | | 4.0 | | | | | | | | | | | | | | |
| 1659 | Sheep Creek | Elk Mountain | 47N | 60E | El | 039 | | | 5.5 | | | | | | | | | | | | | | |
| 1660 | Sheep Creek | Duck Valley | 46N | 52E | El | 037 | | | 10.0 | 0 | | | | | | | | | 0 | 0 | 0 | 0 | |
| 1661 | Sheep Creek | Wilson Peak | 43N | 52E | El | 035 | | | 2.0 | 0 | | | | | | | | | 0 | 0 | 0 | 0 | |
| 1662 | Sheep Creek | Maggie Summit | 44N | 53E | El | 037 | | | 1.5 | 0.5 | | | | | | | | | | | | | |
| 1339 | Shell Creek | White Elephant Butte | 46N | 62E | El | 040 | | | 1.5 | 0 | | | | | | | | | 0 | 0 | 0 | 0 | |

| No. | HYDROGRAPHIC REGION 3 | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Stream Name | Valley or Mountain Range | Twn | Rng | County | Hydrographic Area | Date of Survey | Biological Rating | Total Length | Fishable Length | Average Width | Average Depth | Average Flow | Average Minimun C.F.S. for Cold Water Fishery | Ownership Total Length | | | | | Ownership Fishable Length | | | | Game Fish Species |
| | | | | | | | | | | | | | | | Forest Service | B.L.M. | Private | Other | Forest Service | B.L.M. | Private | Other | |
| 156 | Shoshone Creek | Glassy Mountain | 47N | 64E | E1 | 040 | 8-52 | 196 | 10.0 | 10.0 | 18.0 | 1 | 7.30 | | | | | | | | | | | RT, SB, W |
| 351 | Silver Creek | Independence Mtns. | 44N | 50E | E1 | 035 | | | 12.0 | | | | | | | | | | | | | | | |
| 1666 | Silver Creek | Crittenden Reservoir | 43N | 69E | E1 | 041 | | | | | | | | | | | | | | | | | | |
| 350 | Six-mile Creek | Mt. Blitzen | 40N | 51E | E1 | 036 | | | 6.0 | | | | | | | | | | | | | | | |
| 247 | Skull Creek | Duck Valley | 46N | 53E | E1 | 037 | | | 3.5 | | | | | | | | | | | | | | | RT |
| 1670 | Skull Creek | Tuscarora Mountains | 41N | 51E | E1 | 036 | | | 1.3 | 0 | | | | | | | | 0 | 0 | 0 | 0 | | | |
| 1671 | Slate Creek | Tennessee Mountain | 45N | 56E | E1 | 038 | | | | | | | | | | | | | | | | | | |
| 1672 | Slaterock Creek | The Mahoganies | 46N | 55E | E1 | 038 | | | 1.5 | | | | | | | | | | | | | | | |
| 129 | Slaughterhouse Creek | Merritt Mountain | 46N | 54E | E1 | 037 | | | 5.0 | | | | | | | | | | | | | | | RT |
| 155 | Slide Creek | Biroth Ridge | 46N | 59E | E1 | 039 | | | 4.5 | | | | | | | | | | | | | | | RT |
| 240 | Snow Creek | Independence Mtns. | 41N | 53E | E1 | 036 | 6-56 | 220 | 11.0 | 5.0 | 11.0 | 3 | 5.94 | 6.7 | 6.5 | 0 | 4.5 | 0 | 5.0 | 0 | 0 | 0 | BT, RT | |
| 342 | Snow Canyon Creek | Independence Mtns. | 40N | 53E | E1 | 036 | | | 6.0 | | | | | | | | | | | | | | | |
| 1677 | Spencer Creek | Duck Valley | 47N | 51E | E1 | 035 | | | | | | | | | | | | | | | | | | |
| 1679 | Spring Creek | Duck Valley | 46N | 50E | E1 | 035 | | | | | | | | | | | | | | | | | | |
| 85 | Stag Creek | Stag Mountains | 42N | 58E | E1 | 033 | | | 4.0 | | | | | | | | | | | | | | | |
| 1686 | Storff Creek | Porter Peak | 44N | 52E | E1 | 035 | | | 2.0 | 0 | | | | | | | | 0 | 0 | 0 | 0 | | | |
| 1687 | Stratton Creek | Sugar Loaf Peak | 47N | 68E | E1 | 041 | | | | | | | | | | | | | | | | | | |
| 379 | Stud Creek | Evans Flat | 42N | 58E | E1 | 038 | | | 4.0 | | | | | | | | | | | | | | | |
| 1688 | Sulphur Creek | Bull Run Mountains | 43N | 51E | E1 | 035 | | | 1.0 | 0 | | | | | | | | 0 | 0 | 0 | 0 | | | |
| 1689 | Summit Creek | Duck Valley | 46N | 53E | E1 | 037 | | | 4.0 | | | | | | | | | | | | | | | |
| 153 | Sun Creek | O'Neil Basin | 44N | 61E | E1 | 040 | 7-63 | 125 | 10.0 | 10.0 | 4.95 | 3 | 0.93 | 2.3 | | | | | | | | | | BT, RT |
| 258 | Sweet Creek | Cornwall Mountain | 44N | 56E | E1 | 037 | 7-63 | 71 | 3.0 | 2.0 | 3.50 | 2 | | 1.8 | | | | | | | | | | BT, RT |
| 1693 | Taylor Creek | Diamond A Desert | 47N | 56E | E1 | 038 | | | 5.0 | | | | | | | | | | | | | | | |
| 1694 | Taylor Creek | The Mahoganies | 46N | 55E | E1 | 038 | | | 3.0 | 0 | 1.00 | 1 | | 0.2 | | | | 0 | 0 | 0 | 0 | | | |
| 223 | Taylor Canyon Creek | Independence Mtns. | 39N | 52E | E1 | 036 | 6-54 | 81 | 12.0 | 3.0 | 5.25 | 1 | 0.47 | 2.3 | | | | | | | | | | BNT, BT, CT |
| 225 | Telephone Creek | Merritt Mountain | 46N | 55E | E1 | 038 | 8-63 | 103 | 8.0 | 5.0 | 4.00 | 3 | 1.53 | 1.8 | | | | | | | | | | RT |
| 1600 | Telephone Creek, Little | The Mahoganies | 46N | 55E | E1 | 038 | | | 1.5 | | | | | | | | | | | | | | | |
| 1696 | Tennel Creek | Tennessee Mountain | 45N | 56E | E1 | 038 | | | 1.5 | | | | | | | | | | | | | | | |
| 232 | Tennessee Creek | Merritt Mountain | 45N | 56E | E1 | 038 | 7-53 | 93 | 4.0 | 3.0 | 4.25 | 2 | 1.07 | 1.8 | | | | | | | | | | CT, RT |
| 343 | Thomas Jose Creek | Independence Mtns. | 39N | 52E | E1 | 036 | | | 7.0 | | | | | | | | | | | | | | | |
| 256 | Thompson Creek | Haystack Mountain | 44N | 56E | E1 | 037 | | 68 | 2.0 | 0.5 | | | | | | | | | | | | | | BT |
| 1698 | Three Creek | Elk Mountain | 47N | 60E | E1 | 039 | | | 3.0 | | | | | | | | | | | | | | | |
| 1699 | Threeday Creek | Biroth Ridge | 46N | 59E | E1 | 039 | | | 1.0 | | | | | | | | | | | | | | | |
| 1700 | Three-mile Creek | Silver Lake | 43N | 48E | E1 | 035 | | | | | | | | | | | | | | | | | | |
| 1701 | Timber Gulch Creek | Maggie Summit | 44N | 53E | E1 | 037 | | | 1.5 | | | | | | | | | | | | | | | |
| 151 | Trail Creek | Independence Mtns. | 44N | 53E | E1 | 037 | 11-53 | 171 | 8.5 | 7.5 | 8.50 | 3 | 3.85 | 5.1 | | | | | | | | | | BT, CT |
| 114 | Trout Creek | Sugar Loaf Peak | 47N | 69E | E1 | 041 | 7-52 | 119 | 8.0 | 7.0 | 6.00 | 2 | 4.00 | 3.0 | | | | | | | | | | CT |
| 187 | Trout Creek | Granite Mountains | 45N | 64E | E1 | 040 | 8-52 | 111 | 8.0 | 1.0 | 2.40 | | 0.32 | 0.6 | | | | | | | | | | |
| 197 | Van Duzer Creek | Independence Mtns. | 44N | 54E | E1 | 037 | | | 7.0 | 7.0 | | 3 | | | | | | | | | | | | BT |
| 1710 | Warm Creek | Wildhorse Reservoir | 44N | 55E | E1 | 037 | | | 4.5 | | 3.50 | 2 | | 1.8 | | | | | | | | | | |
| 1712 | Warm Springs Creek | Bull Run Mountains | 43N | 51E | E1 | 035 | | | | | | | | | | | | | | | | | | |
| 238 | Waterpipe Canyon Creek | Independence Mtns. | 39N | 53E | E1 | 031 | 6-54 | 107 | 5.0 | 3.0 | 4.83 | 2 | 1.60 | 2.3 | | | | | | | | | | BT, CT, RT |
| 1715 | Whiterock Creek | Porter Peak | 44N | 52E | E1 | 035 | | | 4.0 | | | | | | | | | | | | | | | |
| 1716 | Wickiup Creek | Twin Buttes | 46N | 57E | E1 | 037 | | | | | | | | | | | | | | | | | | |
| 345 | Willis Creek | Pin Mountain | 47N | 54E | E1 | 038 | | | 4.0 | | | | | | | | | | | | | | | |
| 1717 | Willow Creek | White Elephant Butte | 46N | 62E | E1 | 040 | | | 5.0 | | | | | | | | | | | | | | | |
| 1721 | Willow Creek | Sugar Loaf Peak | 47N | 68E | E1 | 041 | | | | | | | | | | | | | | | | | | |
| 1344 | Willow Creek | Mary's River | 44N | 58E | E1 | 038 | | | 8.5 | | | | | | | | | | | | | | | |
| 1722 | Willow Creek | Antelope Peak | 41N | 62E | E1 | 040 | | | 8.0 | | | | | | | | | | | | | | | |

| No. | HYDROGRAPHIC REGION 3 | | | | County | Hydrographic Area | Date of Survey | Biological Rating | Total Length | Fishable Length | Average Width | Average Depth | Average Flow | Average Minimun C.F.S. for Cold Water Fishery | Ownership Total Length | | | | Ownership Fishable Length | | | | Game Fish Species |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Stream Name | Valley or Mountain Range | Twn | Rng | | | | | | | | | | | Forest Service | B.L.M. | Private | Other | Forest Service | B.L.M. | Private | Other | |
| 133 | Wilson Creek | O'Neil Basin | 46N | 62E | El | 040 | 8-52 | 170 | 16.0 | 16.0 | 6.50 | 5 | 2.80 | 3.7 | 5.0 | 6.4 | | | 5.0 | 6.4 | | | RT |
| 1723 | Wilson Creek | Bull Run Mountains | 43N | 51E | El | 035 | | | 4.0 | 4.0 | 12.00 | | | 7.6 | | | | | | | | | RT |
| 1725 | Winters Creek | Duck Valley | 45N | 51E | El | 035 | | | 4.0 | | | | | | | | | | | | | | |
| 1726 | Winters (Wolf) Creek | Lookout Mountain | 42N | 58E | El | 035 | | | 6.0 | | | | | | | | | | | | | | |
| 108 | Wolf Creek | Chimney Creek Valley | 42N | 48E | El | 035 | | | 18.0 | | | | | | | | | | | | | | |
| 145 | Yankee Bill Creek | Merritt Mountain | 46N | 54E | El | 038 | | | 3.5 | 3.0 | | | | | | | | | | | | | BT, CT |
| 1735 | Young Creek | Copper Mountains | 46N | 57E | El | 038 | | | 3.0 | | | | | | | | | | | | | | |

## HYDROGRAPHIC REGION 3

| No. | Lake, Reservoir or Pond | Valley or Mountain Range | Twn | Rng | County | Hydrographic Area | Date of Survey | Average Width | Average Length | Average Depth | Maximum Depth | Surface Acres | Volume (Acre-feet) | Shoreline Ownership Percentage: Forest Service | B.L.M. | Private | Other | Game Fish Species |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 220 | Bull Run Reservoir | Independence Mountains | 43N | 52E | El | 035 | | 0.3M | 1.0M | 15.0 | | 106.0 | 1,246.0 | | | | | BT, CR, RT |
| 219 | Charleston Reservoir | Mason Mountains | 43N | 57E | El | 038 | | | | 15.0 | | 40.0 | 200.0 | | | | | SB |
| 349 | Chimney Creek Reservoir | S.F. Owyhee River Drainage | 44N | 48E | El | 035 | | | | | | 928.0 | 9,950.0 | | | | | Non-fishable |
| 1291 | Corner Reservoir | Salmon Falls River Drainage | 44N | 62E | El | 040 | | | | | | | | | | | | |
| | Coyote Lake | Near Charleston | 43N | 58E | El | 038 | | | | | | 25.0 | 50.0 | | | | | |
| 246 | Coyote Hole Reservoir | E. Fork Owyhee River Drainage | 47N | 51E | El | 037 | | | | | | 18.0 | 36.0 | | | | | Non-fishable |
| 348 | Deep Creek Reservoir | S.F. Owyhee River Drainage | 43N | 50E | El | 035 | | | | | | 136.0 | 1,410.0 | | | | | Non-fishable |
| 157 | Dry Creek Reservoir | Bull Run Creek Drainage | 45N | 51E | El | 035 | | 0.2M | 0.8M | | 40.0 | 110.0 | 1,910.0 | | | | | RT |
| 217 | Emerald Lake | Jarbidge Mountains | 45N | 58E | El | 039 | | | | | 11.0 | 1.0 | 4.0 | 100% | 0 | 0 | 0 | BT |
| 105 | Groundhog Reservoir | E. Fork Owyhee River Drainage | 47N | 50E | El | 035 | | | | | | 16.0 | 32.0 | | | | | Non-fishable |
| 1383 | Holloway Corrals Pond | | 45N | 45E | Hu | 034 | | | | | | 0.5 | | | | | | |
| 170 | Jakes Creek Reservoir | Salmon Falls River Drainage | 43N | 63E | El | 040 | | | | | 20.0 | 62.0 | 472.0 | 0 | 0 | 0 | 100% | BNT, LB, RT |
| 1297 | Jarbidge Lake | Jarbidge Mountains | 45N | 58E | El | 039 | | | | 10.0 | | 45.0 | 180.0 | 0 | 100% | 0 | 0 | BT, CT, RT |
| 32 | Josephine Reservoir | S. Fork Owyhee River Drainage | 46N | 49E | El | 035 | | | | | 8.0 | 250.0 | 1,250.0 | 0 | 0 | 100% | 0 | LB |
| 141 | Knoll Creek Pond | Granite Range | 45N | 64E | El | 040 | | | | | | 0.8 | | | | | | LB |
| 243 | Lamb Reservoir | S. Fork Owyhee River Drainage | 46N | 51E | El | 035 | | | | | | 20.0 | | | | | | Non-fishable |
| 347 | Rawhide Reservoir | S. Fork Owyhee River Drainage | 44N | 50E | El | 035 | | | | | | 147.0 | 1,540.0 | 0 | 0 | 100% | 0 | Closed |
| 1301 | Round Mountain (Petan) Reservoir | S. Fork Owyhee River Drainage | 44N | 50E | El | 035 | | | | | 10.0 | 1,735.0 | | 0 | 0 | 100% | 0 | BT, Closed |
| 1302 | Shallow Lake | S. F. Owyhee River Drainage | 44N | 47E | El | 035 | | | | | | | | | | | | |
| 235 | Sheep Creek Reservoir | S. F. Owyhee River Drainage | 46N | 51E | El | 035 | | | | | | 850.0 | 7,500.0 | 0 | 0 | 0 | 100% | RT |
| 1303 | Silver Lake | S. F. Owyhee River Drainage | 44N | 47E | El | 035 | | | | | | | | | | | | |
| 215 | Sunflower Flat Res. | The Mahoganies | 45N | 55E | El | 037 | 6-60 | | | | 8.0 | 60.0 | 120.0 | | | | | Non-fishable |
| 44 | Tuscarora Glory Hole Pond | Castile Mountains | 39N | 51E | El | 036 | | | | | | 0.5 | | | | | | LB, B |
| 49 | V.N. Pond | S.F. Owyhee River Drainage | 43N | 51E | El | 035 | | | | | | 0.5 | | | | | | Non-fishable |
| 1305 | Vinyard (Salmon Falls) Dam | N.F. Humboldt River Drainage | 38N | 54E | El | 040 | | | | | | 2.0 | | | | | | BNT, RT |
| 42 | Wild Horse Reservoir | E.F. Owyhee River Drainage | 44N | 54E | El | 037 | | 1.8M | 5.0M | 20.0 | | 2,830.0 | 73,500.0 | 0 | 0 | 0 | 100% | CT, RT, KT |
| 1280 | Wilson Sink Reservoir | Independence Mountains | 44N | 50E | El | 035 | 12-70 | | | 18.0 | | 828.0 | 10,469.0 | 0 | 100% | 0 | 0 | KT, RT |

| No. | HYDROGRAPHIC REGION 4 | | | | | | | | | | | | | | | | Ownership Total Length | | | | Ownership Fishable Length | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Stream Name | Valley or Mountain Range | Twn | Rng | County | Hydrographic Area | Date of Survey | Biological Rating | Total Length | Fishable Length | Average Width | Average Depth | Average Flow | Average Minimum C.F.S. for Cold Water Fishery | Forest Service | B.L.M. | Private | Other | Forest Service | B.L.M. | Private | Other | Game Fish Species |
| 289 | Ackler Creek | E. Humboldt Range | 36N | 60E | El | 043 | 7-56 | 225 | 9.5 | 5.5 | 11.70 | 6 | 12.92 | 7.6 | 4.0 | 0 | 5.5 | 0 | 2.5 | 0 | 3.0 | 0 | BT |
| 1009 | Adobe Creek | Adobe Range | 35N | 54E | El | 050 | | | | | | | | | | | | | | | | | |
| 1529 | Adobe Creek, East | Adobe Range | 34N | 55E | El | 050 | | | | 0 | | | | | | | | | 0 | 0 | 0 | 0 | |
| 816 | Allen Creek | Lori Mountain | 38N | 58E | El | 044 | | | | | | | | | | | | | | | | | |
| 887 | Alles Creek | Starr Valley | 37N | 60E | El | 043 | | | 3.5 | | | | | | | | | | | | | | |
| 1066 | Alpha Creek | Roberts Mountains | 25N | 51E | Eu | 053 | | | | | | | | | | | | | | | | | |
| 703 | Anderson Creek | Mary's River Basin | 43N | 59E | El | 042 | | | 6.0 | 6.0 | | | | | | | | | | | | | CT |
| 885 | Antelope Creek | Rock Creek Valley | 37N | 48E | El | 062 | | | | | | | | | | | | | | | | | |
| 1591 | Antelope Creek, Little | Rock Creek Valley | 38N | 48E | El | 062 | | | | | | | | | | | | | | | | | |
| 446 | Beadles Creek | Independence Mtns. | 42N | 53E | El | 044 | | | 1.5 | | | | | | | | | | | | | | |
| 443 | Beards Creek | Spring Canyon Mtn. | 32N | 53E | El | 049 | | | | | | | | | | | | | | | | | CT |
| 191 | Beaver Creek | Tuscarora Mountains | 36N | 52E | El | 041 | 6-57 | 132 | 12.0 | 4.0 | 7.25 | 3 | 5.77 | 3.7 | | | | | | | | | |
| 514 | Beaver Creek | N. F. Humboldt River Valley | 40N | 57E | El | 044 | | | 2.0 | | | | | | | | | | | | | | |
| 1419 | Beaver Creek, E.F. | Lookout Mountain | 41N | 57E | El | 044 | | | 13.0 | | | | | | | | | | | | | | |
| 1418 | Beaver Creek, W.F. | Wildhorse Mountain | 41N | 56E | El | 044 | | | 13.0 | | | | | | | | | | | | | | |
| 1420 | Belmont Creek | Ruby Mountains | 27N | 56E | El | 047 | | | 6.0 | | | | | | | | | | | | | | |
| 190 | Big Creek | Toiyabe Range | 17N | 43E | La | 056 | 9-54 | 81 | 9.8 | 5.0 | 3.58 | 2 | 1.50 | 1.8 | | 0.5 | | | | | | | BNT,BT,RT |
| 1422 | Big (Long Canyon) Cr. | N.F. Humboldt River Valley | 38N | 57E | El | 044 | | | 10.0 | | 3.00 | 3 | | 1.2 | | | | | | | | | |
| 986 | Birch Creek | Roberts Mountains | 24N | 50E | Eu | 053 | 11-57 | 36 | 3.3 | 0 | 2.09 | 1 | 0.18 | 0.6 | 0 | 3.3 | 0 | 0 | 0 | 0 | 0 | 0 | CT,RT |
| 1352 | Bishop Creek | Antelope Peak | 41N | 62E | El | 042 | | | | | | | | | | | | | | | | | |
| 313 | Bishop Creek | Bishop Flats | 37N | 59E | El | 042 | | | 15.0 | | | | | | | | | | | | | | |
| 1607 | Bishop Creek, Lower | Bishop Flats | 38N | 61E | El | 042 | | | 11.0 | | | | | | | | | | | | | | |
| 1253 | Black Panther Creek | Humboldt Range | 31N | 33E | Pe | 072 | | | | | | | 0.40 | | | | | | | | | | |
| 1426 | Blue Basin Creek | Tuscarora Mountains | 36N | 53E | El | 050 | | | | | | | | | | | | | | | | | |
| 1100 | Boone Creek | Toiyabe Range | 22N | 44E | La | 056 | 9-54 | 64 | 9.0 | 0 | 1.84 | 1 | 0.23 | 0.6 | | 2.5 | | | 0 | 0 | 0 | 0 | BT |
| 1423 | Bottom Creek | Gollaher Mountain | 47N | 67E | El | 040 | | | 4.0 | | | | | | | | | | | | | | |
| 1431 | Boulder Creek | Deeth | 37N | 59E | El | 042 | | | | | | | | | | | | | | | | | |
| 97 | Boulder (Starr) Cr. | E. Humboldt Range | 35N | 60E | El | 043 | 8-57 | 220 | 31.0 | 23.0 | 13.80 | 6 | 9.74 | 9.3 | | | | | | | | | BNT, BT |
| 358 | Boulder Creek, W. F. | E. Humboldt Range | 35N | 60E | El | 043 | | | 8.0 | | | | | | | | | | | | | | BNT, BT |
| 98 | Box Canyon Creek | Ruby Mountains | 31N | 57E | El | 046 | | | 7.0 | | | | | | | | | | | | | | |
| 1441 | Brennan Creek | Ruby Mountains | 32N | 57E | El | 048 | | | 5.0 | | | | | | | | | | | | | | |
| 1439 | Burger Creek | E. Humboldt Range | 37N | 61E | El | 043 | | | 2.0 | | | | | | | | | | | | | | |
| 172 | Burnt Creek | Bishop Flats | 38N | 61E | El | 042 | | | 14.0 | | | | | | | | | | | | | | |
| 1440 | Butterfield Creek | Tenmile Creek | 33N | 56E | El | 048 | | | 12.0 | | | | | | | | | | | | | | |
| 1443 | Cabin Creek | Lookout Mountain | 41E | 57E | El | 044 | | | | | | | | | | | | | | | | | |
| 467 | Cabin Creek | Santa Rosa Mountains | 44N | 39E | Hu | 068 | 7-54 | 72 | 6.0 | 3.0 | 4.60 | 4 | 0.55 | 2.3 | 6.0 | 0 | 0 | 0 | 3.0 | 0 | 0 | 0 | BT,CT,RT |
| 1444 | Cain (Tom Cain) Cr. | Mary's River Valley | 41N | 60E | El | 042 | | | | | | | | | | | | | | | | | |
| 1445 | California Creek | Independence Mtns. | 41N | 53E | El | 044 | | | 3.0 | | | | | | | | | | | | | | |
| 1447 | Camp Creek | Swales Mountain | 35N | 53E | El | 050 | | | | | | | | | | | | | | | | | |
| 182 | Carville Creek | Ruby Mountains | 29N | 56E | El | 047 | 6-56 | 81 | 5.5 | 3.0 | 3.25 | 1 | 0.94 | 1.2 | 4.5 | 0 | 1.0 | 0 | 3.0 | 0 | 0 | 0 | CT |
| 1449 | Casshouse Creek,&S.F. | Ruby Mountains | 27N | 56E | El | 047 | | | 9.0 | | | | | | | | | | | | | | |
| 1457 | Chicken Creek | Independence Mtns. | 37N | 52E | El | 051 | | | | | | | | | | | | | | | | | |
| 1456 | Chicken Creek | The Mahoganies | 45N | 55E | El | 051 | | | 5.0 | | | | | | | | | | | | | | |
| 1056 | Chimney Creek | Sulphur Springs Range | 25N | 51E | Eu | 053 | 11-57 | 74 | 1.5 | 0 | 4.84 | 4 | 1.20 | 2.3 | | | 0.9 | | 0 | 0 | 0 | 0 | |
| 470 | Clear Creek | Sonoma Range | 33N | 37E | Hu | 071 | 8-53 | 135 | 10.0 | 8.0 | 3.20 | 3 | 1.10 | 1.2 | | 7.5 | | | | | | | BT, RT |
| 818 | Clear Creek | Toiyabe Range | 12N | 41E | Ny | 056 | 10-54 | 86 | 8.5 | 2.0 | 2.00 | 2 | 0.36 | 0.6 | 3.0 | 0 | 0 | 5.5 | 0.6 | 0 | 0 | 1.4 | BT, RT |
| 1255 | Clear Creek | Sonoma Range | 33N | 38E | Pe | 071 | 8-53 | 135 | 10.0 | 1.00 | 3.17 | 3 | 1.10 | 1.2 | | | | | | | | | BT, RT |
| 1463 | Clover Creek | E. Humboldt Range | 37N | 61E | El | 043 | | | 5.5 | | | | | | | | | | | | | | |

| No. | HYDROGRAPHIC REGION 4 | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Stream Name | Valley or Mountain Range | Twn | Rng | County | Hydrographic Area | Date of Survey | Biological Rating | Total Length | Fishable Length | Average Width | Average Depth | Average Flow | Average Minimum C.F.S. for Cold Water Fishery | Ownership Total Length | | | | | Ownership Fishable Length | | | | Game Fish Species |
| | | | | | | | | | | | | | | | Forest Service | B.L.M. | Private | Other | Forest Service | B.L.M. | Private | Other | |
| 1465 | Clover (Midas) Creek | Midas | 38N | 45E | El | 064 | | | 16.0 | 16.0 | 6.10 | 4 | 3.14 | 3.0 | | | | | | | | | | BT |
| 1467 | Coal Creek | Independence Mtns. | 37N | 53E | El | 050 | | | | | | | | | | | | | | | | | | |
| 301 | Cold Creek | Ruby Mountains | 34N | 58E | El | 045 | | 153 | 16.0 | 16.0 | 6.10 | 4 | 3.14 | 3.0 | | | | | | | | | | BT |
| 1468 | Cole Creek | Spring Canyon Mtn. | 32N | 52E | El | 053 | | | 5.0 | | | | | | | | | | | | | | | |
| 1470 | Cole Canyon Creek | Independence Mtns. | 43N | 53E | El | 044 | | | 2.5 | | | | | | | | | | | | | | | |
| 268 | Conrad Creek | Lamoille Valley | 33N | 58E | El | 045 | | | 6.0 | 6.0 | 8.00 | 4 | | 4.4 | | | | | | | | | | BT, CT |
| 1478 | Coon Creek | Independence Mtns. | 37N | 53E | El | 050 | | | | | | | | | | | | | | | | | | |
| 298 | Corral Creek | Ruby Mountains | 28N | 56E | El | 047 | 6-55 | 98 | 15.0 | 7.0 | 3.25 | 2 | 1.32 | 1.2 | | | | | | | | | | BT |
| 1484 | Cottonwood Creek | Swales Mountain | 35N | 52E | El | 051 | | | 4.0 | 0 | | | | | | | | | 0 | 0 | 0 | 0 | | |
| 1485 | Cottonwood Creek | Stag Mountain | 40N | 57E | El | 044 | | | | | | | | | | | | | | | | | | |
| 384 | Cottonwood Creek | Ruby Mountains | 30N | 56E | El | 047 | 6-55 | 161 | 7.0 | 0 | 3.75 | 3 | 3.75 | 1.8 | | | | | 0 | 0 | 0 | 0 | | RT |
| 474 | Cottonwood Creek | Santa Rosa Mountains | 42N | 39E | Hu | 069 | 7-54 | 104 | 14.0 | 7.0 | 2.75 | 2 | 0.48 | 1.2 | | 0.6 | | | 0 | | | | | BT, RT |
| 579 | Cottonwood Creek | Toiyabe Range | 15N | 42E | Ny | 056 | 10-54 | 74 | 6.1 | 1.2 | 2.50 | 2 | 0.33 | 1.2 | | | | | | | | | | BT |
| 1594 | Cottonwood Creek, Little | Ruby Mountains | 30N | 57E | El | 047 | | | 4.5 | | | | | | | | | | | | | | | |
| 982 | Cottonwood Creek, Little | Cortez Mountains | 28N | 49E | Eu | 054 | | | 5.0 | 0 | 2.50 | | | 1.2 | | | | | 0 | 0 | 0 | 0 | | |
| 1341 | Cottonwood Creek, Little | Santa Rosa Mountains | 44N | 39E | Hu | 069 | 7-54 | 67 | 6.0 | 3.0 | 1.16 | 1 | 0.17 | 0.2 | 1.4 | | | | | | | | | BT, CT, RT |
| 578 | Cow Canyon Creek | Indian Valley | 11N | 40E | Ny | 056 | | | 4.0 | | | | | | | | | | | | | | | |
| 195 | Coyote Creek | Tuscarora Mountains | 36N | 51E | El | 051 | 6-57 | 139 | 12.0 | 4.5 | 10.00 | 4 | 6.25 | 5.9 | | | | | | | | | | CT, RT |
| 822 | Crane Creek | Toiyabe Range | 13N | 41E | Ny | 056 | 10-54 | 58 | 4.0 | 0 | 1.58 | 1 | 0.17 | 0.6 | 2.0 | | | | 0 | 0 | 0 | 0 | | CT |
| 1493 | Cricket Creek | Melandco | 39N | 63E | El | 042 | | | 2.0 | 0 | | | | | | | | | 0 | 0 | 0 | 0 | | |
| 522 | Crippen Creek | Shoshone Range | 29N | 45E | La | 059 | | | 10.0 | 2.0 | 2.00 | 2 | 0.75 | 0.6 | | | | | | | | | | RT |
| 531 | Crum (Crum Canyon)Cr. | Shoshone Range | 30N | 46E | La | 059 | 7-72<br>8-53 | 85 | 8.0 | 1.0 | 4.50 | 3 | 1.10 | 2.3 | 0 | 8.0 | 0 | 0 | 0 | 1.0 | 0 | 0 | | RT |
| 150 | Currant Creek | Snake Mountain | 42N | 60E | El | 042 | 7-55 | 125 | 11.0 | 8.0 | 4.00 | 2 | 2.67 | 1.8 | | | | | | | | | | BT, CT |
| 363 | Deering Creek | E. Humboldt Range | 36N | 60E | El | 043 | 8-57 | 95 | 9.0 | 4.5 | 5.30 | 3 | 2.00 | 2.3 | 1.5 | 0 | 7.5 | 0 | 0 | 0 | 4.5 | 0 | | BT, RT |
| 1504 | Dell Creek | McAfee Peak | 42N | 54E | El | 044 | | | 2.5 | 0 | | | | | | | | | 0 | 0 | 0 | 0 | | |
| 992 | Denay Creek | Roberts Mountains | 23N | 50E | Eu | 053 | 11-57 | 78 | 3.1 | 2.1 | 2.50 | 3 | 1.50 | 1.2 | 0 | 0.3 | 2.8 | 0 | 0 | 0.3 | 1.8 | 0 | | BT, RT |
| 1506 | Dewar Creek | Elko Mountain | 34N | 56E | El | 049 | | | | 0 | | | | | | | | | 0 | 0 | 0 | 0 | | |
| 102 | Dixie Creek | Robinson Mountain | 31N | 54E | El | 048 | 6-57 | 88 | 36.0 | 0 | 3.50 | 2 | 0.33 | 1.8 | | | | | 0 | 0 | 0 | 0 | | |
| 1509 | Dollar Creek | Lamoille Valley | 34N | 58E | El | 045 | | | | | | | | | | | | | | | | | | |
| 1515 | Donna Creek | Independence Mtns. | 36N | 52E | El | 051 | | | | | | | | | | | | | | | | | | |
| 1511 | Dorsey Creek | Independence Mtns. | 42N | 53E | El | 044 | | | 1.5 | 0 | | | | | | | | | 0 | 0 | 0 | 0 | | |
| 1512 | Dorsey Creek | Lone Mountain | 37N | 54E | El | 044 | | | 18.0 | 2.5 | 2.50 | 2 | | 1.2 | | | | | | | | | | CT, RT |
| 1513 | Dorsey Creek | E. Humboldt Range | 35N | 60E | El | 043 | | | 3.0 | | | | | | | | | | | | | | | |
| 1528 | Draw Creek | O'Neil Basin | 44N | 59E | El | 042 | | | 4.0 | | | | | | | | | | | | | | | |
| 1516 | Drown Creek | Ruby Mountains | 31N | 57E | El | 046 | | | 4.0 | | | | | | | | | | | | | | | |
| 1521 | Dry Creek | E. Humboldt Range | 35N | 60E | El | 043 | | | 3.0 | | | | | | | | | | | | | | | |
| 1523 | Dry Creek | Lamoille Valley | 33N | 57E | El | 048 | | | 6.0 | | | | | | | | | | | | | | | |
| 1524 | Dry Creek | Ruby Mountains | 30N | 57E | El | 047 | | | 3.5 | | | | | | | | | | | | | | | |
| 1525 | Dry Creek | Tuscarora Mountains | 40N | 49E | El | 063 | | | | | | | | | | | | | | | | | | |
| 1526 | Dry Creek | Sulphur Spring Range | 28N | 52E | El | 053 | | | 10.0 | | | | | | | | | | | | | | | |
| 1527 | Dry Susie Creek | Swales Mountain | 34N | 53E | El | 050 | | | 10.0 | 0 | | | | | | | | | 0 | 0 | 0 | 0 | | |
| 979 | Duff Creek | Cortez Mountains | 28N | 50E | Eu | 054 | | | 3.0 | 0.3 | 2.00 | 2 | 0.40 | 0.6 | | | | | | | | | | |
| 476 | Dutch John Creek | Santa Rosa Mountains | 44N | 39E | Hu | 068 | 7-54 | 89 | 8.0 | 4.0 | 3.00 | 1 | 0.32 | 1.2 | 8.0 | 0 | 0 | 0 | 4.0 | 0 | 0 | 0 | | BT, CT, RT |
| 78 | Echo Canyon Creek | Ruby Mountains | 31N | 57E | El | 046 | | | 4.5 | 4.5 | 13.00 | 4 | | | | | | | | | | | | BT, CT, RT |
| 373 | Eight-Mile Creek | Elko | 34N | 55E | El | 049 | | | 8.0 | 0 | | | | | | | | | 0 | 0 | 0 | 0 | | |
| 515 | Elder Creek | Battle Mtn. Range | 32N | 44E | Hu | 064 | 8-53 | 61 | 8.0 | 3.5 | 2.00 | 4 | 0.50 | 0.6 | | 5.8 | | | | | | | | CT, RT |

| No. | HYDROGRAPHIC REGION 4 | | | | | | | | | | | | | | | | Ownership Total Length | | | | Ownership Fishable Length | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Stream Name | Valley or Mountain Range | Twn | Rng | | County | Hydrographic Area | Date of Survey | Biological Rating | Total Length | Fishable Length | Average Width | Average Depth | Average Flow | Average Minimum C.F.S. for Cold Water Fishery | Forest Service | B.L.M. | Private | Other | Forest Service | B.L.M. | Private | Other | Game Fish Species |
| 1257 | Eldorado Creek | Humboldt Range | 31N | 33E | Pe | 072 | 9-59 | 35 | 4.0 | 0 | 1.00 | 3 | 0.32 | 0.2 | | | | | | 0 | 0 | 0 | 0 | |
| 211 | Evans Creek | Snowstorm Mountains | 38N | 45E | El | 064 | 8-56 | 115 | 15.0 | 5.0 | 4.95 | 4 | 3.50 | 2.3 | | | | | | | | | | RT |
| 1532 | Eyrox Creek | Mt. Ichabod | 43N | 56E | El | 044 | | | | | | | | | | | | | | | | | | |
| 1537 | Ferdelford Creek | Pinon Range | 31N | 52E | El | 053 | | | 6.0 | 0 | | | | | | | | | | 0 | 0 | 0 | 0 | |
| 1365 | First Creek | Snowstorm Mountains | 40N | 45E | El | 067 | | | | | | | | | | | | | | | | | | |
| 1538 | Fish Creek | Independence Mtns. | 35N | 52E | El | 051 | | | | 0 | | | | | | | | | | 0 | 0 | 0 | 0 | |
| 530 | Fish Creek | Fish Creek Mountains | 27N | 42E | La | 058 | 7-52 | 70 | 14.0 | 0 | 3.00 | 1 | 1.40 | 1.2 | | | | | | 0 | 0 | 0 | 0 | Non-fishable |
| 125 | Foreman Creek | Independence Mtns. | 40N | 55E | El | 044 | 7-55 | 177 | 16.0 | 6.0 | 8.00 | 3 | 2.30 | 4.4 | | | | | | 5.5 | 0 | | | CT |
| 1540 | Fourmile Creek | North Fork | 42N | 55E | El | 044 | | | 7.0 | 0 | | | | | | | | | | 0 | 0 | 0 | 0 | |
| 214 | Frazier Creek | Snowstorm Mountains | 39N | 46E | El | 063 | 7-71 | | 10.0 | 4.0 | 7.50 | 4 | 4.10 | 4.4 | | | | | | | | | | CT |
| 981 | Frenchie Creek | Cortez Mountains | 29N | 50E | Eu | 054 | | | 3.0 | 1.0 | 2.00 | 2 | 0.40 | 0.6 | | | | | | | | | | |
| 1542 | Frost Creek | Huntington Valley | 28N | 56E | El | 047 | | | 6.0 | | | | | | | | | | | | | | | |
| 138 | Frost Creek | Independence Mtns. | 28N | 56E | El | 047 | 7-58 | | 5.8 | 2.0 | 3.65 | 1 | 1.04 | 1.8 | 3.5 | 0 | 2.3 | 0 | 2.0 | 0 | 0 | 0 | 0 | BT, RT |
| 95 | Furlong Creek, North | Ruby Mountains | 31N | 57E | El | 046 | 8-57 | 149 | 6.3 | 5.0 | 9.18 | 4 | 3.35 | 5.1 | 6.3 | 0 | 0 | 0 | 5.0 | 0 | 0 | 0 | 0 | BT, CT |
| 529 | Galena Creek | Battle Mtn. Range | 31N | 43E | La | 059 | 6-52 | | 5.0 | 0 | | 1 | | | | | | | 0 | 0 | 0 | 0 | 0 | RT |
| 164 | Gance Creek | Independence Mtns. | 39N | 54E | El | 044 | 7-55 | 109 | 10.6 | 4.0 | 4.40 | 2 | 1.45 | 1.8 | 4.0 | 0 | 6.6 | 0 | 4.0 | 0 | 0 | 0 | 0 | CT, RT |
| 1544 | Gardner Creek | Secret Pass | 34N | 60E | El | 043 | | | 1.5 | | | | | | | | | | | | | | | |
| 388 | Genette Creek | Ruby Mountains | 30N | 57E | El | 047 | 9-55 | 78 | 5.0 | 2.0 | 4.30 | 1 | 0.39 | 1.8 | 4.8 | 0 | 0.2 | 0 | 2.0 | 0 | 0 | 0 | 0 | BT, CT |
| 389 | Gilbert Creek | Ruby Mountains | 29N | 56E | El | 047 | 6-55 | 191 | 8.0 | 1.0 | 9.10 | 6 | 9.28 | 5.1 | | | | | | | | | | BT, CT |
| 1546 | Gopher Creek | Mary's River Valley | 38N | 59E | El | 042 | | | 4.0 | | | | | | | | | | | 0 | 0 | 0 | 0 | |
| 92 | Green Mountain Creek | Ruby Mountains | 29N | 57E | El | 047 | 5-54 | 101 | 11.0 | 3.0 | 4.58 | 3 | 2.53 | 3.0 | 11.0 | 0 | 0 | 0 | 3.0 | 0 | 0 | 0 | 0 | CT |
| 100 | Grey's Creek | E. Humboldt Range | 37N | 60E | El | 043 | | | 3.5 | 1.5 | | | | | | | | | | | | | | BT |
| 1550 | Hall Creek | Deeth | 37N | 60E | El | 043 | | | 1.5 | | | | | | | | | | | | | | | |
| 1107 | Hall Creek | Toiyabe Range | 23N | 45E | La | 055 | 8-54 | 35 | 7.5 | 0 | 1.50 | 1 | 0.08 | 0.6 | 0 | 0.9 | 6.6 | 0 | 0 | 0 | 0 | 0 | 0 | RT |
| 1552 | Hanks Creek | Stag Mountain | 41N | 58E | El | 042 | | | 15.0 | | | | | | | | | | | | | | | |
| 1556 | Haskell Creek | Tuscarora Mountains | 36N | 51E | El | 051 | | | | | | | | | | | | | | | | | | |
| 1557 | Haw Creek | Ruby Mountains | 32N | 57E | El | 046 | | | 2.0 | | | | | | | | | | | | | | | |
| 1559 | Heelfly Creek | Starr Valley | 35N | 59E | El | 045 | | | 3.0 | | | | | | | | | | | | | | | |
| 317 | Herder Creek | E. Humboldt Range | 36N | 60E | El | 043 | 8-57 | 120 | 9.0 | 4.0 | 6.66 | 4 | 2.67 | 3.7 | 2.0 | 0 | 7.0 | 0 | 7.0 | 0 | 3.3 | 0 | | BT |
| 1560 | Hills Creek | Independence Mtns. | 40N | 54E | El | 044 | | | 2.0 | 0 | | | | | | | | | 0 | 0 | 0 | 0 | | |
| 1563 | Horse Creek | Staff Mountain | 40N | 57E | El | 044 | | | 8.0 | | | | | | | | | | | | | | | |
| 1564 | Hot Creek | Mary's River Valley | 43N | 60E | El | 042 | | | 5.0 | 0 | | | | | | | | | | 0 | 0 | 0 | 0 | |
| 1567 | Hot Creek | Sulphur Spring Range | 28N | 52E | El | 053 | | | 2.0 | 0 | | | | | | | | | | 0 | 0 | 0 | 0 | |
| 1568 | Hot Creek | Tuscarora Mountains | 38N | 48E | El | 063 | | | | | | | | | | | | | | | | | | |
| 1569 | Hot Springs Creek | Mary's River Valley | 39N | 59E | El | 042 | | | 4.0 | 0 | | | | | | | | | | 0 | 0 | 0 | 0 | |
| 169 | Humboldt River | Elko County | 33N | 52E | El | 049 | 9-57 | 201 | 60.0 | 60.0 | 47.00 | 5 | 12.61 | | | | | | | | | | | B,BB,BNT,CC, LB,RT,SB,WC |
| 1057 | Humboldt River | Eureka County | 32N | 51E | Eu | 052 061 | 9-57 | 199 | 42.0 | 0 | 47.10 | 5 | 68.73 | | | | | | | 0 | 0 | 0 | 0 | LB,B,BB,CC, SB |
| 486 | Humboldt River | Humboldt County | 33N | 35E | Hu | 064 065 070 | 7-55 | 171 | 38.0 | | 36.00 | 6 | 38.13 | | | | | | | | | | | B,BB,CC,LB, SB,WCR |
| 1108 | Humboldt River | Lander County | 32N | 45E | La | 061 064 | | | 40.0 | 40.0 | | | | | | | | | | | | | | CC, LB |
| 625 | Humboldt River | Humboldt River Valley | 27N | 31E | Pe | 071 | 9-57 | 161 | 18.0 | 18.0 | 40.30 | 16 | 8.00 | | | | | | | 1.5 | | | | LB,WCR,BB, BNT,CC,RT,WP |
| 1259 | Humboldt River (Below Ryepatch Reservoir) | Humboldt River Valley | 25N | 31E | Pe | 073 | | | 67.0 | 60.0 | | | | | | | | | | | | | | BNT,CC,RT,SP YP,BB,LB,WCR |

| No. | HYDROGRAPHIC REGION 4 | | | | | | | | | | | | | | | | Ownership Total Length | | | | Ownership Fishable Length | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Stream Name | Valley or Mountain Range | Twn | Rng | | County | Hydrographic Area | Date of Survey | Biological Rating | Total Length | Fishable Length | Average Width | Average Depth | Average Flow | Average Minimum C.F.S. for Cold Water Fishery | Forest Service | B.L.M. | Private | Other | Forest Service | B.L.M. | Private | Other | Game Fish Species |
| 493 | Humboldt River, Little | Santa Rose Mountains | 36N | 38E | Hu | 067 069 070 | | | 75.0 | | | | | | | | | | | | | | | BNT,BT,CT,CC |
| 492 | Humboldt River, Little, N.F. | Santa Rosa Mountains | 41N | 41E | Hu | 067 | 7-52 | 70 | 60.0 | 4.5 | 5.58 | 2 | 0.59 | 3.0 | | 11.0 | | | | | | | | BNT,BT,CT,RT |
| 354 | Humboldt River, Little, S.F. | Little Humboldt River Valley | 39N | 45E | El | 067 | | | 25.0 | | | | | | | | | | | | | | | CT |
| 517 | Humboldt River, Little, S.F. | Snowstorm Mountains | 41N | 43E | Hu | 067 | | 210 | 14.0 | 14.0 | 6.00 | | 15.00 | 3.0 | | 14.0 | | | | | | | | CT |
| 182 | Humboldt River, North Fork | Independence Mtns. | 36N | 54E | El | 044 | 7-55 | 134 | 95.0 | 20.0 | 6.20 | 2 | 2.33 | 3.0 | | | | | | | | | | BNT,BT,CT,RT |
| 288 189 | Humboldt River, South Fork | Ruby Mountains | 31N | 54E | El | 046 048 049 | 9-57 | 210 | 28.0 | 20.0 | 18.50 | 6 | 10.84 | | | | | | | | | | | BT, CT, RT,W |
| 78 | Humboldt River, N.F. of S.F. | Ruby Mountains | 31N | 57E | El | 046 | 9-56 | 186 | 8.5 | 6.0 | 13.00 | 3 | | 8.4 | 7.0 | 0 | 1.5 | 0 | 6.0 | 0 | 0 | 0 | | BT, CT |
| 98 | Humboldt River, S.F. of S.F. | Ruby Mountains | 31N | 57E | El | 046 | 9-56 | 184 | 4.5 | 4.0 | 14.30 | 2 | 4.65 | 9.3 | 4.5 | 0 | 0 | 0 | 4.0 | 0 | 0 | 0 | | BT, RT |
| 377 | Huntington Creek | Huntington Valley | 25N | 55E | El | 044 | 7-57 | 58 | 30.0 | 0 | 5.75 | 7 | 0.63 | 3.0 | | | | | 0 | 0 | 0 | 0 | | |
| 831 | Huntington Creek | Huntington Valley | 25N | 55E | Wh | 047 | 2-53 | 127 | 9.0 | 9.0 | 5.00 | 11 | 5.20 | 2.3 | 0 | 0 | 9.0 | 0 | 0 | 0 | 9.0 | 0 | | BNT, RT |
| 1038 | Illinois Creek | Toiyabe Range | 12N | 40E | Ny | 056 | 11-54 | 38 | 5.5 | 0 | 1.84 | 1 | 0.07 | 0.6 | 4.8 | 0 | 0 | 0.7 | 0 | 0 | 0 | 0 | | BT |
| 1573 | Indian Creek | Sulphur Springs Range | 28N | 54E | El | 047 | | | 6.0 | 0 | | | | | | | | | 0 | 0 | 0 | 0 | | |
| 487 | Indian Creek | Santa Rosa Mountains | 42N | 39E | Hu | 069 | | | 11.0 | | | | | | | | | | | | | | | |
| 528 | Indian Creek | Shoshone Mountains | 28N | 47E | La | 054 | 7-52 8-53 | 49 | 11.0 | 4.0 | 3.80 | 2 | 0.40 | 1.8 | 0 | 11.0 | 0 | 0 | 0 | 4.0 | 0 | 0 | | BT |
| 1109 | Iowa Creek | Toiyabe Range | 23E | 44E | La | 055 | 9-54 | 47 | 8.5 | 0 | 1.75 | 1 | 0.14 | 0.6 | | 2.2 | | | 0 | 0 | 0 | 0 | | RT |
| 1110 | Italian Creek | Toiyabe Range | 20E | 43E | La | 056 | 9-54 | 35 | 10.0 | 0 | 1.67 | 1 | 0.19 | 0.6 | | 4.1 | | | 0 | 0 | 0 | 0 | | CT |
| 1575 | Ivanhoe Creek | Midas | 38E | 47E | El | 063 | | | | | | | | | | | | | | | | | | |
| 1576 | Jack Creek | Tuscarora Mountains | 35N | 51E | El | 051 | 9-57 | | 13.0 | 3.0 | 5.00 | 3 | | 2.3 | | | | | | | | | | CT |
| 163 | Jack Creek, Little | Tuscarora Mountains | 36N | 51E | El | 051 | 6-57 | 66 | 13.0 | 3.0 | 4.90 | 3 | 1.43 | 2.3 | 0 | 0 | 13.0 | 0 | 0 | 0 | 3.0 | 0 | | CT |
| 1067 | Jack Creek, Little | Tuscarora Mountains | 36N | 51E | Eu | 051 | | | | | | | | | | | | | | | | | | CT |
| 380 | Jackstone Creek | Elko Mountains | 36N | 56E | El | 049 | 7-63 | | 9.0 | 3.5 | 4.50 | 3 | | 2.3 | | | | | | | | | | BT |
| 1578 | Jakes Creek | Humboldt River Drainage | 39N | 45E | El | 067 | | | | | | | | | | | | | | | | | | |
| 1579 | Jay Creek | Sugar Loaf Peak | 47N | 69E | El | 045 | | | 5.0 | | | | | | | | | | | | | | | |
| 83 | Jerry's Creek | Independence Mtns. | 40N | 58E | El | | | | | | | | | | | | | | | | | | | |
| 1580 | Jim Creek | Independence Mtns. | 40N | 54E | El | 044 | | | 7.0 | | | | | | | | | | | | | | | |
| 1582 | John Day Creek | Lamoille Valley | 34N | 58E | El | 043 | | | 11.0 | | | | | | | | | | | | | | | |
| 319 | Kelly Creek | Snowstorm Mountains | 39N | 44E | El | 066 | 8-56 | 57 | 8.0 | 2.0 | 6.66 | 3 | 1.70 | 3.7 | | | | | | | | | | BT, RT |
| 987 | Kelly Creek | Roberts Mountains | 24N | 50E | Eu | 053 | | | 3.0 | 0 | 2.00 | | | 0.6 | | | | | 0 | 0 | 0 | 0 | | |
| 489 | Kelly Creek | Snowstorm Mountains | 38N | 43E | Hu | 066 | | 57 | 18.0 | 2.0 | 6.60 | | 1.70 | 3.7 | | | | | | | | | | |
| 383 | Kittridge Creek | Adobe Range | 35N | 55E | El | 049 | | | 6.0 | 0 | | | | | | | | | 0 | 0 | 0 | 0 | | |
| 287 | Kleckner Creek | Ruby Mountains | 31N | 57E | El | 046 | 9-57 | 214 | 9.0 | 7.0 | 10.00 | 4 | 4.83 | 5.9 | 7.0 | 0 | 2.0 | 0 | 5.0 | 0 | 2.0 | 0 | | BT, CT |
| 1585 | Lake Creek | Independence Mtns. | 37N | 52E | El | 051 | | | | | | | | | | | | | | | | | | |
| 357 | Lamoille Creek | Ruby Mountains | 32N | 58E | El | 045 | 6-53 | 196 | 32.0 | 17.0 | 20.30 | 6 | 11.90 | | | | | | | | | | | BT, CT, RT |
| 1646 | Lamoille Creek, Right Fork | Ruby Mountains | 32N | 58E | El | 045 | | | 3.0 | | | | | | | | | | | | | | | |
| 1351 | Lee Creek | Ruby Mountains | 32N | 57E | El | 046 | | | 6.0 | | | | | | | | | | | | | | | |
| 1588 | Lemon Creek | Secret Pass | 34N | 60E | El | 043 | | | 2.5 | | | | | | | | | | | | | | | |
| 115 | Lewis Creek | Tuscarora Mountains | 39N | 49E | El | 063 | 7-55 8-53 | 62 | 6.5 | 1.5 | 3.90 | 1 | 0.66 | 1.8 | 0 | 0 | 6.5 | 0 | 0 | 0 | 1.5 | 0 | | CT |

| No. | HYDROGRAPHIC REGION 4 | | | | | | | | | | | | | | | | Ownership Total Length | | | | Ownership Fishable Length | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Stream Name | Valley or Mountain Range | Twn | Rng | County | Hydrographic Area | Date of Survey | Biological Rating | Total Length | Fishable Length | Average Width | Average Depth | Average Flow | Average Minimun C.F.S. for Cold Water Fishery | Forest Service | B.L.M. | Private | Other | Forest Service | B.L.M. | Private | Other | Game Fish Species |
| 527 | Lewis Creek | Shoshone Mountains | 30N | 45E | La | 059 | 6-52 | 124 | 8.0 | 3.0 | 3.00 | 2 | 0.72 | 1.2 | | 1.2 | | | | | | | BT |
| 1590 | Lindsey Creek | Ruby Mountains | 27N | 56E | El | 047 | | | 11.0 | | | | | | | | | | | | | | |
| 1603 | Lone Mountain Creek | Independence Mtns. | 37N | 52E | El | 050 | | | | | | | | | | | | | | | | | |
| 1602 | Long Creek | N.F. Humboldt River Valley | 39N | 58E | El | 042 | 12-55 | | 6.0 | | 3.00 | 2 | | 1.2 | | | | | | | | | |
| 101 | Long Canyon Creek | Ruby Mountains | 31N | 57E | El | 046 | 9-55 | 230 | 9.5 | 7.0 | 11.60 | 5 | 4.61 | 7.6 | 8.0 | 0 | 1.5 | 0 | 7.0 | 0 | 0 | 0 | BT,CT,RT |
| 1604 | Lori Creek | Lori Mountain | 37N | 58E | El | 042 | | | 2.5 | 0 | 1.00 | 1 | 0.10 | 0.2 | | | | | 0 | 0 | 0 | 0 | |
| 1606 | Louse Creek | Independence Mtns. | 36N | 53E | El | 050 | | | | | | | | | | | | | | | | | |
| 496 | Lye Creek | Santa Rosa Mountains | 44N | 39E | Hu | 068 | 7-54 | 62 | 4.0 | 3.0 | 2.90 | 2 | 0.53 | 1.2 | 4.0 | 0 | 0 | 0 | 3.0 | 0 | 0 | 0 | BT,CT,RT |
| 194 | Maggie Creek | Independence Mtns. | 33N | 51E | El | 051 | 6-57 | 173 | 43.0 | 6.0 | 11.00 | 3 | 5.88 | 6.7 | | | | | | | | | BNT,BT,CT |
| 1068 | Maggie Creek | Maggie Creek Valley | 34N | 51E | Eu | 052 | | | | | | | | | | | | | | | | | BNT,CT,RT |
| 146 | Mahala Creek | Independence Mtns. | 39N | 54E | El | 044 | 7-55 | 79 | 12.0 | 3.0 | 9.10 | 1 | 0.31 | 5.1 | | | | | | | | | BT, CT |
| 1328 | Mahogony Creek | Ruby Mountains | 31N | 58E | El | 046 | | | 2.5 | 2.0 | | | | | | | | | | | | | CT |
| 423 | Martin Creek | Santa Rosa Mountains | 42N | 40E | Hu | 068 | 8-54 | 109 | 37.0 | 20.0 | 3.90 | 2 | 0.55 | 1.8 | 12.3 | 5.0 | | | | | | | BNT,BT,CT,RT |
| | | | | | | 069 | | | | | | | | | | | | | | | | | |
| 1611 | Mary's Creek | Mary's Mountain | 33N | 51E | El | 051 | | | 8.0 | 0 | | | | | | | | | 0 | 0 | 0 | 0 | |
| 280 | Mary's River | Jarbidge Mountains | 42N | 58E | El | 042 | 11-52 | 193 | 20.0 | 6.0 | 8.00 | 4 | 5.02 | 4.4 | | | | | | | | | CT |
| 1050 | Marysville Creek | Toiyabe Range | 14N | 41E | Ny | 056 | 10-54 | 76 | 8.0 | 1.1 | 2.42 | 2 | 0.57 | 0.6 | 5.0 | 3.0 | 0 | 0 | 1.1 | 0 | 0 | 0 | BT, RT |
| 1613 | Mason Creek | Lone Mountain | 37N | 54E | El | 044 | | | | | | | | | | | | | | | | | |
| 123 | McAffee Creek | Independence Mtns. | 42N | 53E | El | 044 | | | 4.0 | 0 | | | 1.00 | | | | | | 0 | 0 | 0 | 0 | |
| 340 | McCelland Creek | Lone Mountain | 38N | 54E | El | 044 | | | 5.0 | | | | | | | | | | | | | | |
| 325 | McCutcheon Creek | Ruby Mountains | 29N | 56E | El | 047 | 9-55 | 173 | 8.5 | 4.0 | 10.50 | 7 | 4.44 | 6.7 | | | | | | | | | BT, CT |
| 1614 | Meadow Creek | Mary's River Basin | 43N | 59E | El | 042 | | | 5.5 | | | | | | | | | | | | | | |
| 1360 | Midas Creek | Snowstorm Mountains | 39N | 46E | El | 063 | | | | | | | | | | | | | | | | | |
| 1621 | Mill Creek | Pinon Range | 30N | 52E | El | 053 | | | | | | | | | | | | | | | | | |
| 526 | Mill Creek | Shoshone Mountains | 29N | 45E | La | 059 | 6-52 | 117 | 18.0 | 12.0 | 5.16 | 2 | 0.77 | 2.3 | | 2.0 | | | | | | | BT, RT |
| | | | | | | | 8-53 | | | | | | | | | | | | | | | | |
| 1623 | Milligan Creek | Snowstorm Mountains | 41N | 47E | El | 067 | | | 25.0 | | | | | | | | | | | | | | |
| 332 | Mitchell Creek | Lamoille Valley | 33N | 56E | El | 048 | | | 9.0 | | | | | | | | | | | | | | CT |
| 386 | Mitchell Creek | Ruby Mountains | 27N | 56E | El | 047 | | | 10.0 | | | | | | | | | | | | | | |
| 1051 | Mohawk Creek | Toiyabe Range | 13N | 41E | Ny | 056 | 10-54 | 67 | 3.5 | 0 | 1.50 | 1 | 0.21 | 0.6 | 3.5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | RT |
| 1261 | Mud Springs | Grass Valley | 31N | 39E | Pe | 071 | | | | | | | | | 4.0 | 3.0 | 0 | 0 | | | | | CT |
| 427 | Mullinix Creek | Santa Rosa Mountains | 43N | 39E | Hu | 069 | 8-55 | 59 | 7.0 | 1.0 | | | | | | | | | | | | | |
| 1626 | Murphy Creek | Ruby Mountains | 34N | 59E | El | 043 | | | 5.0 | | | | | | | | | | | | | | |
| 202 | Nelson Creek | Tuscarora Mountains | 39N | 49E | El | 063 | 7-55 | 105 | 7.0 | 2.0 | 1.66 | 1 | 0.70 | 0.6 | 0 | 0 | 7.0 | 0 | 0 | 0 | 2.0 | 0 | CT |
| 1629 | Ogilvie Creek | Ruby Mountains | 32N | 57E | El | 045 | | | 1.0 | 0 | | | | | | | | 0 | 0 | 0 | 0 | 0 | |
| 1632 | Owl Creek | Ruby Mountains | 32N | 57E | El | 048 | | | 5.0 | | | | | | | | | | | | | | |
| 328 | Pearl Creek | Ruby Mountains | 28N | 56E | El | 047 | 6-54 | 145 | 11.5 | 5.0 | 4.45 | 3 | 4.00 | 1.8 | 4.0 | 0 | 7.5 | 0 | 3.0 | 0 | 2.0 | 0 | BT,CT,RT |
| 988 | Pete Hansen Creek | Roberts Mountains | 23N | 50E | Eu | 053 | 10-57 | 71 | 4.4 | 2.4 | 2.75 | 2 | 0.58 | 1.2 | 0 | 4.4 | 0 | 0 | 0 | 2.4 | 0 | 0 | BT,RT |
| 117 | Peterson Creek | McAfee Peak | 42N | 54E | El | 044 | | | 4.8 | 0 | | | | | | | | | 0 | 0 | 0 | 0 | |
| 1633 | Peterson Creek | Ruby Mountains | 32N | 57E | El | 045 | | | 1.0 | 0 | | | | | | | | | 0 | 0 | 0 | 0 | |
| 118 | Pie Creek | Independence Mtns. | 39N | 55E | El | 044 | 7-57 | 121 | 20.0 | 2.0 | 10.50 | 3 | 2.97 | 6.7 | | | | | | | | | BNT,CT |
| 136 | Pine Creek | Pinon Range | 31N | 52E | El | 053 | 7-54 | | 20.0 | 0 | 5.00 | 2 | | 2.3 | | | | | 0 | 0 | 0 | 0 | |
| 1060 | Pine Creek | Pine Valley | 27N | 51E | Eu | 053 | 7-54 | 75 | 40.0 | 0 | 7.75 | 5 | 2.60 | 4.4 | | | | | 0 | 0 | 0 | 0 | Non-fishable |
| 1636 | Pole Creek | Walker Mountain | 40N | 49E | El | 063 | | | | | | | | | | | | | | | | | |
| 430 | Pole Creek | Sonoma Range | 35N | 39E | Hu | 070 | 2-52 | 108 | 11.0 | 4.0 | 2.00 | 2 | 0.63 | 0.6 | 0 | 5.5 | | | | | | | BT |
| | | | | | | | 8-53 | | | | | | | | | | | | | | | | |
| 983 | Pole Creek, Big | Cortez Mountains | 28N | 51E | Eu | 053 | | | 10.0 | 0 | 2.00 | | | 0.6 | | | | | 0 | 0 | 0 | 0 | |
| 1637 | Pony Creek | Sulphur Spring Range | 28N | 52E | El | 053 | | | | | | | | | | | | | | | | | |
| 96 | Porter Creek, Little | Spring Range | 29N | 54E | El | 047 | | | 8.0 | | | | | | | | | | | | | | |
| 120 | Pratt Creek | Independence Mtns. | 41N | 54E | El | 044 | 8-54 | 160 | 10.5 | 4.0 | 5.50 | 3 | 1.58 | 3.0 | | | | | | | | | BT, CT |

| No. | HYDROGRAPHIC REGION 4 | | | | | | | | | | | | | | | | Ownership Total Length | | | | Ownership Fishable Length | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Stream Name | Valley or Mountain Range | Twn | Rng | County | Hydrographic Area | Date of Survey | Biological Rating | Total Length | Fishable Length | Average Width | Average Depth | Average Flow | Average Minimum C.F.S. for Cold Water Fishery | Forest Service | B.L.M. | Private | Other | Forest Service | B.L.M. | Private | Other | Game Fish Species |
| 1069 | Primeaux Creek | Palisade | 32N | 50E | Eu | 061 | | | | | | | | | | | | | | | | | |
| 1598 | Rabbit Creek, Little | Lamoille Valley | 33N | 57E | El | 045 | | | 3.0 | | | | | | | | | | | | | | |
| 356 | Rattlesnake Creek | Ruby Mountains | 30N | 57E | El | 046 | 8-57 | 190 | 10.5 | 3.0 | 7.00 | 6 | 5.55 | 3.7 | 6.5 | 0 | 4.0 | 0 | 2.3 | 0 | 0.7 | 0 | BT, CR |
| 1644 | Redhouse Creek | Fish Creek Mountains | 36N | 52E | El | 051 | | | | | | | | | | | | | | | | | |
| 366 | Reed Creek | Lamoille Valley | 35N | 59E | El | 043 | | | 11.0 | 0 | | | | | | | | | 0 | 0 | 0 | 0 | |
| 1113 | Reeds Canyon Creek | Toiyabe Range | 17N | 43E | La | 056 | 11-54 | 40 | 1.4 | 0 | 1.33 | 2 | 0.19 | 0.2 | 1.4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | BT |
| 1123 | Reese River | Reese River Valley | 30N | 44E | La | 056 | | | 140.7 | 15.0 | 5.00 | | 2.50 | 2.3 | | 13.5 | | | | | | | BNT,BT,RT |
| | | | | | | 058 | | | | | | | | | | | | | | | | | |
| | | | | | | 059 | | | | | | | | | | | | | | | | | |
| 598 | Reese River, Lower | Reese River Valley | 14N | 41E | Ny | 056 | 11-54 | 109 | 22.3 | 10.0 | 6.92 | 3 | 2.30 | 3.7 | 0 | | | | 0 | | | | BNT |
| 599 | Reese River, Upper | Toiyabe Range | 11N | 41E | Ny | 056 | 10-54 | 85 | 15.0 | 13.0 | 4.75 | 3 | 1.30 | 2.3 | 15.0 | 0 | 0 | 0 | 13.0 | 0 | 0 | 0 | BT,CT,RT,BNT |
| 1372 | Road Creek | Paradise Valley | 44N | 40E | Hu | 068 | | | | | | | | | | | | | | | | | |
| 159 | Robinson Creek | Ruby Mountains | 29N | 55E | El | 047 | | | 4.0 | | | | | | | | | | | | | | BT |
| 212 | Rock Creek | Tuscarora Mountains | 35N | 47E | El | 061 | 7-55 | 112 | 75.0 | 25.0 | 7.30 | 2 | 1.57 | 3.7 | | | | | | | | | CT,LB,RT, |
| | | | | | | 062 | | | | | | | | | | | | | | | | | SB,WCR |
| | | | | | | 063 | | | | | | | | | | | | | | | | | |
| 437 | Rock Creek | Sonoma Range | 34N | 39E | Hu | 070 | 8-53 | 115 | 14.0 | 4.0 | 3.16 | 3 | 1.04 | 1.2 | | 1.4 | | | | | | | BT |
| 1262 | Rocky Creek | Humboldt Range | 29N | 33E | Pe | 073 | 2-52 | 58 | 5.0 | 0.3 | 1.42 | 2 | 0.50 | 0.2 | | 4.0 | | | | | | | BNT,BT,RT |
| 396 | Ross Creek | Ruby Mountains | 34N | 59E | El | 043 | | | 5.0 | | | | | | | | | | | | | | |
| 1649 | Sammy Creek | Independence Mtns. | 42N | 53E | El | 044 | | | 1.0 | 0 | | | | | | | | | 0 | 0 | 0 | 0 | |
| 597 | San Juan Creek | Toiyabe Range | 15N | 42E | Ny | 056 | 10-54 | 59 | 5.5 | 0.5 | 2.17 | 1 | 0.32 | 0.6 | 5.5 | 0 | 0 | 0 | 0.5 | 0 | 0 | 0 | BT,CT,RT |
| 1652 | School Creek | Ruby Mountains | 26N | 56E | El | 047 | | | 3.0 | | | | | | | | | | | | | | |
| 1654 | Secret Creek | Snowstorm Mountains | 40N | 45E | El | 067 | | | | | | | | | | | | | | | | | |
| 318 | Secret Creek | E. Humboldt Range | 34N | 59E | El | 043 | 8-56 | 141 | 20.0 | 6.0 | 6.60 | 3 | 3.36 | 3.7 | 2.5 | 0 | 17.5 | 0 | 2.5 | 0 | 3.5 | 0 | BT |
| 1655 | Segunda Creek | Ruby Mountains | 31N | 58E | El | 046 | 8-70 | | 3.5 | 3.0 | 10.50 | 7 | | 6.7 | | | | | | | | | CT |
| 387 | Seitz (Rabbit) Creek | Ruby Mountains | 32N | 57E | El | 045 | 8-57 | 199 | 18.0 | 2.5 | 10.50 | 5 | 6.58 | 6.7 | 7.0 | | 11.0 | 0 | 2.5 | 0 | 0 | 0 | BT |
| 1656 | Sestavroich Creek | Ruby Mountains | 26N | 56E | El | 047 | | | 8.0 | | | | | | | | | | | | | | |
| 1663 | Sheep Creek | Independence Mtns. | 40N | 54E | El | 044 | | | 9.0 | | | | | | | | | | | | | | |
| 1664 | Sheep Creek | Adobe Range | 35N | 55E | El | 049 | | | 5.0 | 0 | | | | | | | | | 0 | 0 | 0 | 0 | |
| 1665 | Sheep Creek | Ruby Mountains | 32N | 57E | El | 048 | | | 5.0 | | | | | | | | | | | | | | |
| 980 | Sheep Creek | Cortez Mountains | 27N | 51E | Eu | 053 | | | 7.0 | 0 | 2.50 | | | 1.2 | | | | | 0 | 0 | 0 | 0 | |
| 89 | Shepard Creek | Ruby Mountains | 35N | 59E | El | 043 | | | | | | | | | | | | | | | | | |
| 361 | Sherman Creek | Ruby Mountains | 26N | 55E | El | 047 | | | 8.0 | | | | | | | | | | | | | | |
| 381 | Sherman Creek | Elko Mountains | 35N | 55E | El | 049 | 8-64 | | 8.0 | 4.0 | 5.50 | 3 | | 3.0 | | | | | | | | | CT |
| 1116 | Silver Creek | Toiyabe Range | 21N | 43E | La | 056 | 9-54 | 47 | 4.1 | 1.1 | 2.50 | 2 | 0.89 | 1.2 | | 3.6 | | | | | | | BNT,BT,RT |
| 1668 | Singletree Creek | Independence Mtns. | 36N | 53E | El | 050 | | | | | | | | | | | | | | | | | |
| 441 | Singus Creek | Santa Rosa Mountains | 42N | 39E | Hu | 069 | 8-54 | 100 | 8.0 | 3.5 | 3.40 | 2 | 0.69 | 1.2 | 2.0 | 2.8 | | | | | | | BT, RT |
| 1669 | Sixteen-mile Creek | Fish Creek Mountains | 36N | 54E | El | 044 | | | | | | | | | | | | | | | | | |
| 1673 | Smiley Creek | Tabor Flats | 37N | 60E | El | 043 | | | 3.5 | | | | | | | | | | | | | | |
| 1674 | Smith Creek | Sulphur Springs Range | 29N | 52E | El | 053 | | | 4.0 | 0 | | | | | | | | | 0 | 0 | 0 | 0 | |
| 1675 | Smith Creek | Lori Mountain | 37N | 58E | El | 042 | | | | | | | | | | | | | | | | | |
| 1118 | Smith Creek | Desotoya Mountains | 18N | 39E | La | 134 | 10-57 | 73 | 9.0 | 7.1 | 3.09 | 2 | 0.61 | 1.2 | 0 | 2.0 | 7.0 | 0 | 0 | 0.1 | 7.0 | 0 | BNT,BT,RT |
| 278 | Smith Creek | Ruby Valley | 30N | 56E | El | 047 | | | 7.0 | | | | | | | | | | | | | | |
| 360 | Smith Creek | Ruby Mountains | 29N | 56E | El | 047 | 7-57 | 187 | 22.0 | 9.0 | 10.30 | 4 | 6.09 | 5.9 | 10.0 | 0 | 12.0 | 0 | 7.5 | 0 | 1.5 | 0 | BT,CT |
| 1691 | Snell Creek | Ruby Mountains | 33N | 58E | El | 045 | | | 2.5 | | | | | | | | | | | | | | |
| 338 | Soldier Creek | Ruby Mountains | 33N | 58E | El | 043 | 8-56 | 143 | 24.0 | 6.0 | 6.10 | 3 | 2.79 | 3.0 | | | | | | | | | BT,CT |
| 444 | Solid Silver Creek | Santa Rosa Mountains | 43N | 39E | Hu | 069 | 8-55 | 51 | 8.0 | 0 | | | 0.02 | | 4.0 | | | | 0 | 0 | 0 | 0 | CT |
| 445 | Sonoma Creek | Sonoma Range | 34N | 38E | Hu | 071 | 8-53 | 77 | 6.0 | 4.0 | 2.58 | 2 | 0.58 | 1.2 | 0 | 6.0 | 0 | 0 | 0 | 4.0 | 0 | 0 | RT |
| 1263 | Sonoma Creek | Sonoma Range | 34N | 38E | Pe | 071 | 8-53 | 77 | 6.0 | 0.1 | 2.58 | 2 | 0.58 | 1.2 | | | | | | | | | BT,RT |
| 1676 | South Creek | Independence Mtns. | 37N | 52E | El | 050 | | | | 0 | | | | | | | | | 0 | 0 | 0 | 0 | |

| No. | HYDROGRAPHIC REGION 4 | | | | | | | | | | | | | | Shoreline Ownership Percentage | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Lake, Reservoir or Pond | Valley or Mountain Range | Twn | Rng | County | Hydrographic Area | Date of Survey | Average Width | Average Length | Average Depth | Maximum Depth | Surface Acres | Volume (Acre-feet) | Forest Service | B.L.M. | Private | Other | Game Fish Species |
| 372 | Ackler Lake | E. Humboldt Range | 36N | 61E | El | 043 | | | | | 10.0 | 54.0 | | | | | | Non-fishable |
| 73 | Airport Ponds | Humboldt River Valley | 34N | 55E | El | 049 | 8-61 | | | 7.0 | | 1.0 | | | | | | B, LB, WCR |
| 72 | Angel Lake | E. Humboldt Range | 36N | 61E | El | 043 | | 730F | 960F | 20.0 | 29.0 | 13.0 | 70.0 | 100% | 0 | 0 | 0 | BT, RT |
| | Big Five Dam | W. Humboldt Range | 25N | 31E | Pe | 073 | | | | | | 787.0 | 1,720.0 | | | | | |
| 292 | Boulder Lake | Ruby Mountains | 35N | 61E | El | 043 | | | | 10.5 | 10.5 | 6.0 | 30.0 | | | | | BT |
| 291 | Boyd Reservoir | Lamoille Valley | 34N | 57E | El | 045 | | | | | | 120.0 | 830.0 | 0 | 0 | 100% | 0 | RT |
| 520 | Carico Lake | Carico Lake Valley | 26N | 45E | La | 055 | | | | | | 1,032.0 | 1,550.0 | | | | | Dry lake bed |
| 201 | Carlin Springs Pond | Lamoille Valley | 33N | 57E | El | 052 | | | | 5.0 | | 1.0 | | | | | | BT, RT |
| 306 | Castle Lake | Ruby Mountains | 31N | 58E | El | 046 | | | | | | 9.0 | 48.0 | | | | | Non-fishable |
| 1128 | Chester Meyers Ranch Pond | Reese River Valley | 31N | 45E | La | 059 | | | | | | 0.5 | | | | | | LB |
| 307 | Cold Lake #1 | Ruby Mountains | 33N | 58E | El | 045 | | | | | 28.0 | 3.7 | | | | | | BT, GT |
| 307 | Cold Lake #2 | Ruby Mountains | 33N | 59E | El | 045 | | | | | 24.0 | 1.8 | | | | | | BT, GT |
| 352 | Coyote Lake | Mary's River Drainage | 43N | 58E | El | 038 | | | | | | 25.0 | 50.0 | | | | | |
| 1375 | Crown Mind Pond | Sonoma Mountains | 35N | 40E | Hu | 070 | | | | | | | | | | | | WCR |
| 48 | Dinner Station Pond | Lone Mountain | 37N | 54E | El | 044 | | | | | | 1.0 | | | | | | B, LB |
| 1293 | Dollar Lakes | Ruby Mountains | 31N | 58E | El | 054 | | | | | | | | | | | | Non-fishable |
| 315 | Dorsey Creek Reservoir | N. Fork Humboldt River Drainage | 37N | 55E | El | 044 | | | | 10.0 | | 14.0 | 150.0 | 0 | 0 | 100% | 0 | CT, RT |
| 1078 | Dunphy Ponds | Dunphy | 33N | 48E | Eu | 061 | | | | | | | | | | | | |
| 296 | Echo Lake | Ruby Mountains | 32N | 58E | El | 046 | | | | | 155.0 | 29.0 | 175.0 | | | | | BT |
| | Eight Mile Creek Res. | Adobe Range | 34N | 55E | El | 049 | | | | | | 45.0 | 944.0 | | | | | |
| 295 | Favre Lake | Ruby Mountains | 31N | 58E | El | 046 | | | | | 45.0 | 19.0 | 110.0 | | | | | BT |
| 368 | Fifth Street Wash Res. | Humboldt River Valley | 34N | 55E | El | 049 | | | | | | 10.0 | 94.0 | | | | | Flood control |
| 294 | Furlong Lake, North | Ruby Mountains | 31N | 58E | El | 046 | | | | | 7.0 | 8.0 | 40.0 | | | | | Non-fishable |
| 99 | Gerber Ponds | E. Humboldt Range | 36N | 60E | El | 043 | | 50F | | 4.0 | | 1.0 | | 0 | 0 | 100% | 0 | B,BT,LB,RT |
| 1382 | Getchell Mines Ponds | Osgood Mountains | | | Hu | 067 | | | | | | | | | | | | Non-fishable |
| 1378 | Golconda Mind Pond | Osgood Mountains | 35N | 40E | Hu | 070 | | | | | | 1.0 | | | | | | RT |
| | Graveyard Slough | Lone Mountain | 27N | 31E | Pe | 073 | | | | | | 80.0 | 100.0 | | | | | |
| 293 | Greys Lake | E. Humboldt Range | 36N | 61E | El | 043 | | | | | 15.0 | 5.0 | 25.0 | | | | | CT |
| 312 | Griswold Lake | Ruby Mountains | 32N | 58E | El | 046 | | | | | 25.0 | 15.0 | 85.0 | | | | | BT |
| 311 | Hidden Lake #1 | Ruby Mountains | 33N | 59E | El | 043 | 8-56 | | | | 32.0 | 6.1 | | | | | | GT |
| 310 | Hidden Lake #2 | Ruby Mountains | 33N | 59E | El | 043 | 8-56 | | | | 8.0 | 2.8 | | | | | | BT, GT |
| 1296 | Hot Lake | Rock Creek Drainage | 37N | 46E | El | 062 | | | | | | | | | | | | |
| 619 | Humboldt and Toulon Lakes | Humboldt Sink | 25N | 30E | Pe | 073 | | | | 1.0 | 1.5 | 7,700.0 | 84,000.0 | | | | | Non-fishable |
| 1127 | Iowa Canyon Reservoir | Toiyabe Range | 23N | 44E | La | 055 | | 0.3M | 0.2M | 15.0 | 35.0 | 28.0 | 437.0 | 0 | | | 0 | RT |
| 1384 | Iron Point Pond | Humboldt River Valley | | | Hu | 064 | | | | | 10.0 | 5.0 | | | | | | LB |
| 309 | Island Lake | Ruby Mountains | 32N | 58E | El | 045 | 8-56 | | | | 22.0 | 7.0 | 35.0 | | | | | BT |
| 519 | Izzenhood Pond | | 34N | 45E | La | 064 | | | | 6.0 | | 10.0 | 50.0 | | | | | BT |
| 984 | J D Pond #1 | Denay Valley | 26N | 51E | Eu | 053 | | 3M | 700F | 3.7 | 10.0 | 20.0 | 71.0 | | | | | BNT,LB,NP,RT |
| | J D Pond #2 | Denay Valley | 26N | 51E | Eu | 053 | | | 700F | | | 20.0 | | | | | | |
| 75 | Jiggs (Zunino) Res. | Ruby Mountains | 30N | 56E | El | 047 | | | | | | 30.0 | 180.0 | | | | | LB, RT |
| 337 | John Day Reservoir | Lamoille Valley | 35N | 58E | El | 043 | | | | | | 127.0 | 561.0 | | | | | LB |
| 286 | Lamoille Lake | Ruby Mountains | 31N | 58E | El | 046 | 8-55 | | | | 20.0 | 13.0 | 70.0 | | | | | BT |
| 285 | Liberty Lake | Ruby Mountains | 31N | 58E | El | 046 | | | | | 108.0 | 21.0 | 125.0 | | | | | BT |
| 1298 | Little Reservoir | Mary's River Drainage | 43N | 58E | El | 038 | | | | | | | | | | | | Non-fishable |
| 1299 | Lost Lake | Ruby Mountains | 30N | 57E | El | 046 | | | | | | 1.5 | | | | | | |
| 334 | Lost Lake | Ruby Mountains | 35N | 61E | El | 034 | | | | | | 3.0 | 14.0 | | | | | |

| No. | HYDROGRAPHIC REGION 4 | | | | County | Hydrographic Area | Date of Survey | Average Width | Average Length | Average Depth | Maximum Depth | Surface Acres | Volume (Acre-feet) | Shoreline Ownership Percentage | | | | Game Fish Species |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Lake, Reservoir or Pond | Valley or Mountain Range | Twn | Rng | | | | | | | | | | Forest Service | B.L.M. | Private | Other | |
| 74 | Metropolis (Bishop Creek) Reservoir | Humboldt River Drainage | 38N | 62E | El | 042 | 7-59 | 0.5M | 1.5M | | 45.0 | 782.0 | 30,000.0 | | | | | CT, LB |
| 1300 | Mitchell Reservoir | Ruby Mountains | 27N | 56E | El | 047 | | | | | | | | | | | | Non-fishable |
| | Mud Springs Dam | Table Mountain | 31N | 39E | Pe | 071 | | | | | | 70.0 | 490.0 | | | | | |
| | Nelson Reservoir | Shoshone Range | 30N | 46E | La | 059 | | | | | | 13.0 | 100.0 | | | | | |
| 390 | Pearl Lake | Ruby Mountains | 27N | 57E | El | 047 | | | | | | 5.0 | 25.0 | | | | | Non-fishable |
| 1270 | Pitt-Taylor Reservoir, Lower | Imlay | 32N | 33E | Pe | 072 | | 3M | 3M | | 17.5 | 2,570.0 | 22,200.0 | | | | | CC,LB,SP,WCR,WP |
| 1271 | Pitt-Taylor Reservoir, Upper | Imlay | 32N | 33E | Pe | 072 | | 1M | 3M | | 26.0 | 2,070.0 | 24,200.0 | | | | | CC,LB,SP,WCR,WP |
| | Pumpernickel Reservoir | Pumpernickel Valley | 32N | 40E | Pe | 065 | | | | | 37.0 | | 236.0 | | | | | |
| 1285 | Rahas Springs | Lamoille Valley | 33N | 59E | El | 043 | | | | | | | | | | | | |
| 1268 | Rogers Ponds | Lovelock | 27N | 31E | Pe | 073 | | 20F | 150F | | 8.0 | 0.2 | 2.0 | | | | | |
| 1267 | Rye Patch Reservoir | Humboldt River Valley | 30N | 33E | Pe | 077 | | 1.1M | 22.1M | | 61.5 | 11,400.0 | 171,000.0 | | | | | B,BNB,BNT,BB,CC,GS, LB,RT,SP,WBA,WCR,WP, YP,WC |
| 34 | Saval Reservoir | N. F. Humboldt River Drainage | 39N | 58E | El | 044 | | | | | | 10.0 | 15.0 | | | | | RT,BT |
| 365 | Seitz Lake | Ruby Mountains | 32N | 58E | El | 045 | | | | | | 3.0 | 14.0 | | | | | |
| 305 | Sleeman Ponds | S. F. Humboldt River Drainage | 31N | 56E | El | 046 | | | | | | 12.0 | 20.0 | 0 | 0 | 100% | 0 | LB |
| 329 | Smith Lake | E. Humboldt Range | 36N | 59E | El | 043 | 8-61 | | | | 14.0 | 3.0 | 14.0 | 100% | 0 | 0 | 0 | GT, RT |
| 302 | Soldier Lake | Ruby Mountains | 33N | 59E | El | 043 | 8-56 | | | | 14.0 | 6.0 | 30.0 | | | | | BT |
| 1386 | Sonoma Lake | Sonoma Mountains | 34N | 39E | Hu | 071 | | | | | | 1.0 | | | | | | Non-fishable |
| 991 | Tonkin (Denay) Res. | Simpson Park Mtns. | 24N | 49E | Eu | 053 | | 400F | 400F | 7.0 | 16.0 | 4.0 | | | | | | RT |
| 316 | Verdi Lake | Ruby Mountains | 32N | 59E | El | 045 | 7-56 | | | | | 5.0 | 25.0 | | | | | BT, CT, RT |
| 1288 | Wells Kids Ponds | City of Wells | 37N | 62E | El | 042 | | | | | | | | | | | | |
| 189 | Willow Creek Reservoir | Tuscarora Mountains | 39N | 48E | El | 063 | | | | | | 761.0 | 18,064.0 | | | | | BT,CT,LB,RT,WCR |

| No. | HYDROGRAPHIC REGION 5 | | | | County | Hydrographic Area | Date of Survey | Biological Rating | Total Length | Fishable Length | Average Width | Average Depth | Average Flow | Average Minimum C.F.S. for Cold Water Fishery | Ownership Total Length | | | | Ownership Fishable Length | | | | Game Fish Species |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Stream Name | Valley or Mountain Range | Twn | Rng | | | | | | | | | | | Forest Service | B.L.M. | Private | Other | Forest Service | B.L.M. | Private | Other | |
| 868 | Fernley Drain #1 | Fernley | 20N | 25E | Ly | 076 | 4-52 | | 2.4 | 0 | 9.00 | 3.0 | | 5.1 | | | | | 0 | 0 | 0 | 0 | LB |
| | Fernley Drain #2 | Fernley | 20N | 25E | Ly | 076 | 4-52 | | 2.3 | 0 | 5.50 | 3.0 | | 3.0 | | | | | 0 | 0 | 0 | 0 | LB |
| | Fernley Drain #3 | Fernley | 20N | 25E | Ly | 076 | 4-52 | | 1.3 | 0 | | 3.0 | | | | | | | 0 | 0 | 0 | 0 | LB |
| 871 | Truckee (Derby) Canal | Fernley | 20N | 24E | Ly | 076 | | | 9.0 | 9.0 | 30.0 | 120 | | | | | | | | | | | BB, BNT, CT, GS, LB, RT, W |

| No. | HYDROGRAPHIC REGION 5 | | | | County | Hydrographic Area | Date of Survey | Average Width | Average Length | Average Depth | Maximum Depth | Surface Acres | Volume (Acre-feet) | Shoreline Ownership Percentage | | | | Game Fish Species |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Lake, Reservoir or Pond | Valley or Mountain Range | Twn | Rng | | | | | | | | | | Forest Service | B.L.M. | Private | Other | |
| 1242 | Fernley W.M.A., Upper Pond | Fernley Sink | 21N | 25E | Ly | 075<br>076 | | | | | | 408.0 | | 0 | 0 | 0 | 100% | B, BNB, CT, LB, NP, SP, WCR |

| No. | HYDROGRAPHIC REGION 6 | | | | | | | | | | | | | | | | Ownership Total Length | | | | Ownership Fishable Length | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Stream Name | Valley or Mountain Range | Twn | Rng | County | Hydrographic Area | Date of Survey | Biological Rating | Total Length | Fishable Length | Average Width | Average Depth | Average Flow | Average Minimum C.F.S. for Cold Water Fishery | Forest Service | B.L.M. | Private | Other | Forest Service | B.L.M. | Private | Other | Game Fish Species |
| 635 | Bronco Creek | Carson Range | 18N | 18E | Wa | 091 | 11-55 | 103 | 6.1 | 5.6 | 5.17 | 3 | 1.80 | 2.3 | 0.3 | 0 | 5.8 | 0 | 0.3 | 0 | 5.3 | 0 | BT, RT |
| 636 | Browns Creek | Carson Range | 17N | 19E | Wa | 088 | 11-55 | 69 | 3.4 | 1.5 | 2.84 | 2 | 0.62 | 1.2 | 0.6 | 0 | 2.8 | 0 | 0.3 | 0 | 1.2 | 0 | BT |
| 856 | Burke Creek | Carson Range | 13N | 18E | Do | 090 | | | 4.0 | 1.5 | 1.50 | 2 | | 0.6 | | | | | | | | | |
| 1292 | Davis Creek | Carson Range | 17N | 19E | Wa | 089 | | | | | | | | | | | | | | | | | |
| 640 | Deep Canyon Creek | Carson Range | 18N | 18E | Wa | 091 | 11-55 | 95 | 4.6 | 3.2 | 2.92 | 2 | 0.53 | 1.2 | 1.3 | 0 | 3.3 | 0 | 1.3 | 0 | 1.9 | 0 | |
| 855 | Edgewood Creek | Carson Range | 13N | 18E | Do | 090 | | | 5.0 | 3.5 | 3.09 | 3 | 1.80 | 1.2 | | | | | | | | | RT |
| 641 | Evans Creek | Carson Range | 18N | 19E | Wa | 087 | 10-55 | 91 | 3.3 | 3.0 | 2.84 | 3 | 0.74 | 1.2 | 0.5 | 0 | 2.8 | 0 | 0.5 | 0 | 2.5 | 0 | BT |
| 862 | First Creek | Carson Range | 16N | 18E | Wa | 090 | | | 1.8 | 1.5 | | | 0.23 | | | | | | | | | | BT |
| 644 | Franktown Creek | Carson Range | 16N | 19E | Wa | 089 | 10-55 | 107 | 6.8 | 5.7 | 4.25 | 3 | 1.40 | 1.8 | 1.5 | 0 | 5.3 | 0 | 1.3 | 0 | 4.4 | 0 | BT, RT |
| 642 | Galena Creek | Carson Range | 17N | 20E | Wa | 088 | 10-55 | 135 | 10.9 | 8.6 | 6.00 | 3 | 3.10 | 3.0 | 0 | 0.5 | 9.8 | 0.6 | 0 | 0.4 | 7.6 | 0.6 | BT, RT |
| 1215 | Glenbrook Creek | Carson Range | 14N | 18E | Do | 090 | 11-61 | | 3.0 | | 1.50 | 2 | 0.41 | 0.6 | | | | | | | | | BT |
| 645 | Gray Creek | Carson Range | 17N | 18E | Wa | 091 | 11-55 | 93 | 4.2 | 3.6 | 5.84 | 3 | 2.10 | 3.0 | 1.4 | 0 | 2.8 | 0 | 0.8 | 0 | 2.8 | 0 | BT |
| 646 | Gray Creek W. E. | Carson Range | 17N | 18E | Wa | 091 | 11-55 | 126 | 3.6 | 3.6 | 4.58 | 3 | 1.50 | 2.3 | 0.9 | 0 | 2.7 | 0 | 0.9 | 0 | 2.7 | 0 | BT |
| 648 | Hunter Creek | Carson Range | 19N | 18E | Wa | 091 | 10-55 | 140 | 7.6 | 6.3 | 5.00 | 3 | 2.50 | 2.3 | 0 | 0 | 7.6 | 0 | 0 | 0 | 6.3 | 0 | BT, RT |
| 864 | Incline Creek | Carson Range | 16N | 18E | Wa | 090 | | | 4.5 | 3.5 | | | 1.80 | | | | | | | | | | RT, BT |
| 1222 | Lincoln Creek | Carson Range | 14N | 18E | Do | 090 | | | 3.5 | 0 | 1.00 | 2 | | 0.2 | | | | | 0 | 0 | 0 | 0 | |
| 1220 | Loganhouse Creek | Carson Range | 14N | 18E | Do | 090 | 11-61 | | 1.8 | 0 | 1.00 | 2 | | 0.2 | | | | | 0 | 0 | 0 | 0 | |
| 858 | Loganhouse Creek, N. | Carson Range | 14N | 18E | Do | 090 | 11-61 | | 3.0 | 1.5 | 1.00 | 2 | 0.16 | 0.2 | | | | | | | | | |
| 1309 | Long Valley Creek, N. | Virginia Range | 19N | 21E | Wa | 087 | | | 0 | | | | | | | | | | 0 | 0 | 0 | 0 | BT |
| 1310 | Long Valley Creek, S. | Virginia Range | 18N | 21E | Wa | 087 | | | 0 | | | | | | | | | | 0 | 0 | 0 | 0 | BT |
| 1207 | Marlette Creek | Carson Range | 15N | 18E | Ca | 090 | 1-61 | | 1.9 | 1.5 | 2.00 | 2 | 0.22 | 0.6 | | | | | | | | | BT |
| 861 | Marlette Creek | Carson Range | 15N | 18E | Wa | 090 | | | 1.8 | 1.5 | | | | | | | | | | | | | BT |
| 857 | McFall Creek | Carson Range | 13N | 18E | Do | 090 | | | 4.0 | 1.0 | 1.00 | 2 | | 0.2 | | | | | | | | | |
| 859 | North Canyon Creek | Carson Range | 14N | 18E | Ca | 090 | | | 5.1 | 4.2 | 3.00 | 3 | | 1.2 | | | | | | | | | BT |
| 638 | Ophir Creek | Carson Range | 17N | 19E | Wa | 089 | 10-55 | 125 | 7.2 | 5.2 | 4.25 | 3 | 1.40 | 1.8 | 1.2 | 0 | 5.7 | 0.3 | 1.2 | 0 | 3.7 | 0.3 | BT |
| 881 | Rose (Wood) Creek | Carson Range | 16N | 18E | Wa | 090 | 10-60 | | 4.0 | 3.0 | | | 0.58 | | | | | | | | | | BT |
| 863 | Second Creek | Carson Range | 16N | 18E | Wa | 090 | 10-60 | | 3.5 | 2.5 | | | 0.37 | | | | | | | | | | BT |
| 860 | Secret Harbor Creek | Carson Range | 15N | 18E | Ca | 090 | 11-61 | | 2.0 | 2.0 | 3.00 | 3 | 0.88 | 1.2 | | | | | | | | | BT |
| 1221 | Slaughterhouse Creek | Carson Range | 14N | 18E | Do | 090 | 11-61 | | 2.3 | 1.5 | 2.00 | 4 | 0.33 | 0.6 | | | | | | | | | BT |
| 865 | Third Creek | Carson Range | 16N | 18E | Wa | 090 | 10-60 | | 5.5 | 4.0 | | | 2.10 | | | | | | | | | | RT, BT |
| 776 | Thomas Creek | Carson Range | 18N | 19E | Wa | 087 | 10-55 | 144 | 9.5 | 9.5 | 4.42 | 2 | 1.30 | 1.8 | 0.9 | 0.1 | 8.5 | 0 | 0.9 | 0.1 | 8.5 | 0 | BT, RT |
| 964 | Truckee Canal | Virginia Range | 20N | 23E | St | 083 | | | 8.0 | 8.0 | 45.00 | 120 | | | | | | | | | | | BB, BNT, RT LB |
| | Truckee River | Truckee River Valley | 20N | 22E | St | 083 | 12-55 | | 28.0 | 28.0 | 52.00 | 9 | | | | | | | | | | | BB, BNT, CT |
| 777 | Truckee River | Truckee River Valley | 19N | 19E | Wa | 091 087 | 12-55 | 164 | 76.0 | 72.0 | 69.00 | 10 | 130.00 | | | 0.2 | | | | | | | BB, BNT, CT, GS, LB, RT,W |
| 785 | Whites Creek | Carson Range | 18N | 19E | Wa | 087 | 10-55 | 98 | 9.3 | 8.9 | 5.84 | 3 | 2.90 | 3.0 | 0.9 | 0.1 | 8.3 | 0 | 0.9 | 0.1 | 7.9 | 0 | BT |
| 1219 | Zephyr Creek, North | Carson Range | 13N | 18E | Do | 090 | 11-61 | | 3.5 | | 1.00 | 2 | 0.03 | 0.2 | | | | | | | | | |

## HYDROGRAPHIC REGION 6

| No. | Lake, Reservoir or Pond | Valley or Mountain Range | Twn | Rng | County | Hydrographic Area | Date of Survey | Average Width | Average Length | Average Depth | Maximum Depth | Surface Acres | Volume (Acre-feet) | Shoreline Ownership Percentage: Forest Service | B.L.M. | Private | Other | Game Fish Species |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1411 | A.P. Teddlie Farm Pond | Truckee Meadows | | | Wa | 087 | | | | | | | | 0 | 0 | 100% | 0 | |
| 1395 | Bria Pond | Spanish Spring Valley | 20N | 20E | Wa | 085 | | | | | | | | 0 | 0 | 100% | 0 | BB |
| 1397 | Circle L Hereford Pond | Spanish Springs Valley | 20N | 20E | Wa | 085 | | | | | | | | 0 | 0 | 100% | 0 | LB, BB |
| 1398 | Clopine Pond | Truckee Meadows | | | Wa | 087 | | | | | | | | 0 | 0 | 100% | 0 | LB |
| 1399 | Davis Lake | Carson Range | 17N | 19E | Wa | 088 | | | | | 2.0 | 3.5 | | | | | | RT |
| 1403 | Diamond Boat N Sport Pond | Truckee Meadows | 19N | 19E | Wa | 087 | | | | | | | | 0 | 0 | 100% | 0 | Non-fishable |
| 895 | Five-Mile Reservoir | Virginia Range | 16N | 20E | St | 086 | | | | | | | | | | | | Domestic water supply |
| 1401 | Fuller Lake | Carson Range | 19N | 18E | Wa | 091 | | | | | | | | 0 | 0 | 100% | 0 | |
| | Gasperi Reservoir | Spanish Springs Valley | 20N | 20E | Wa | 085 | | | | | 10.0 | 54.0 | | | | | | |
| 647 | Gray Lake | Carson Range | 17N | 18E | Wa | 091 | 11-55 | 145F | 300F | 1.0 | 1.0 | | | 100% | 0 | 0 | 0 | |
| 1251 | Green Glen Farm Pond | Truckee Valley | 20N | 24E | St | 083 | | | | | | | | | | | | LB |
| 1402 | Highland Park (North Park Pond) Lake | Truckee Meadows | 19N | 19E | Wa | 087 | | | | 6.0 | 10.0 | 54.0 | | | | | | Non-fishable |
| 1404 | Hobart Reservoir | Carson Range | 15N | 19E | Wa | 089 | 10-55 | 0.1M | 0.3M | 15.0 | 10.0 | 110.0 | | 0 | 0 | 100% | 0 | BT |
| 649 | Hunter Lake | Carson Range | 18N | 18E | Wa | 087 | 10-55 | 90F | 438F | 4.0 | 1.0 | | | 0 | 0 | 100% | 0 | BT |
| 1406 | Idlewild Pond | Truckee Meadows | 19N | 19E | Wa | 087 | | | | | | | | | | | | BC, LB |
| 1407 | Incline Lake | Carson Range | 17N | 18E | Wa | 090 | | | | | 30.0 | 157.0 | | 0 | 0 | 100% | 0 | BT, RT |
| 650 | Joy Lake | Carson Range | 17N | 19E | Wa | 088 | 11-55 | 250F | 715F | 4.0 | 4.0 | | | 33% | 0 | 67% | 0 | BT |
| 1388 | Jumbo Canyon Reservoir | Virginia Range | 16N | 20E | Wa | 089 | | | | | 3.0 | | | | | | | LB |
| | Lake Alexander | Steamboat | 18N | 20E | Wa | 088 | | | | | 58.0 | 250.0 | | | | | | |
| 1417 | Lake Tahoe | Tahoe Basin | 15N | 18E | Ca | 090 | | 3.5M | 3.5M | 1550.0 | 7,582[1] | | | | | | | BNT,BT,KT,MT,RT,W |
| 1225 | Lake Tahoe | Tahoe Basin | 14N | 18E | Do | 090 | | 3.1M | 10M | 1550.0 | 15,883[1] | 125,000,000.0[2] | | | | | | BNT,BT,KT,MT,RT,W |
| 1416 | Lake Tahoe | Tahoe Basin | 16N | 18E | Wa | 090 | | 4.0M | 6.0M | 1600.0 | 13,347[1] | | | | | | | BNT,BT,KT,MT,RT,W |
| 1394 | Lloyd Blair Farm Pond | Truckee Meadows | | | Wa | 089 | | | | | | | | 0 | 0 | 100% | 0 | LB |
| 1415 | Manzanita Pond | Truckee Meadows | 19N | 19E | Wa | 087 | | | | | | | | | | | | LB |
| 1413 | Marlette Lake | Carson Range | 15N | 18E | Wa | 090 | | | | | 350.0 | 10,400.0 | | 0 | 0 | 0 | 100% | CT, BT (closed) |
| | Milk Ranch Reservoir | Dry Creek Valley | 24N | 19E | Wa | 095 | | | | | 23.0 | 252.0 | | | | | | |
| 1389 | Paradise Lakes | Truckee Meadows | 19N | 20E | Wa | 087 | | | | 6.0 | 10.0 | 25.5 | | | | | | B, BC, LB, RT |
| 652 | Price Lake, Lower | Carson Range | 17N | 19E | Wa | 089 | 11-55 | 150F | 150F | | | 0.5 | 25.0 | 25% | 0 | 0 | 75% | BT |
| 653 | Price Lake, Upper | Carson Range | 17N | 19E | Wa | 089 | 11-55 | 250F | 0.1M | | | 0.6 | 27.0 | 50% | 0 | 0 | 50% | BT |
| 1393 | Pyramid Lake | Pyramid Lake Valley | 24N | 22E | Wa | 081 | | 11M | 26M | | 330 | 108,000.0 | 25,000,000.0 | | | | | CT, RT, SP |
| 1252 | Slattery Farm Pond | Truckee Valley | 20N | 23E | St | 083 | | | | | | | | | | | | CC |
| | Spanish Flat Reservoir | Virginia Mountains | 25N | 20E | Wa | 095 | | | | | | 236.0 | 1,000.0 | | | | | |
| | Spanish Springs Lakes | Spanish Springs Valley | 20N | 20E | Wa | 085 | | | | | | 30.0 | 185.0 | | | | | |
| 1229 | Spooners Lake | Carson Range | 14N | 18E | Do | 090 | | 0.3M | 0.4M | | 16.0 | 69.0 | 400.0 | | | | | Non-fishable |
| 789 | Stony (Rock) Lake | Carson Range | 17N | 19E | Wa | 089 | 10-55 | 300F | 0.2M | | 5.0 | 20.0 | 105.0 | 50% | 0 | 50% | 0 | Non-fishable |
| 1410 | Tamarack Lake | Carson Range | 17N | 18E | Wa | 088 | | | | | | 10.0 | 54.0 | 0 | 0 | 100% | 0 | BT |
| 966 | Tracy Pond | Truckee Valley | 20N | 22E | St | 083 | | | | | | 30.0 | | 0 | 0 | 100% | 0 | BNT, CC, LB, RT |
| 1391 | Virginia Lake | Truckee Valley | 19N | 19E | Wa | 089 | | | | 8.0 | 12.0 | 24.0 | 140.0 | | | | | BC, RT |
| 1392 | Washoe Lake, Big & Little | Washoe Valley | 16N | 20E | Wa | 089 | | | | | 10.0 | 6,100.0 | 37,000.0 | | | | | BB, SP, YP, CC, WC |
| | Wheeler Reservoir | Carson Range | 19N | 19E | Wa | 087 | | | | | | 46.0 | 948.0 | | | | | |
| | Winnemucca Ranch Reservoir | Warm Springs Valley | 24N | 19E | Wa | 084 | | | | | | 22.0 | 60.0 | | | | | |

1. Nevada only (124,000.0 surface acres total Nevada-California)
2. Combined Nevada and California

| No. | HYDROGRAPHIC REGION 7 | | | | County | Hydrographic Area | Date of Survey | Biological Rating | Total Length | Fishable Length | Average Width | Average Depth | Average Flow | Average Minimum C.F.S. for Trout Fishery | Ownership Total Length | | | | Ownership Fishable Length | | | | Game Fish Species |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Stream Name | Valley or Mountain Range | Twn | Rng | | | | | | | | | | | Forest Service | B.L.M. | Private | Other | Forest Service | B.L.M. | Private | Other | |
| | | | | | | | | | | | | | | | | | | | | | | | |

| No. | HYDROGRAPHIC REGION 7 | | | | | | | | | | | | | | | Shoreline Ownership Percentage | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Lake, Reservoir or Pond | Valley or Mountain Range | Twn | Rng | | County | Hydrographic Area | Date of Survey | Average Width | Average Length | Average Depth | Maximum Depth | Surface Acres | Volume (Acre-feet) | Forest Service | B.L.M. | Private | Other | Game Fish Species |
| | | | | | | | | | | | | | | | | | | | | |

| No. | HYDROGRAPHIC REGION 8 | | | | | | | | | | | | | | | | Ownership Total Length | | | | Ownership Fishable Length | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Stream Name | Valley or Mountain Range | Twn | Rng | County | Hydrographic Area | Date of Survey | Biological Rating | Total Length | Fishable Length | Average Width | Average Depth | Average Flow | Average Minimum C.F.S. for Cold Water Fishery | Forest Service | B.L.M. | Private | Other | Forest Service | B.L.M. | Private | Other | Game Fish Species |
| 965 | American Flat Creek | Virginia Range | 16N | 20E | St | 103 | | | 3.0 | 1.0 | 0.50 | 1 | 0.25 | 0.2 | | | | 0 | 1.0 | 0 | 0 | 0 | RT |
| 876 | Ash Canyon Creek | Carson Range | 15N | 19E | Ca | 104 | 10-55 | 99 | 4.6 | 3.0 | 3.58 | 2 | 1.10 | 1.8 | 0 | 0 | 4.4 | 0 | 0 | 0 | 0.2 | 2.8 | BT |
| 924 | Bryant Creek | Sierra Nevada Mt. | 11N | 21E | Do | 105 | 9-55 | 87 | 3.9 | 0 | 4.66 | 3 | 1.30 | 2.3 | | | | 0 | 0 | 0 | 0 | 0 | Non-fishable |
| 1206 | Carson River | Carson Valley | 14N | 20E | Ca | 103 | | | 10.9 | 5.0 | | | | | | 10.0 | | | | | | | BB,BNT,RT,SB |
| 1190 | Carson River | Lahontan Valley | 19N | 24E | Ch | 101 | | | 30.0 | | | | 2.20 | | | | | | | | | | BB, BNT, WC |
| 880 | Carson River | Carson Valley | 15N | 21E | Do | 102 | 10-55 | 142 | 11.4 | 2.0 | 3.50 | 4 | 6.50 | 1.8 | | | | | | | | | BT,RT,SB,WC |
| | | | | | | 105 | | | | | | | | | | | | | | | | | |
| 1237 | Carson River | Carson Valley | 17N | 24E | Ly | 102 | | | 31.7 | 9.0 | | | | | | | | | | | | | BB,BNB,BNT,CC RT, WBA |
| 915 | Carson River, E.F. | Sierra Nevada Mt. | 13N | 20E | Do | 105 | 9-55 | 171 | 21.5 | 12.0 | 38.00 | 8 | 38.30 | | | 2.7 | | | | | | | BNT, CT, RT |
| 1189 | Carson Lake Slough | Lahontan Valley | 17N | 29E | Ch | 101 | | | | 1.0 | 25.00 | | | | | | | | | | | | BB |
| 938 | Carson River, Lower | Lahontan Valley | 19N | 29E | Ch | 101 | | | 36.5 | 17.5 | 65.00 | | | | | | | | | | | | BB,BNT,CC,CT, RT,SP,WC,WCR, YP |
| 916 | Carson River, W.F. | Carson Valley | 13N | 19E | Do | 105 | 9-55 | 121 | 14.1 | 4.3 | 15.80 | 4 | 3.70 | | 0 | 0 | 14.1 | 0 | 0 | 0 | 4.3 | 0 | BB,BNT,LB,RT |
| 925 | Cary Creek | Carson Range | 12N | 19E | Do | 105 | 9-55 | 73 | 1.5 | 1.3 | 3.09 | 2 | 0.85 | 1.2 | 0.5 | 0 | 1.0 | 0 | 0.3 | 0 | 1.0 | 0 | BT |
| 865 | Clear Creek | Carson Range | 15N | 19E | Ca | 104 | 10-55 | 91 | 10.5 | 7.7 | 3.66 | 3 | 1.10 | 1.8 | 3.1 | 0 | 6.8 | 0.6 | 1.9 | 0 | 5.4 | 0.4 | BT,RT |
| 922 | Daggett Creek | Carson Range | 13N | 19E | Do | 105 | 9-55 | 86 | 2.6 | 1.5 | 2.58 | 1 | 0.53 | 1.2 | 1.3 | 0 | 1.3 | 0 | 1.0 | 0 | 0.5 | 0 | BT |
| 942 | Diagonal Drain | Lahontan Valley | 18N | 30E | Ch | 101 | | | 5.0 | 0 | 25.00 | 18 | | | | | | | 0 | 0 | 0 | 0 | BB, CC |
| 1191 | Fallon Drain | Lahontan Valley | 19N | 29E | Ch | 101 | | | | 0 | | | | | | | | | 0 | 0 | 0 | 0 | |
| 1213 | Genoa Creek | Carson Range | 13N | 19E | Do | 105 | 9-55 | 94 | 2.1 | 1.6 | 2.91 | 2 | 0.59 | 1.2 | 2.1 | 0 | 0 | 0 | 1.6 | 0 | 0 | 0 | BT |
| 936 | Hazen Drain | Lahontan Valley | 20N | 26E | Ch | 101 | | | 6.0 | 0 | 10.00 | 8 | | 5.9 | | | | | 0 | 0 | 0 | 0 | SP |
| 920 | Jacks Valley Creek | Carson Range | 14N | 19E | Do | 105 | 10-55 | 55 | 1.8 | 0 | 1.91 | 2 | 0.44 | 0.6 | 0 | 0 | 1.8 | 0 | 0 | 0 | 0 | 0 | BT |
| 919 | James Creek | Carson Range | 14N | 19E | Do | 105 | 9-55 | 86 | 2.3 | 1.3 | 2.83 | 1 | 0.34 | 1.2 | 0 | 0 | 2.3 | | 0 | 0 | 1.3 | 0 | BT |
| 917 | Job's Creek | Carson Range | 12N | 19E | Do | 105 | 9-55 | | 1.2 | 1.2 | 2.91 | 3 | 1.30 | 1.2 | 0 | 0 | 1.2 | 0 | 0 | 0 | 1.2 | 0 | BT |
| 878 | King Canyon Cr.,N.F. | Carson Range | 15N | 20E | Ca | 104 | 10-55 | 73 | 3.2 | 3.1 | 2.91 | 2 | 0.92 | 1.2 | 1.3 | 0 | 1.0 | 0.9 | 1.2 | 0 | 1.0 | 0.9 | BT |
| 918 | Miller Creek | Carson Range | 12N | 19E | Do | 105 | 9-55 | 78 | 0.4 | 0 | 2.50 | 2 | 0.74 | 1.2 | 0 | 0 | 0.4 | 0 | 0 | 0 | 0 | 0 | |
| 931 | Mott Canyon Creek | Carson Range | 12N | 19E | Do | 105 | 9-55 | 94 | 3.3 | 2.0 | 2.91 | 3 | 1.40 | 1.2 | 1.8 | 0.2 | 1.3 | 0 | 0.8 | 0.2 | 1.0 | 0 | BT |
| 1216 | Rocky Slough Creek | Carson Valley | 12N | 20E | Do | 105 | | | 5.0 | 1.5 | 6.00 | 4 | | 3.0 | | | | | | | | | RT |
| 877 | Sawmill Creek | Carson Range | 15N | 19E | Ca | 104 | 10-55 | 88 | 1.1 | 0.4 | 2.16 | 2 | 0.52 | 0.6 | 0 | 0 | 0 | 1.1 | 0 | 0 | 0 | 0.4 | BT |
| 941 | Sheckler Drain | Lahontan Valley | 18N | 27E | Ch | 101 | | | 5.0 | 0 | 1.00 | 7 | | 0.2 | | | | | 0 | 0 | 0 | 0 | BB |
| 923 | Sheridan Creek | Carson Range | 12N | 19E | Do | 105 | 9-55 | 82 | 1.5 | 1.5 | 2.91 | 2 | 1.00 | 1.2 | 0 | 0 | 1.5 | 0 | 0 | 0 | 1.5 | 0 | BT |
| 932 | Sierra Creek | Carson Range | 13N | 19E | Do | 105 | 9-55 | 82 | 2.6 | 1.3 | 2.16 | 2 | 0.49 | 0.6 | 0 | 0 | 2.6 | 0 | 0 | 0 | 1.3 | 0 | BT |
| 934 | Smart (L) Drain | Lahontan Valley | 19N | 30E | Ch | 101 | | | | 0 | 16.00 | 8 | | | | | | | 0 | 0 | 0 | 0 | BB |
| 933 | Stillwater Drain | Lahontan Valley | 19N | 30E | Ch | 101 | | | 6.0 | 0 | 20.00 | 9 | | | | | | | 0 | 0 | 0 | 0 | BB |
| 1188 | Truckee Canal | Swingle Bench | 19N | 26E | Ch | 101 | | | 10.0 | | 30.00 | | | | | | | | | | | | BB,BNT,LB,RT |
| 1187 | V Canal | Lahontan Valley | 19N | 28E | Ch | 101 | | | | | 40.00 | | | | | | | | | | | | BB,BNT,RT,WC |
| 1218 | Wally Hot Springs | Carson Valley | 13N | 19E | Do | 105 | | | | | | | | | | | | | | | | | BB, LB |

## HYDROGRAPHIC REGION 8

| No. | Lake, Reservoir or Pond | Valley or Mountain Range | Twn | Rng | County | Hydrographic Area | Date of Survey | Average Width | Average Length | Average Depth | Maximum Depth | Surface Acres | Volume (Acre-feet) | Shoreline Ownership Percentage: Forest Service | B.L.M. | Private | Other | Game Fish Species |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1193 | Canvasback Marsh | Lahontan Valley | 20N | 31E | Ch | 101 | | 3.4M | 3.4M | | 12.0 | 843.0 | | | | | | |
| 1205 | Carson Lake | Lahontan Valley | 17N | 29E | Ch | 101 | | | | | | 2,000.0 | 4,000.0 | 0 | 0 | 100% | 0 | BB,B,CC,LB,WC |
| 1226 | Cottonwood Slough | Carson Valley | | | Do | 105 | | | | | | | | | | | | |
| 1227 | Dangberg Res. #1 & 2 | Carson Valley | 13N | 20E | Do | 105 | | | | | | 45.0 | 375.0 | 0 | 0 | 100% | 0 | BNT, RT |
| 1227 | Dangberg Res. #3 | Carson Valley | 13N | 20E | Do | 105 | | | | | | 80.0 | 500.0 | 0 | 0 | 100% | 0 | RT, BNT |
| 1227 | Dangberg Res. #4 | Carson Valley | 13N | 20E | Do | 105 | | | | | | 150.0 | 1,000.0 | 0 | 0 | 100% | 0 | BNT, RT |
| | Desert Gun Club Res. | Hazen | 20N | 27E | Ch | 101 | | | | | | 100.0 | 500.0 | | | | | BNT, RT |
| 1228 | Fanny Farm Pond | Carson Valley | 14N | 19E | Do | 105 | | 150F | 200F | | | 0.8 | | 0 | 0 | 100% | 0 | CC, LB |
| 1210 | Fred Pedley (Goldfish House) Pond | Eagle Valley | 15N | 20E | Ca | 104 | | 20F | 40F | | 6.0 | | | 0 | 0 | 100% | 0 | LB, BB |
| 937 | Harmon Reservoir | Lahontan Valley | 19N | 30E | Ch | 101 | | 0.9M | 1.2M | | | 200.0 | 400.0 | | | | | BB,LB,SP,WCR |
| 935 | Hazen Reservoir | Lahontan Valley | 20N | 26E | Ch | 101 | | | | | | 10.0 | 20.0 | 0 | 0 | 100% | 0 | LB, B |
| 1195 | Indian Lakes | Stillwater WMA | 21N | 30E | Ch | 101 | | 0.5M | 1.9M | 12.0 | 6.0 | 3,500.0 | | | | | | BB,CC,LB,SP,WC,WCB, YP,WBA |
| 1196 | Lahontan Reservoir | Lahontan Valley | 18N | 26E | Ch | 102 | | | 7.3M | 50.0 | 104.0 | 4,866.6 | 106,333.0 | | | | | BB,BNT,BNB,LB,RT,SP, ST,WC,WCR,YP,WBA |
| 1273 | Lahontan Reservoir | Lahontan Valley | 18N | 26E | Ly | 107 | | | 14.7M | 50.0 | 104.0 | 9,933.4 | 215,667.0 | | | | | BB,BNT,BNB,LB,RT,SP, ST,WC,WCR,YP,WBA |
| 1204 | Mahala Slough | Lahontan Valley | 19N | 27E | Ch | 101 | | | | | | | | 0 | 0 | 100% | 0 | BB, SP |
| 1203 | Massey Slough | Lahontan Valley | 20N | 27E | Ch | 101 | | | | | | | | | | | | BB, SP |
| 1223 | Mud Lake | Carson Valley | 14N | 20E | Do | 105 | | 0.5M | 1.1M | | | 300.0 | 1,800.0 | 0 | 0 | 100% | 0 | RT |
| 1197 | Old River Reservoir | Lahontan Valley | 19N | 29E | Ch | 101 | | 0.5M | 1.2M | | | 270.0 | 500.0 | | | | | BB, CC |
| 1198 | Ole's Reservoir | Lahontan Valley | 19N | 29E | Ch | 101 | | 2.2M | 0.9M | | | 350.0 | 700.0 | | | | | BB,CC,LB,WCR |
| 893 | Rattlesnake Reservoir | Lahontan Valley | 19N | 29E | Ch | 101 | | 1.2M | 0.9M | | | 502.0 | | | | | | BB,CC,LB,WCR |
| 1202 | Riverside Minnow Ranch | Lahontan Valley | | | Ch | 101 | | 1.8M | 2.7M | | | 4,797.0 | | 0 | 0 | 100% | 0 | Closed |
| 894 | Scheckler Reservoir | Lahontan Valley | 18N | 27E | Ch | 101 | | | | | | 2,500.0 | 11,000.0 | | | | | BB,CC,LB,WCR |
| 944 | Soda Lake, Big | Lahontan Valley | 19N | 28E | Ch | 101 | | | | | | 385.0 | 35,000.0 | | | | | Non-fishable |
| 943 | Soda Lake, Little | Lahontan Valley | 19N | 28E | Ch | 101 | | | | | 51.0 | 20.0 | 770.0 | | | | | SP |
| 1194 | Stillwater Marsh, West | Stillwater | 21N | 31E | Ch | 101 | | 1.5M | 3.5M | 4.8 | 7.9 | 782.0 | | | | | | B,BB,CC,LB,WBA,WC |
| | Stillwater Point Res. | Stillwater | 19N | 31E | Ch | 101 | | | | | | 1,900.0 | 19,000.0 | | | | | |
| 945 | Stillwater Wildlife Management Area | Stillwater | 20N | 30E | Ch | 101 | | | | | | 17,144.0 | | | | | | B,BB,CC,LB,WBA,WC |
| 1211 | Warren Swanson Pond | Eagle Valley | 15N | 20E | Ca | 104 | | 50F | 100F | | 15.0 | 0.3 | | 0 | 0 | 100% | 0 | BB,LB |

| No. | HYDROGRAPHIC REGION 9 | | | | | | | | | | | | | | | | | Ownership Total Length | | | | Ownership Fishable Length | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Stream Name | Valley or Mountain Range | Twn | Rng | County | Hydrographic Area | Date of Survey | Biological Rating | Total Length | Fishable Length | Average Width | Average Depth | Average Flow | Average Minimun C.F.S. for Cold Water Fishery | Forest Service | B.L.M. | Private | Other | Forest Service | B.L.M. | Private | Other | Game Fish Species |
| 1236 | Bodie Creek | Bodie Mountains | 5N | 27E | Mi | 109 | | | 10.0 | | 2.00 | 2 | | 0.6 | | | | | | | | | |
| 874 | Desert Creek | Sweetwater Mountains | 10N | 24E | Ly | 107 | 2-52 | 126 | 11.0 | 10.0 | 4.06 | 4 | 3.00 | 1.8 | 4.7 | | | | | | | | BNT,BT,CT, RT,W |
| 867 | East Drain | Mason Valley | 13N | 25E | Ly | 108 | 3-52 | | 8.5 | 4.5 | 8.00 | 6 | 3.00 | 4.4 | | | | | | | | | B,BNT,CC,CT, RT |
| 1238 | Ferris Creek | Sweetwater Mountains | 7N | 25E | Ly | 107 | | | 5.5 | 0.7 | 2.00 | | | 0.6 | | | | | | | | | |
| 1214 | Red Canyon Creek | Pine Nut Mountains | 11N | 22E | Do | 107 | | | 4.0 | 2.5 | 1.50 | 2 | 1.20 | 0.6 | | | | | | | | | RT |
| 961 | Rough Creek | E. Walker River Drainage | 6N | 27E | Mi | 109 | 7-52 | 101 | 13.0 | 13.0 | 8.17 | 8 | 16.90 | 4.4 | 5.5 | 2.2 | 5.3 | 0 | 5.5 | 2.2 | 5.3 | 0 | RT |
| 869 | Sweetwater Creek | Sweetwater Mountains | 7N | 25E | Ly | 107 | 2-52 | 131 | 7.0 | 7.0 | 5.25 | 3 | 2.90 | 2.3 | | | | | | | | | BT, RT |
| 774 | Wabuska Drain | Mason Valley | 15N | 25E | Ly | 108 | 3-52 | | 12.0 | 2.0 | 12.00 | 4 | 4.50 | 7.6 | | 3.0 | | | | | | | BNT |
| 870 | Walker River | Mason Valley | 13N | 25E | Ly | 108 110 | 3-52 | 154 | 33.0 | 33.0 | 60.00 | | 180.00 | | | | | | | | | | BNT, CC |
| 957 | Walker River | Walker River Valley | 12N | 29E | Mi | 110 | | | 12.0 | | | | | | | | | | | | | | B, BB, CC, LB, SP, WCR |
| 866 | Walker River, E.F. | Walker River Valley | 12N | 25E | Ly | 108 109 | 2-52 | 170 | 52.0 | 52.0 | 46.00 | 15 | 137.00 | | | 11.8 | | | | 11.8 | | | BNT, BT, LB, RT, W |
| 1217 | Walker River, W.F. | Antelope Valley | 10N | 23E | Do | 107 | | | 10.0 | | | | | | | | | | | | | | CC, RT, BNT |
| 873 | Walker River, W.F. | Walker River Valley | 11N | 24E | Ly | 106 107 108 | 2-52 | 167 | 35.0 | 32.0 | 34.00 | 7 | 31.00 | | | 2.3 | | | | | | | BNT, CC, LB, RT, ST |
| 886 | West Drain | | 13N | 25E | Ly | 108 | 3-52 | | 6.0 | | 8.60 | 5 | 3.00 | 5.1 | | | | | | | | | Non-fishable |

| No. | Lake, Reservoir or Pond | Valley or Mountain Range | Twn | Rng | County | Hydrographic Area | Date of Survey | Average Width | Average Length | Average Depth | Maximum Depth | Surface Acres | Volume (Acre-feet) | Shoreline Ownership Percentage: Forest Service | B.L.M. | Private | Other | Game Fish Species |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | HYDROGRAPHIC REGION 9 | | | | | | | | | | | | | | | | | |
| 1239 | Artesia Lake | Smith Valley | 12N | 23E | Ly | 107 | | 2.3M | 2.8M | 3.0 | 7.0 | 1,000.0 | 1,000.0 | | | | | BB, LB |
| 884 | Baker Reservoir | Mason Valley | | | Ly | 108 | | | | | | | | 0 | 0 | 100% | 0 | LB |
| | Beaman Lake | Smith Valley | 11N | 23E | Ly | 107 | | | | | | 80.0 | 480.0 | | | | | |
| 1231 | Black Beauty Reservoir | Wassuk Range | 8N | 29E | Mi | 110 | | 450M | 550F | 45.0 | 50.0 | 7.5 | 153.0 | | | | | RT |
| 1232 | Cat Creek Reservoir | Wassuk Range | 8N | 29E | Mi | 110 | | 200F | 0.2M | 75.0 | 100.0 | 25.0 | 1,155.0 | | | | | RT |
| 872 | Fort Churchill | Mason Valley | 15N | 25E | Ly | 108 | | | | 13.0 | 13.0 | 300.0 | | 0 | 0 | 100% | 0 | B, BB, CC, LB, RT |
| | Cooling Pond | | | | | | | | | | | 200.0 | | | | | | |
| 1243 | Hunewill Reservoir | Smith Valley | 12N | 23E | Ly | 107 | | 0.2M | 900F | 5.0 | 15.0 | 12.0 | | 0 | 0 | 100% | 0 | B, LB |
| 1250 | Jim Compston Ponds | Smith Valley | 10N | 23E | Ly | 107 | | 200F | 500F | 5.5 | 10.0 | 2.3 | | 0 | 0 | 100% | 0 | LB |
| 1244 | Joggles Pond | | | | Ly | 108 | | | | | | | | | | | | LB |
| 883 | Nordyke Ponds | Mason Valley | | | Ly | 108 | | | | | | | | 0 | 0 | 100% | 0 | LB |
| | Nuti Reservoir | Smith Valley | 11N | 24E | Ly | 107 | | | | | | 10.0 | 54.0 | | | | | |
| 1233 | Rose Creek Reservoir | Wassuk Range | 8N | 29E | Mi | 110 | | 500F | 0.2M | 15.0 | 20.0 | 32.0 | 656.0 | | | | | RT |
| 1248 | Stanley Simmons Ponds | Mason Valley | 11N | 25E | Ly | 107 | | 100F | 300F | 4.5 | 7.0 | 1.8 | | 0 | 0 | 100% | 0 | LB |
| 1249 | Strosnider Ranch Pond | | | | Ly | 108 | | | | | | | | 0 | 0 | 100% | 0 | BB, LB |
| 1224 | Topaz Lake | Antelope Valley | 10N | 22E | Do | 106 | | 1.5M | 4.1M | | 90.0 | 1,205.0[1] | 126,000.0[2] | | | | | BB,BNT,CT,RT,WC |
| 962 | Walker Lake | Walker Lake Valley | 10N | 29E | Mi | 110 | | 6.0M | 18M | 80.0 | 120.0 | 38,800.0 | 2,990.000.0 | | | | | CT |
| 879 | Weber (Schurz) | Walker River Valley | 14N | 28E | Mi | 110 | | 0.3M | 3.8M | | 33.0 | 950.0 | 13,000.0 | 0 | 0 | 0 | 100% | B, BB, BC, BNB, |
| | Reservoir | | | | | | | | | | | | | | | | | CC, LB, RT, SP, WCR |

1. Nevada only (2,300.0 surface acres total Nevada-California)
2. Combined Nevada and California

| No. | HYDROGRAPHIC REGION 10 | | | | County | Hydrographic Area | Date of Survey | Biological Rating | Total Length | Fishable Length | Average Width | Average Depth | Average Flow | Average Minimun C.F.S. for Cold Water Fishery | Ownership Total Length | | | | Ownership Fishable Length | | | | Game Fish Species |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Stream Name | Valley or Mountain Range | Twn | Rng | | | | | | | | | | | Forest Service | B.L.M. | Private | Other | Forest Service | B.L.M. | Private | Other | |
| 997 | Allison Creek | Monitor Range | 17N | 50E | Eu | 151 | 11-57 | 31 | 4.5 | 0 | 2.50 | 2 | 0.17 | 1.2 | 2.3 | 0.2 | 2.0 | 0 | 0 | 0 | 0 | 0 | RT |
| 84 | Andrews Creek | Toquima Range | 10N | 45E | Ny | 140 | 9-57 | 59 | 5.7 | 0 | 1.42 | 1 | 0.07 | 0.2 | 4.8 | 0.7 | 0.2 | 0 | 0 | 0 | 0 | 0 | |
| 297 | Angel Creek | E. Humboldt Range | 36N | 61E | El | 177 | 8-57 | 128 | 6.5 | 2.5 | 7.25 | 4 | 3.42 | 3.7 | 3.0 | 0.5 | 3.0 | 0 | 0.5 | 0.5 | 0.5 | 1.5 | BT |
| 803 | Angel Creek, N.F. | E. Humboldt Range | 37N | 61E | El | 177 | | | 2.0 | 0 | | | | | | | | | 0 | 0 | 0 | 0 | |
| 723 | Angel Creek, S.F. | E. Humboldt Range | 37N | 61E | El | 177 | | | 4.5 | | | | | | | | | | | | | | |
| 719 | Ardans (Torrey) Creek | Diamond Mountains | 19N | 50E | Eu | 139 | 7-52 | 49 | 5.4 | 0 | 2.17 | 2 | 0.50 | 0.6 | 0 | 0 | 5.4 | 0 | 0 | 0 | 0 | 0 | |
| 177 | Bade Creek | Toiyabe Range | 18N | 44E | La | 137 | 11-54 | | | 0 | | | 0.10 | | | | | | 0 | 0 | 0 | 0 | BT |
| 585 | Barker Creek | Toquima Range | 11N | 44E | Ny | 137 | 9-57 | 116 | 5.6 | 5.4 | 3.00 | 2 | 0.54 | 1.2 | 5.2 | 0.2 | 0.2 | 0 | 5.2 | 0.2 | 0 | 0 | BT,RT |
| 584 | Barley Creek | Monitor Range | 9N | 47E | Ny | 140 | 9-56 | 111 | 8.5 | 1.8 | 2.33 | 2 | 0.24 | 0.6 | 7.7 | 0 | 0.8 | 0 | 1.8 | 0 | 0 | 0 | BNT,BT,RT |
| 757 | Bassett Creek | Schell Creek Range | 18N | 66E | Wh | 184 | 9-53 | 134 | 5.7 | 5.5 | 5.17 | 3 | 1.70 | 2.3 | 3.7 | 2.0 | 0 | 0 | 3.4 | 2.1 | 0 | 0 | CT,RT |
| 751 | Bastian Creek | Schell Creek Range | 15N | 66E | Wh | 184 | 9-53 | 105 | 2.8 | 2.0 | 2.67 | 3 | 0.75 | 1.2 | 0.4 | 2.4 | 0 | 0 | 0.1 | 0.9 | 0 | 0 | RT |
| 333 | Battle Creek | Ruby Mountains | 30N | 59E | El | 176 | 7-66 | | 5.0 | 2.0 | 3.50 | 3 | | 1.8 | | | | | | | | | BT,GT |
| 495 | Baxter Creek | Ruby Mountains | 32N | 59E | El | 176 | | | 3.0 | | | | | | | | | | | | | | |
| 419 | Belcher Creek | Toiyabe Range | 11N | 42E | Ny | 137 | 10-54 | 118 | 2.7 | 0.5 | 3.00 | 5 | 0.25 | 1.2 | 2.7 | 0 | 0 | 0 | 0.5 | 0 | 0 | 0 | BT,RT |
| 947 | Bench Creek | Clan Alpine Range | 18N | 35E | Ch | 127 | 7-56 | | 3.0 | 0 | 2.50 | 3 | | 1.2 | 0 | 3.0 | 0 | 0 | 0 | 0 | 0 | 0 | BT |
| 740 | Berry Creek Lower | Duck Creek Valley | 18N | 64E | Wh | 179 | 10-53 | 151 | 2.1 | 2.1 | 7.92 | 4 | 4.80 | 4.4 | 0 | 0 | 2.1 | 0 | 0 | 2.1 | 0 | 0 | BNT,RT |
| 786 | Berry Creek, Upper (N.F.) | Schell Creek Range | 17N | 65E | Wh | 179 | 10-53 | 94 | 2.0 | 1.5 | 5.42 | | 2.30 | 2.3 | 2.0 | 0 | 0 | 0 | 1.5 | 0 | 0 | 0 | BNT,RT |
| 610 | Big Creek | Quinn Canyon Range | 4N | 55E | Ny | 173 | 9-56 | 37 | 1.0 | 0 | 0.92 | 1 | 0.03 | 0.2 | 1.0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 274 | Birch Creek | Ruby Mountains | 31N | 59E | El | 176 | 8-63 | | 4.0 | 0 | 1.00 | 12 | | 0.2 | | | | | 0 | 0 | 0 | 0 | |
| 308 | Birch Creek | Toiyabe Range | 18N | 44E | La | 137 | 9-54 | 89 | 10.0 | 5.0 | 3.09 | 2 | 0.98 | 1.2 | | 2.8 | | | | | | | BNT,BT,RT |
| 721 | Bird Creek | Duck Creek Valley | 18N | 65E | Wh | 179 | 10-53 | 99 | 0.8 | 0.8 | 3.92 | 4 | 2.30 | 1.8 | 0.8 | 0 | 0 | 0 | 0.8 | 0 | 0 | 0 | BT,RT |
| 1276 | Blairs Creek | Monitor Range | 14N | 50E | Ny | | 11-57 | 46 | 0.7 | 0 | 1.42 | 3 | 0.62 | 0.2 | 0.3 | 0.4 | 0 | 0 | 0 | 0 | 0 | 0 | RT |
| 1099 | Blakely Canyon Creek | Toiyabe Range | 16N | 43E | La | 137 | 11-54 | 44 | 1.6 | 0 | 1.50 | 1 | 0.09 | 0.6 | 1.5 | | | | 0 | 0 | 0 | 0 | |
| 1101 | Bowman (Clear) Creek | Toiyabe Range | 15N | 43E | Ny | 137 | 9-55 | 110 | 7.7 | 6.4 | 2.67 | 2 | 0.76 | 1.2 | | 1.7 | | | | | | | BT,RT |
| 583 | Broad Creek | Toiyabe Range | 11N | 42E | Ny | 137 | 10-54 | 79 | 4.0 | 0.9 | 2.75 | 2 | 0.46 | 1.2 | | 0.8 | | | | | | | BT |
| 1434 | Brush Creek | Spruce Mountain Ridge | 31N | 64E | El | 188 | | | 4.0 | 0 | | | | | | | | | 0 | 0 | 0 | 0 | |
| 1254 | Bushee Creek | Tobin Range | 29N | 39E | Pe | 130 | | | | | | | 0.30 | | | | | | | | | | |
| 1446 | Calif. (Road Canyon) Creek | Ruby Mountains | 28N | 58E | El | 176 | | | 2.5 | | 2.50 | 2 | | 1.2 | | | | | | | | | |
| 1102 | Callahan Creek | Toiyabe Range | 22N | 47E | La | 138 | 9-54 | 85 | 3.5 | 0 | 3.25 | 5 | 2.20 | 1.2 | 0 | 0 | 3.5 | 0 | 0 | 0 | 0 | 0 | BT,RT |
| 1103 | Campbell Creek | Desatoya Mountains | 16N | 38E | La | 134 | 10-57 | 48 | 8.3 | 0 | 1.84 | 1 | 0.13 | 0.6 | 0 | 6.1 | 2.2 | 0 | 0 | 0 | 0 | 0 | BT |
| 364 | Carter Creek | Ruby Mountains | 31N | 58E | El | 176 | 8-63 | | 3.0 | 2.5 | 3.00 | 2 | | 1.2 | | | | | | | | | BT |
| 1322 | Cave Creek | Ruby Mountains | 27N | 57E | El | 176 | | | 0.3 | 0.3 | 5.06 | 3 | | 2.3 | | | | | | | | | BT |
| 724 | Cave Creek | Schell Creek Range | 15N | 65E | Wh | 179 | 11-57 | 106 | 1.9 | 1.9 | 3.67 | 4 | 3.00 | 1.8 | 0.1 | 0 | 1.8 | 0 | 0.1 | 0 | 1.8 | 0 | BNT,BT,RT |
| 1055 | Cedar Creek | Monitor Range | 17N | 50E | Eu | 151 | 11-57 | | 3.5 | 0 | | 1 | 0.05 | | | | 1.0 | | 0 | 0 | 0 | 0 | |
| 1452 | Chase Creek | E. Humboldt Range | 35N | 61E | El | 177 | | | 3.5 | | | | | | | | | | | | | | |
| 940 | Cherry Creek | Clan Alpine Range | 20N | 36E | Ch | 133 | 10-57 | 74 | 1.8 | 1.3 | 3.58 | 3 | 1.50 | 1.8 | 0 | 1.3 | 0.5 | 0 | 0 | 0.8 | 0.5 | 0 | Non-fishable |
| 576 | Cherry Creek | Quinn Canyon Range | 3N | 57E | Ny | 172 | 9-56 | 96 | 8.3 | 2.6 | 2.84 | 2 | 0.29 | 1.2 | 4.6 | 0 | 3.7 | 0 | 1.7 | 0 | 0.9 | 0 | RT |
| 830 | Cherry Creek | Cherry Creek Mtns. | 24N | 63E | Wh | 179 | 10-57 | | 0.5 | 0 | | 1 | 0.05 | | 0 | 0 | 0.5 | 0 | 0 | 0 | 0 | 0 | RT |
| 399 | Chiatovich Creek | White Mountains | 1S | 33E | Es | 117 | 6-52 | 118 | 13.0 | 12.5 | 5.00 | 6 | 6.60 | 2.3 | 0 | 0 | 13.0 | 0 | 0 | 0 | 12.5 | 0 | BT,RT |
| 1143 | Chin Creek | Antelope Range | 25N | 67E | Wh | | 10-57 | 58 | 2.3 | 0 | 1.50 | 2 | 0.36 | 0.6 | 0 | 1.3 | 1.0 | 0 | 0 | 0 | 0 | 0 | |
| 1461 | Chokecherry Creek | Ruby Valley | 30N | 59E | El | 176 | | | 1.5 | 0 | | | | | | | | | 0 | 0 | 0 | 0 | |
| 582 | Clear Creek | Monitor Range | 11N | 49E | Ny | 150 | 10-56 | 100 | 6.6 | 2.2 | 2.58 | 2 | 0.43 | 1.2 | 6.0 | 0.5 | 0.1 | 0 | 2.2 | 0 | 0 | 0 | BT,RT |
| 761 | Cleve Creek | Schell Creek Range | 16N | 66E | Wh | 184 | 9-53 | 164 | 4.0 | 4.0 | 7.33 | 4 | 6.20 | 3.7 | 1.5 | 1.8 | 0.7 | 0 | 1.5 | 1.8 | 0.7 | 0 | BNT,RT |
| 761 | Cleve Creek, N.F. | Schell Creek Range | 16N | 66E | Wh | 184 | 9-53 | 203 | 8.5 | 8.5 | 6.92 | 4 | 5.00 | 3.7 | 8.5 | 0 | 0 | 0 | 8.5 | 0 | 0 | 0 | RT |
| 761 | Cleve Creek, S.F. | Schell Creek Range | 16N | 66E | Wh | 184 | 9-53 | 70 | 6.9 | 3.3 | 2.50 | 3 | 0.77 | 1.2 | 6.9 | 0 | 0 | 0 | 3.3 | 0 | 0 | 0 | RT |
| 817 | Clover Creek | Monitor Range | 10N | 48E | Ny | 150 | 10-56 | 39 | 2.7 | 0 | 0.75 | 1 | 0.01 | 0.2 | 2.7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 993 | Coils Creek | Simpson Park Mtns. | 21N | 49E | Eu | 139 | | | 28.0 | 0.2 | | 3 | 0.05 | | 0 | 0.2 | | | | | | | RT |

| No. | HYDROGRAPHIC REGION 10 | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Stream Name | Valley or Mountain Range | Twn | Rng | County | Hydrographic Area | Date of Survey | Biological Rating | Total Length | Fishable Length | Average Width | Average Depth | Average Flow | Average Minimun C.F.S. for Cold Water Fishery | Ownership Total Length | | | | Ownership Fishable Length | | | | Game Fish Species |
| | | | | | | | | | | | | | | | Forest Service | B.L.M. | Private | Other | Forest Service | B.L.M. | Private | Other | |
| 1469 | Cole Creek | Spruce Mountain | 32N | 64E | El | 188 | | | 9.0 | 0 | 0 | | | | | | | 0 | 0 | 0 | 0 | 0 | | |
| 1144 | Cold Springs | Newark Valley | 23N | 55E | Wh | | 1-57 | | 0.3 | 0.3 | 3.00 | 2 | 1.90 | 1.2 | | | | | | | | | | |
| 339 | Colonel Moore Creek | Ruby Mountains | 31N | 59E | El | 176 | 8-63 | | 5.0 | | 3.00 | 2 | | 1.2 | | | | | | | | | | BT |
| 698 | Cooper Canyon Creek | Schell Creek Range | 14N | 65E | Wh | 184 | | | 7.0 | 0 | 1.50 | 1 | 0.15 | 0.6 | | | | 0 | 0 | 0 | 0 | 0 | | |
| 1277 | Copenhagen Creek | Monitor Range | 15N | 49E | Ny | | 10-57 | 73 | 3.0 | 0 | 1.50 | 1 | 0.10 | 0.6 | 2.2 | 0 | 0.8 | 0 | 0 | 0 | 0 | 0 | | RT |
| 581 | Corcoran Creek | Toquima Range | 10N | 46E | Ny | 140 | 9-57 | 29 | 3.3 | 0 | 0.92 | 2 | 0.22 | 0.2 | 2.6 | 0 | 0.7 | 0 | 0 | 0 | 0 | 0 | | BNT,RT |
| 1486 | Cottonwood Creek | Cherry Creek Range | 28N | 63E | El | 179 | | | | | | | | | | | | | | | | | | |
| 1008 | Cottonwood Creek | Diamond Mountains | 20N | 54E | Eu | 153 | 7-52 | 67 | 5.3 | 0 | 2.25 | 2 | 0.48 | 0.6 | 0 | 0.2 | 5.1 | 0 | 0 | 0 | 0 | 0 | | |
| 580 | Cottonwood Creek | Monitor Range | 10N | 48E | Ny | 140 | 9-56 | 121 | 8.7 | 7.7 | 3.33 | 2 | 0.53 | 1.2 | 8.7 | 0 | 0 | 0 | 7.7 | 0 | 0 | 0 | | BT |
| 616 | Cottonwood Creek | Quinn Canyon Range | 3N | 56E | Ny | 172 | 8-56 | 65 | 2.2 | 0 | 2.67 | 1 | 0.02 | 1.2 | | | 1.0 | 0 | 0 | 0 | 0 | 0 | | BT |
| 852 | Cottonwood Creek | Humboldt Range | 29N | 34E | Pe | 129 | 2-52 | 51 | 5.0 | 0.5 | 2.83 | 3 | 1.00 | 1.2 | | 2.5 | | | | | | | | BT |
| 1105 | Cowboy Rest Creek | Toiyabe Range | 23N | 46E | La | 138 | 9-54 | 19 | 2.2 | 0 | 1.17 | 1 | 0.07 | 0.2 | | 1.0 | | | 0 | 0 | 0 | 0 | | RT |
| 1256 | Coyote Creek | Humboldt Range | 30N | 34E | Pe | 129 | 2-52 | 96 | 5.0 | 2.0 | 4.00 | 5 | 1.50 | 1.8 | | | | | 0 | 2.0 | 0 | 0 | | BNT,BT,RT |
| 733 | Currant Creek | Horse Range | 11N | 58E | Ny | 173 | 3-68 | | 16.1 | | | | 1.50 | | | | | | | | | | | |
| 1145 | Currant Creek | White Pine Range | 11N | 59E | Wh | 173 | 8-56 | 87 | 16.1 | 12 | 3.25 | 2 | 0.66 | 1.2 | 10.0 | 0 | 6.1 | 0 | 6.9 | 5.3 | 0 | 0 | | BT,RT |
| 1274 | Currie Creek | Cherry Creek Range | 27N | 64E | El | 179 | | | | | | | | | | | | | | | | | | |
| 1495 | Dad's Creek | Ruby Mountains | 32N | 59E | El | 176 | | | 2.5 | | | | | | | | | | | | | | | |
| 1035 | Danville Creek | Monitor Range | 11N | 48E | Ny | 150 | 10-56 | 60 | 7.0 | 2.0 | 1.75 | 1 | 0.24 | 0.6 | 5.1 | 1.2 | 0.7 | 0 | 1.7 | 0.3 | 0 | 0 | | BT,RT |
| 395 | Davis Creek | White Mountains | 1S | 34E | Es | 117 | 6-52 | 118 | 3.3 | 3.3 | 3.33 | 4 | 2.90 | 1.2 | | | | | | | | | | BT,RT |
| 1001 | Davis Canyon Creek | Antelope Range | 16N | 51E | Eu | 151 | | | 3.0 | 0 | 1.50 | | | 0.6 | | | | | 0 | 0 | 0 | 0 | | |
| 273 | Dawley Creek | Ruby Mountains | 29N | 58E | El | 176 | 8-63 | | 3.0 | 1.5 | 5.00 | 2 | | 2.3 | | | | | | | | | | BT,GT |
| 609 | Deep Creek | Quinn Canyon Range | 4N | 55E | Ny | 173 | 9-56 | 79 | 1.9 | 0.6 | 1.67 | 1 | 0.19 | 0.6 | 1.7 | 0.2 | 0 | 0 | 0.6 | 0 | 0 | 0 | | RT |
| 1505 | Devils Creek | Delano Mountains | 44N | 67E | El | 189 | | | | | | | | | | | | | | | | | | |
| 1522 | Dry Creek | Secret Pass | 34N | 60E | El | 176 | | | 4.0 | 0 | | | | | | | | | 0 | 0 | 0 | 0 | | |
| 735 | Duck Creek | Duck Creek Valley | 17N | 65E | Wh | 179 | 10-53 | 71 | 10.5 | 6.0 | 4.33 | 3 | 1.80 | 1.8 | | 3.8 | | | | | | | | BNT,BT,RT |
| 720 | East Creek | Schell Creek Range | 19N | 65E | Wh | 179 | 10-53 | 63 | 2.9 | 1.0 | 2.58 | 2 | 0.68 | 1.2 | 2.4 | 0.5 | 0 | 0 | 0.5 | 0.5 | 0 | 0 | | |
| 939 | Edwards Creek | Desatoya Mountains | 18N | 38E | Ch | 133 | 10-57 | 51 | 7.6 | 0 | 2.00 | 1 | 0.24 | 0.6 | 0 | 4.6 | 3.0 | 0 | 0 | 0 | 0 | 0 | | BT,CT |
| 833 | Egan Creek | Cherry Creek Mtns. | 22N | 62E | Wh | 179 | 10-57 | 70 | 2.8 | 1.3 | 3.33 | 3 | 1.50 | 1.2 | 0 | 1.8 | 1.0 | 0 | 0 | 1.3 | 0 | 0 | | RT |
| 834 | Eight-mile Creek | Snake Range | 18N | 68E | Wh | 184 | 9-53 | 74 | 3.5 | 3.0 | 1.75 | 2 | 0.43 | 0.6 | 0 | 3.5 | 0 | 0 | 0 | 3.0 | 0 | 0 | | RT |
| 744 | First Creek | Schell Creek Range | 20N | 65E | Wh | 179 | | | 6.0 | 0 | 1.00 | | 0.30 | 0.2 | | | | | 0 | 0 | 0 | 0 | | |
| 742 | Fitzhugh Creek | Schell Creek Range | 20N | 64E | Wh | 179 | | | 7.0 | 0 | 1.00 | | 0.30 | 0.2 | | | | | 0 | 0 | 0 | 0 | | |
| 1539 | Flynn Spring Creek | Ruby Valley | 26N | 58E | El | 176 | | | 0.3 | 0 | | | | | | | | | 0 | 0 | 0 | 0 | | |
| 1000 | Four-eyed Nicks Creek | Diamond Mountains | 20N | 54E | Eu | 153 | | | 2.0 | 0 | 1.00 | | | 0.2 | | | | | 0 | 0 | 0 | 0 | | |
| 1541 | Franklin River | Ruby Valley | 33N | 60E | El | 176 | | | 30.0 | 1.0 | | | | | | | | | | | | | | |
| 970 | Freehill Creek | Schell Creek Range | 16N | 66E | Wh | 184 | 9-53 | 62 | 1.6 | 0 | 1.33 | 1 | 0.07 | 0.2 | 1.6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| 756 | Frenchman Creek | Schell Creek Range | 21N | 65E | Wh | 184 | 10-53 | 16 | 0.7 | 0 | 1.00 | 1 | 0.15 | 0.2 | 0.7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| 1106 | Frenchman Creek | Toiyabe Range | 16N | 43E | La | 137 | 9-54 | 60 | 0.3 | 0 | 1.50 | 1 | 0.25 | 0.2 | 0.3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | BT |
| 392 | "G" (Gedney) Creek | Ruby Mountains | 31N | 58E | El | 176 | 8-63 | | 3.0 | 0 | 2.80 | 2 | | 1.2 | | | | | 0 | 0 | 0 | 0 | | |
| 727 | Garden Creek | Schell Creek Range | 19N | 66E | Wh | 184 | 9-54 | 40 | 2.6 | 0 | 2.00 | 1 | 0.19 | 0.6 | 2.1 | 0 | 0.5 | 0 | 0 | 0 | 0 | 0 | | |
| 88 | Gardner Creek | Ruby Mountains | 29N | 58E | El | 176 | | | 3.0 | | | | | | | | | | | | | | | |
| 1036 | Georges Canyon | Monitor Range | 6N | 47E | Ny | 149 | 9-56 | 47 | 2.2 | 0 | 1.33 | 1 | 0.07 | 0.2 | 1.9 | 0 | 0.3 | 0 | 0 | 0 | 0 | 0 | | BT |
| 541 | Geyser Creek | Schell Creek Range | 9N | 65E | Li | 183 | 11-57 | 60 | 2.0 | 0.9 | 2.33 | 1 | 0.38 | 0.6 | 0 | 2.0 | 0 | 0 | 0 | 0.9 | 0 | 0 | | |
| 701 | Gilford Creek | Schell Creek Range | 17N | 65E | Wh | 179 | | | 6.0 | 0 | 2.00 | | 0.80 | 0.6 | | | | | 0 | 0 | 0 | 0 | | |
| 1122 | Gilman Spring Creek | Toiyabe Range | 17N | 44E | La | 137 | 10-60 | | | | 1.40 | 3 | 0.52 | 1.2 | | | | | | | | | | RT |
| 826 | Gleason Creek | Egan Range | 18N | 62E | Wh | 179 | | | 20.0 | 0 | 2.00 | | 0.25 | 0.6 | | | | | 0 | 0 | 0 | 0 | | |
| 819 | Gold Canyon Creek | Egan Range | 21N | 63E | Wh | 179 | 10-57 | 67 | 1.1 | 0 | 1.33 | 1 | 0.15 | 0.2 | 0 | 1.1 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| 91 | Gorden Creek | Clover Valley | 34N | 61E | El | 176 | | | 3.0 | | | 1 | | | | | | | | | | | | RT |
| 971 | Gordon Creek | Schell Creek Range | 18N | 66E | Wh | 184 | 9-53 | | 6.0 | 0 | 0.17 | 1 | 0.01 | 0.2 | 0 | 6.0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| 832 | Goshute Creek | Cherry Creek Mtns. | 25N | 63E | Wh | 179 | 10-57 | 86 | 7.0 | 3.7 | 3.17 | 3 | 1.20 | 1.2 | 0 | 7.0 | 0 | 0 | 0 | 0 | 0 | 0 | | CT, End. species |

| No. | HYDROGRAPHIC REGION 10 | | | | | | | | | | | | | | | | Ownership Total Length | | | | Ownership Fishable Length | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Stream Name | Valley or Mountain Range | Twn | Rng | County | Hydrographic Area | Date of Survey | Biological Rating | Total Length | Fishable Length | Average Width | Average Depth | Average Flow | Average Minimun C.F.S. for Cold Water Fishery | Forest Service | B.L.M. | Private | Other | Forest Service | B.L.M. | Private | Other | Game Fish Species |
| 1005 | Green Canyon Creek | Diamond Mountains | 21N | 54E | Eu | 153 | | | 2.0 | 0 | 2.50 | 1 | | 1.2 | | | | | 0 | 0 | 0 | 0 | |
| 1037 | Green Monster Creek | Monitor Range | 10N | 48E | Ny | 150 | 10-56 | 62 | 2.7 | 0 | 1.42 | 1 | 0.13 | 0.2 | 2.6 | 0 | 0.1 | 0 | 0 | 0 | 0 | 0 | RT |
| 277 | Griswold Creek | Ruby Mountains | 32N | 59E | El | 176 | | | 2.0 | | | | | | | | | | | | | | GT |
| 272 | Hankins Creek | Ruby Mountains | 29N | 58E | El | 176 | 9-63 | | 2.0 | 0 | 1.30 | 1 | | 0.2 | | | | | 0 | 0 | 0 | 0 | |
| 1554 | Hardy Creek | Goshute Valley | 35N | 66E | El | 187 | | | 5.0 | 0 | | | | | | | | | 0 | 0 | 0 | 0 | |
| 1555 | Harrison Pass Creek | Ruby Valley | 28N | 58E | El | 176 | | | 3.0 | 0 | 1.75 | 2 | | 0.6 | | | | | 0 | 0 | 0 | 0 | |
| 1010 | Hildebrand Creek | Diamond Mountains | 20N | 54E | Eu | 153 | 7-52 | 44 | 3.6 | 0 | 1.75 | 2 | 0.40 | 0.6 | 0 | 0.1 | 3.5 | 0 | 0 | 0 | 0 | 0 | |
| 1258 | Hoffman Canyon Creek | Tobin Range | 31N | 40E | Pe | 131 | 8-53 | 122 | 5.0 | 0.5 | 2.50 | 2 | 1.10 | 1.2 | | | | | 0 | 0.5 | 0 | 0 | BT,CT,RT |
| 1004 | Homestead Creek | Diamond Mountains | 22N | 54E | Eu | 153 | | | 2.0 | 0 | 2.50 | | | 1.2 | | | | | 0 | 0 | 0 | 0 | |
| 614 | Hooper Canyon Creek | Quinn Canyon Range | 4N | 56E | Ny | 173 | 9-56 | 90 | 1.8 | 0.3 | 1.17 | 1 | 0.19 | 0.2 | 0.6 | 0.6 | 0.6 | 0 | 0.3 | 0 | 0 | 0 | BT,RT |
| 946 | Horse Creek | Clan Alpine Range | 19N | 35E | Ch | 128 | 10-57 | 65 | 7.0 | 1.3 | 2.50 | 2 | 0.35 | 1.2 | 0 | 5.5 | 1.5 | 0 | 0 | 1.3 | 0 | 0 | RT,BNT |
| 77 | Horse Creek | E. Humboldt Range | 34N | 61E | El | 176 | 7-55 | 68 | 3.5 | 1.8 | 2.40 | 2 | 0.61 | 0.6 | 3.4 | 0 | 0.1 | 0 | 1.8 | 0 | 0 | 0 | BT |
| 1570 | Hunneman Creek | E. Humboldt Range | 35N | 61E | El | 177 | | | 2.5 | | | | | | | | | | | | | | |
| 1058 | Hunter Creek | Diamond Mountains | 19N | 54E | Eu | 153 | 7-52 | 105 | 5.9 | 2.1 | 3.75 | 3 | 0.89 | 1.8 | 0 | 0 | 5.9 | 0 | 0 | 0 | 2.1 | 0 | RT |
| 1044 | Hunts Canyon Creek | Monitor Range | 8N | 45E | Ny | 141 | 9-56 | 80 | 9.2 | 0.6 | 1.42 | 1 | 0.12 | 0.6 | 7.7 | 0 | 1.5 | 0 | 0.6 | 0 | 0 | 0 | BNT,BT |
| 804 | Illipah Creek | White Pine Range | 17N | 59E | Wh | 174 | 8-56 | 100 | 7.4 | 7.3 | 3.92 | 4 | 2.20 | 1.8 | 1.3 | 0.8 | 5.3 | 0 | 1.3 | 0.8 | 5.2 | 0 | BNT,BT,CT,RT |
| 1571 | Independence Creek | Independence Valley | 38N | 64E | El | 187 | | | | | | | | | | | | | | | | | |
| 1572 | Indian Creek | Ruby Mountains | 28N | 57E | El | 176 | | | 2.0 | 0 | | | | | | | | | 0 | 0 | 0 | 0 | |
| 397 | Indian Creek | White Mountains | 2S | 34E | Es | 117 | 6-52 | 85 | 5.2 | 4.2 | 3.00 | 2 | 2.00 | 1.2 | 0 | 0 | 5.2 | 0 | 0 | 0 | 4.2 | 0 | BT,RT |
| 1260 | Indian Creek | Humboldt Range | 29N | 34E | Pe | 129 | 2-52 | 81 | 5.0 | 0.5 | 3.08 | 3 | 0.70 | 1.2 | | | | | | | | | BT |
| 696 | Indian Creek, Big | Schell Creek Range | 21N | 65E | Wh | 179 | 10-57 | 66 | 6.0 | 4.3 | 2.09 | 3 | 0.63 | 0.6 | 4.4 | 1.6 | 0 | 0 | 3.9 | 0.4 | 0 | 0 | BT,RT |
| 784 | Indian Creek, Little | Schell Creek Range | 16N | 66E | Wh | 184 | 9-53 | 92 | 2.5 | 1.0 | 2.00 | 2 | 0.40 | 0.6 | 2.5 | 0 | 0 | 0 | 1.0 | 0 | 0 | 0 | |
| 1086 | Jeff Davis Springs | Silver Peak Range | 2S | 37E | Es | 117 | 2-72 | | 3.0 | | 2.00 | | 1.00 | 0.6 | | | | | | | | | |
| 593 | Jefferson Creek | Toquima Range | 10N | 44E | Ny | 137 | 9-57 | 104 | 9.4 | 2.8 | 1.92 | 2 | 0.18 | 0.6 | 9.4 | 0 | 0 | 0 | 2.8 | 0 | 0 | 0 | BT,RT |
| 592 | Jett Creek | Toiyabe Range | 10N | 42E | Ny | 137 | 10-54 | 108 | 6.5 | 2.5 | 2.75 | 2 | 0.53 | 1.2 | 6.5 | 0 | 0 | 0 | 2.5 | 0 | 0 | 0 | BNT,BT,RT |
| 140 | Johnson Creek | E. Humboldt Range | 35N | 61E | El | 177 | | | 3.5 | | | | | | | | | | | | | | BT |
| 759 | Kalamazoo Creek | Schell Creek Range | 20N | 66E | Wh | 184 | 10-53 | 112 | 6.9 | 4.5 | 4.17 | 2 | 2.20 | 1.8 | 6.9 | 0 | 0 | 0 | 4.5 | 0 | 0 | 0 | BNT,BT,RT |
| 996 | Kelly Creek | Monitor Range | 18N | 48E | Eu | 139 | | | 6.0 | 0 | 1.50 | | | 0.6 | | | | | 0 | 0 | 0 | 0 | |
| 1111 | Kingston Creek | Toiyabe Range | 16N | 43E | La | 137 | 9-54 | 145 | 9.2 | 5.8 | 4.75 | 4 | 2.60 | 2.3 | | 1.8 | | | | | | | BNT,BT,CT,RT |
| 1584 | Krenka Creek | Ruby Mountains | 33N | 60E | El | 176 | | | 3.5 | | | | | | | | | | | | | | |
| 1039 | Last Chance Creek | Toiyabe Range | 12N | 42E | Ny | 137 | 10-54 | 87 | 5.3 | 2.2 | 2.25 | 2 | 0.33 | 0.6 | 5.3 | 0 | 0 | 0 | 2.2 | 0 | 0 | 0 | RT |
| 1587 | Latham Creek | Spruce Mountain | 32N | 64E | El | 188 | | | | | | | | | | | | | | | | | |
| 355 | Leach Creek | E. Humboldt Range | 35N | 61E | El | 177 | 8-59 | 164 | 4.3 | 2.3 | 9.00 | 5 | 3.92 | 5.1 | 2.3 | 1.0 | 1.0 | 0 | 0.8 | 1.0 | 0.5 | 0 | BT |
| 128 | Leidy Creek | White Mountains | 2S | 35E | Es | 117 | 6-52 | 91 | 5.5 | 3.0 | 6.58 | 11 | 31.50 | 3.7 | | | | | | | | | BT,CT,RT |
| 711 | Lincoln Canyon Creek | Snake Range | 12N | 68E | Wh | 194 | | | 6.0 | 0 | 1.00 | | 0.30 | 0.2 | | | | | 0 | 0 | 0 | 0 | |
| 336 | Lutts Creek | Ruby Mountains | 32N | 59E | El | 176 | 8-63 | | 5.0 | | | | | | | | | | | | | | BT |
| 1002 | Maggini Creek | Diamond Mountains | 23N | 54E | Eu | 153 | | | 2.0 | 0 | 2.00 | | | 0.6 | | | | | 0 | 0 | 0 | 0 | |
| 972 | Mattier Creek | Schell Creek Range | 21N | 64E | Wh | 179 | 8-57 | 73 | 4.0 | 0.5 | 2.33 | 2 | 0.41 | 0.6 | 1.2 | 0.5 | 2.3 | 0 | 0.5 | 0 | 0 | 0 | BT,RT |
| 276 | Mayhew Creek | Ruby Mountains | 29N | 58E | El | 176 | | | 3.0 | 2.0 | 7.00 | 3 | | 3.7 | | | | | | | | | BT |
| 994 | McClusky Creek | Simpson Park Mtns. | 24N | 48E | Eu | 138 | 11-57 | 36 | 3.8 | 0 | 1.58 | 1 | 0.12 | 0.6 | | 0.2 | 0.8 | | 0 | 0 | 0 | 0 | |
| 755 | McCoy Creek | Schell Creek Range | 18N | 66E | Wh | 184 | 7-53 | 137 | 4.2 | 3.9 | 4.92 | 3 | 2.50 | 2.3 | 3.8 | 0.4 | 0 | 0 | 3.7 | 0.2 | 0 | 0 | CT,RT |
| 773 | McDonald Creek | Schell Creek Range | 17N | 65E | Wh | 179 | | | 5.0 | 0 | 2.00 | | 0.70 | 0.6 | | | | | 0 | 0 | 0 | 0 | |
| 137 | McDermitt Creek | Cherry Creek Range | 26N | 63E | El | 179 | | | 12.0 | | | | | | | | | | | | | | |
| 590 | Meadow Creek | Toquima Range | 10N | 45E | Ny | 140 | 9-57 | 59 | 7.8 | 0 | 1.25 | 1 | 0.08 | 0.2 | 3.8 | 0 | 4.0 | 0 | 0 | 0 | 0 | 0 | BT,RT |
| 760 | Meadow Creek | Schell Creek Range | 19N | 66E | Wh | 184 | 10-53 | 100 | 4.4 | 2.7 | 2.25 | 2 | 0.44 | 0.6 | 2.7 | 1.7 | 0 | 0 | 2.7 | 0 | 0 | 0 | BT,CT |
| 398 | Middle Creek | White Mountains | 1S | 33E | Es | 117 | 5-52 | 107 | 6.0 | 6.0 | 4.50 | 6 | 7.00 | 2.3 | | | | | | | | | BT,RT |
| 1146 | Millick Spring Cr.,E. | Spring Valley | 17N | 67E | Wh | 184 | | | 1.5 | 1.5 | 2.50 | | 1.20 | 1.2 | | | | | | | | | |
| 1147 | Millick Spring Cr.,W. | Spring Valley | 17N | 67E | Wh | 184 | | | 1.5 | 1.5 | 3.00 | | 2.00 | 1.2 | | | | | | | | | |
| 1059 | Minoletti (Minnow) Cr. | Diamond Mountains | 20N | 54E | Eu | 153 | 7-52 | 53 | 2.3 | 0 | 1.75 | 2 | 0.16 | 0.6 | 0 | 0 | 2.3 | 0 | 0 | 0 | 0 | 0 | |

| No. | HYDROGRAPHIC REGION 10 | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Stream Name | Valley or Mountain Range | Twn | Rng | County | Hydrographic Area | Date of Survey | Biological Rating | Total Length | Fishable Length | Average Width | Average Depth | Average Flow | Average Minimun C.F.S. for Cold Water Fishery | Ownership Total Length | | | | Ownership Fishable Length | | | | Game Fish Species |
| | | | | | | | | | | | | | | | Forest Service | B.L.M. | Private | Other | Forest Service | B.L.M. | Private | Other | |
| 1275 | Moore Creek | Toquima Range | 12N | 44E | Ny | 137 | 9-57 | 82 | 8.9 | 5.2 | 2.50 | 2 | 0.26 | 1.2 | 8.6 | 0.3 | 0 | 0 | 5.2 | 0 | 0 | 0 | BNT,BT,CT,RT |
| 588 | Morgan Creek | Monitor Range | 12N | 47E | Ny | 140 | 9-57 | 50 | 4.5 | 0 | 1.42 | 1 | 0.08 | 0.2 | 4.5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 371 | Mose Creek | Ruby Mountains | 31N | 59E | El | 176 | | | 2.5 | | | | | | | | | | | | | | |
| 745 | Mosier Creek | Schell Creek Range | 16N | 64E | Wh | 179 | | | 5.0 | 0 | 1.00 | | 0.30 | 0.2 | | | | | 0 | 0 | 0 | 0 | |
| 587 | Mosquito Creek | Monitor Range | 10N | 47E | Ny | 140 | 9-57 | 114 | 9.0 | 6.4 | 2.58 | | 0.53 | 1.2 | 6.5 | 1.0 | 1.5 | 0 | 1.0 | 4.2 | 1.2 | 0 | BT,RT |
| 752 | Muncy Creek | Schell Creek Range | 20N | 66E | Wh | 184 | 10-53 | 87 | 6.6 | 4.0 | 3.25 | 2 | 0.71 | 1.2 | 5.2 | 0 | 1.4 | 0 | 2.8 | 0 | 1.2 | 0 | BT,CT,RT |
| 713 | Murphy's Wash | Snake Range | 11N | 68E | Wh | 148 | | | 7.0 | 0 | 1.00 | | 0.01 | 0.2 | | | | | 0 | 0 | 0 | 0 | |
| 376 | Myers Creek | Ruby Mountains | 30N | 58E | El | 176 | | | 3.0 | 3.0 | 3.50 | 3 | | 1.8 | | | | | | | | | BT |
| 1627 | Nelson Creek | Spruce Mountain | 31N | 66E | El | 187 | | | 25.0 | 0 | | | | | | | | | 0 | 0 | 0 | 0 | |
| 768 | Nigger Creek, Big | Snake Range | 16N | 68E | Wh | 184 | 9-53 | 102 | 11.0 | 7.0 | 3.42 | 4 | 1.20 | 1.2 | 8.7 | 1.0 | 1.3 | 0 | 7.0 | 0 | 0 | 0 | BNT,BT,CT,RT |
| 973 | Nigger Creek, Little | Schell Creek Range | 21N | 65E | Wh | 179 | 9-53 | 112 | 3.2 | 3.0 | 2.92 | 2 | 0.65 | 1.2 | 3.2 | 0 | 0 | 0 | 3.0 | 0 | 0 | 0 | RT |
| 782 | North Creek | Duck Creek Valley | 19N | 65E | Wh | 184 | 10-53 | | 6.0 | 0 | | 1 | 0.15 | | | 2.8 | | | 0 | 0 | 0 | 0 | |
| 815 | North Creek | So. Schell Creek Range | 10N | 65E | Wh | 183 | 11-57 | 78 | 3.3 | 2.4 | 3.33 | 2 | 0.91 | 1.2 | 0 | 3.3 | 0 | 0 | 0 | 2.4 | 0 | 0 | BT,RT |
| 737 | North Creek | Schell Creek Range | 21N | 65E | Wh | 184 | 10-53 | | 2.0 | 0 | | 1 | 0.25 | | 2.0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 783 | Odgers Creek | Schell Creek Range | 18N | 66E | Wh | 184 | 9-53 | 127 | 4.2 | 3.9 | 3.67 | 3 | 1.20 | 1.8 | 3.1 | 1.1 | 0 | 0 | 2.8 | 1.1 | 0 | 0 | CT,RT |
| 586 | Ophir Creek | Toiyabe Range | 13N | 42E | Ny | 137 | 10-54 | 107 | 6.6 | 2.4 | 2.17 | | 0.49 | 0.6 | 6.6 | 0 | 0 | 0 | 0 | 2.4 | 0 | 0 | BNT,BT,CT,RT |
| 299 | Overland Creek | Ruby Mountains | 30N | 58E | El | 176 | | | 6.0 | 6.0 | | | | | | | | | | | | | BT |
| 1052 | Pablo Creek | Toiyabe Range | 10N | 42E | Ny | 137 | 10-54 | 39 | 6.5 | 0 | 2.25 | | 0.53 | 0.6 | 6.5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 824 | Paris Creek | Cherry Creek Range | 25N | 62E | Wh | 178 | 10-57 | 124 | 3.4 | 0.6 | 2.25 | 3 | 1.40 | 0.6 | 0 | 2.8 | 0.6 | 0 | 0 | 0.6 | 0 | 0 | BT |
| 571 | Peavine Creek | Toiyabe Range | 9N | 41E | Ny | 137 | 10-54 | 87 | 16.2 | 1.4 | 3.42 | | 0.68 | 1.2 | 15.0 | 0 | 1.2 | 0 | 0 | 1.4 | 0 | 0 | BNT,BT,CT,RT |
| 1007 | Pedrioli Creek | Diamond Mountains | 21N | 54E | Eu | 153 | | | 3.0 | 0 | 2.50 | | | 1.2 | | | | | 0 | 0 | 0 | 0 | |
| 775 | Perry Aiken Creek | White Mountains | 3S | 35E | Es | 117 | 6-52 | 107 | 2.3 | 1.0 | 7.09 | 11 | 23.40 | 3.7 | | | | | | | | | RT |
| 758 | Piermont Creek | Schell Creek Range | 19N | 66E | Wh | 184 | 10-53 | 79 | 6.7 | 4.5 | 2.75 | 2 | 0.50 | 1.2 | 4.7 | 2.0 | 0 | 0 | 4.1 | 0.4 | 0 | 0 | BNT,BT,CT,RT |
| 615 | Pine Creek | Quinn Canyon Range | 3N | 56E | Ny | 172 | 8-56 | 54 | 2.0 | 0 | 2.00 | | 0.02 | 0.6 | 2.0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | BT |
| 570 | Pine Creek | Toquima Range | 11N | 45E | Ny | 140 | 9-57 | 132 | 8.0 | 6.6 | 4.58 | | 1.90 | 2.3 | 5.5 | 0 | 2.5 | 0 | 0 | 4.4 | 2.2 | 0 | BNT,BT,CT,RT |
| 692 | Pine Creek | Snake Range | 13N | 68E | Wh | 184 | 10-52 | 74 | 6.0 | 3.0 | 2.50 | 3 | 1.10 | 1.2 | | 1.4 | | | | | | | CT |
| 977 | Pinto Creek | Diamond Mountains | 19N | 54E | Wh | 154 | 7-52 | 108 | 2.0 | 1.4 | 3.00 | 4 | 2.40 | 1.2 | 0 | 0 | 2.0 | 0 | 0 | 0 | 1.4 | 0 | RT |
| 251 | Pole Creek | E. Humboldt Range | 34N | 60E | El | 176 | 7-55 | 210 | 8.0 | 4.0 | 7.00 | 5 | | 3.7 | | | | | | | | | BT,RT |
| 712 | Pole Canyon Creek | Snake Range | 12N | 68E | Wh | 184 | 9-52 | | 4.0 | 0 | 2.00 | 2 | 0.01 | 0.6 | | | | | 0 | 0 | 0 | 0 | |
| 602 | Potts Ranch Creek | Monitor Valley | 15N | 47E | Ny | 140 | | | 3.0 | 0 | 1.00 | | 0.01 | 0.2 | | | | | 0 | 0 | 0 | 0 | |
| 1230 | Queen Creek | White Mountains | 1N | 33E | Mi | | 9-58 | | 1.0 | 0 | | | 1.00 | | | | | | 0 | 0 | 0 | 0 | |
| 1332 | Ralph Creek | E. Humboldt Range | 37N | 61E | El | 177 | | | | | | | | | | | | | | | | | |
| 271 | Renshaw Creek | E. Humboldt Range | 35N | 61E | El | 177 | | | 4.0 | | | | | | | | | | | | | | |
| 995 | Reynolds Creek | Monitor Range | 18N | 48E | Eu | 139 | | | 9.0 | 0 | 2.00 | | | 0.6 | | | | | 0 | 0 | 0 | 0 | |
| 79 | Rice Creek | Ruby Mountains | 36N | 61E | El | 177 | | | | | | | | | | | | | | | | | |
| 690 | Ridge Creek | Snake Range | 13N | 68E | Wh | 184 | 10-52 | 72 | 2.0 | 1.5 | 2.25 | 3 | 0.74 | 0.6 | 2.0 | 0 | 0 | 0 | 1.5 | 0 | 0 | 0 | CT |
| 990 | Roberts Creek | Roberts Mountains | 20N | 50E | Eu | 139 | 8-52 | 90 | 10.0 | 8.5 | 3.00 | 2 | 3.20 | 1.2 | 0 | 0.2 | 9.8 | 0 | .0 | 0 | 8.5 | 0 | BT,RT |
| 300 | Robinson Creek | Ruby Mountains | 33N | 60E | El | 176 | | | 6.0 | 6.0 | | | | | | | | | | | | | BT |
| 1648 | Rockwall Creek | E. Humboldt Range | 34N | 61E | El | 177 | | | 1.5 | | | | | | | | | | | | | | |
| 1070 | Ruby Hill Mine Creek | Fish Creek Mountains | 19N | 53E | Eu | 139 | | | | | | | | | | | | | | | | | |
| 1114 | Santa Fe Creek | Toiyabe Range | 16N | 43E | La | 137 | 9-54 | 106 | 5.4 | 2.0 | 2.33 | 2 | 0.48 | 0.6 | | | | | | | | | CT |
| 596 | Sawmill Creek | Monitor Range | 11N | 49E | Ny | 150 | 10-56 | 71 | 4.3 | 0.2 | 1.84 | 1 | 0.14 | 0.6 | 4.3 | 0 | 0 | 0 | 0.2 | 0 | 0 | 0 | BT |
| 1061 | Schafter Creek | Fish Creek Range | 18N | 53E | Eu | | 7-52 | 45 | 1.6 | 0 | 2.00 | 2 | 0.33 | 0.6 | 0 | 0 | 1.6 | 0 | 0 | 0 | 0 | 0 | |
| 829 | Schell (Schellborne) Creek | Schell Creek Range | 22N | 65E | Wh | 179 | 1-57 | | 3.3 | 2.0 | 3.00 | 2 | 1.47 | 1.2 | | | | | | | | | |
| 304 | Schoer Creek | E. Humboldt Range | 36N | 61E | El | 177 | 8-57 | 140 | 5.0 | 2.8 | 5.70 | 4 | 3.57 | 3.0 | 1.5 | 0.5 | 3.0 | 0 | 0.3 | 0.7 | 1.8 | 0 | BT |
| 729 | Second Creek | Schell Creek Range | 20N | 64E | Wh | 179 | | | 6.0 | 0 | 1.00 | | 0.30 | 0.2 | | | | | 0 | 0 | 0 | 0 | |
| 739 | Seigel Creek | Schell Creek Range | 22N | 66E | Wh | 184 | 10-53 | 97 | 3.4 | 1.9 | 2.09 | 2 | 0.43 | 0.6 | 0.4 | 0 | 3.0 | 0 | 0.4 | 0 | 1.5 | 0 | RT |
| 1338 | Shady Creek | E. Humboldt Range | 36N | 61E | El | 177 | | | 3.5 | | | | | | | | | | | | | | |
| 1692 | Sharp Creek | Secret Pass | 34N | 60E | El | 176 | | | | | | | | | | | | | | | | | |

| No. | HYDROGRAPHIC REGION 10 | | | | | | | | | | | | | | | | Ownership Total Length | | | | Ownership Fishable Length | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Stream Name | Valley or Mountain Range | Twn | Rng | County | Hydrographic Area | Date of Survey | Biological Rating | Total Length | Fishable Length | Average Width | Average Depth | Average Flow | Average Minimun C.F.S. for Cold Water Fishery | Forest Service | B.L.M. | Private | Other | Forest Service | B.L.M. | Private | Other | Game Fish Species |
| 1023 | Sheep Canyon Creek | Diamond Mountains | 22N | 54E | Eu | 153 | | | 2.0 | 0 | 2.50 | | | 1.2 | | | | | 0 | 0 | 0 | 0 | |
| 691 | Shingle Creek | Snake Range | 13N | 68E | Wh | 184 | 10-52 | 93 | 4.5 | 4.0 | 3.67 | 4 | 1.60 | 1.8 | 3.6 | 0.9 | 0 | 0 | 3.1 | 0.9 | 0 | 0 | BNT,RT |
| 828 | Short (Cold) Creek | Schell Creek Range | 15N | 65E | Wh | | 4-53 | 135 | 0.7 | 0.7 | 3.09 | 3 | 1.30 | 1.2 | 0.7 | 0 | 0 | 0 | 0.7 | 0 | 0 | 0 | |
| 359 | Shorty Creek | Ruby Valley | 32N | 59E | El | 177 | | | 1.0 | 0 | | | | | | | | | 0 | 0 | 0 | 0 | |
| 1115 | Shoshone Creek | Toiyabe Range | 16N | 43E | La | 137 | 9-54 | 85 | 2.5 | 1.0 | 1.67 | 2 | | 0.6 | 2.5 | 0 | 0 | 0 | 1.0 | 0 | 0 | 0 | CT |
| 741 | Silver Canyon Creek | Schell Creek Range | 21N | 65E | Wh | 184 | | | 9.0 | 0 | 1.00 | | 0.30 | 0.2 | | | | | 0 | 0 | 0 | 0 | |
| 595 | Six-Mile Creek | Hot Creek Range | 7N | 50E | Ny | 156 | 9-56 | 69 | 8.5 | 1.0 | 1.58 | 1 | 0.08 | 0.6 | 0 | 7.0 | 1.5 | 0 | 0 | 1.0 | 0 | 0 | BT,RT |
| 1117 | Skull Creek | Toiyabe Range | 21N | 46E | La | 138 | 9-54 | 95 | 8.1 | 4.1 | 3.67 | 2 | 0.85 | 1.8 | 0 | 3.0 | | | 0 | 0 | | | BNT,BT,RT |
| 1071 | Smith Creek | Diamond Mountains | 21N | 55E | Wh | 154 | | | | | | | | | | | | | | | | | |
| 275 | Smithers (Smith) Cr. | Ruby Valley | 32N | 59E | El | 176 | 7-63 | | 7.0 | 5.0 | 4.00 | 3 | | 1.8 | | | | | | | | | CT |
| 736 | Snobank Creek | Schell Creek Range | 21N | 65E | Wh | 184 | | | 4.0 | 0 | 2.00 | | 0.80 | 0.6 | | | | | 0 | 0 | 0 | 0 | |
| 807 | Snow Creek | Cherry Creek Range | 26N | 63E | Wh | 178 | 10-57 | 39 | 1.0 | 0 | 2.75 | 2 | 0.51 | 1.2 | 0 | 0.4 | 0.6 | 0 | 0 | 0 | 0 | 0 | |
| 1265 | Spring Creek | Humboldt Range | 29N | 34E | Pe | 073 | | | | | | | | | | | | | | | | | |
| 1062 | Spring Creek | Diamond Mountains | 23N | 55E | Wh | 154 | 7-52 | 40 | 4.8 | 0 | 2.00 | 2 | 0.33 | 0.6 | | | | | 0 | 0 | 0 | 0 | |
| 213 | Spring Creek | White Mountains | 1S | 33E | Es | 117 | 6-52 | 42 | 1.0 | 1.0 | 2.00 | 2 | 0.85 | 0.6 | | | | | | | | | |
| 1682 | Squaw Cr. E.F. & N.F. | Goshute Valley | 37N | 66E | El | 187 | | | | | | | | | | | | | | | | | |
| 1266 | Starr Creek | Humboldt Range | 31N | 34E | Pe | 129 | 2-52 | 83 | 3.0 | 2.0 | 4.00 | 4 | 1.00 | 1.8 | | | | | | | | | BNT,BT,RT |
| 331 | Steele Creek | E. Humboldt Range | 35N | 61E | El | 177 | | | 4.0 | 4.0 | | | | | | | | | | | | | BT |
| 1119 | Steiner Creek | Simpson Park Mtns. | 21N | 46E | La | 138 | 9-54 | 49 | 4.5 | 2.2 | 2.00 | 1 | 0.18 | 0.6 | 0 | 4.5 | 0 | 0 | 0 | 2.2 | 0 | 0 | BT |
| 806 | Stephens (Vipont) Cr. | Schell Creek Range | 16N | 66E | Wh | 183 | 9-53 | | | 0 | | 0 | | | | | | | 0 | 0 | 0 | 0 | |
| 732 | Steptoe Creek | Schell Creek Range | 16N | 65E | Wh | 179 | 4-53 | 180 | 20.0 | 7.5 | 5.00 | 5 | 5.90 | 2.3 | 2.0 | 0 | 18.0 | 0 | 0 | 0 | 7.5 | 0 | BNT,BT,CT,RT |
| 1125 | Stoneberger Creek | Monitor Valley | 17N | 47E | La | 139 | | | 6.0 | 3.0 | | | | | | | | | | | | | RT |
| 607 | Stoneberger Creek | Toquima Range | 15N | 47E | Ny | 140 | 9-57 | 53 | 12.8 | 7.1 | 2.50 | 2 | 0.40 | 1.2 | 9.9 | 0 | 2.8 | 0.1 | 5.6 | 0 | 1.4 | 0.1 | BT,RT |
| 1072 | Sullivan Creek | Monitor Range | 17N | 50E | Eu | 151 | | | | | | | | | | | | | | | | | |
| 1053 | Summit Creek | Toiyabe Range | 13N | 42E | Ny | 137 | 10-54 | 75 | 3.8 | 0 | 1.67 | 1 | 0.21 | 0.6 | 2.8 | 1.0 | 0 | 0 | 0 | 0 | 0 | 0 | BT,RT |
| 726 | Sunkist (North) Cr. | Schell Creek Range | 21N | 65E | Wh | 184 | 10-53 | | 1.3 | 0.8 | 3.33 | 2 | 0.82 | 1.2 | 1.0 | 0 | 0.3 | 0 | 0.8 | 0 | 0 | 0 | BT |
| 688 | Swallow Creek | Snake Range | 11N | 68E | Wh | 184 | 6-53 | | 2.0 | 0.8 | 2.33 | 1 | 0.22 | 0.6 | 2.0 | 0 | 0 | 0 | 0.8 | 0 | 0 | 0 | |
| 754 | Taft Creek | Schell Creek Range | 17N | 66E | Wh | 184 | 9-53 | 125 | 3.5 | 3.0 | 7.00 | 2 | 1.20 | 3.7 | 2.9 | 0.4 | 0.2 | 0 | 2.7 | 0.1 | 0.2 | 0 | RT |
| 754 | Taft Creek, Middle Fork | Schell Creek Range | 17N | 66E | Wh | 184 | 9-53 | | 2.3 | 0 | 1.00 | 1 | 0.50 | 0.2 | 2.3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 754 | Taft Creek, South Fork | Schell Creek Range | 17N | 66E | Wh | 184 | 9-53 | 64 | 2.5 | 1.0 | 1.92 | 2 | 0.16 | 0.6 | 2.0 | 0.5 | 0 | 0 | 1.0 | 0 | 0 | 0 | BT |
| 728 | Tailings Creek | Steptoe Valley | 18N | 63E | Wh | 179 | 11-57 | 167 | 7.3 | 3.1 | 10.00 | 17 | 13.40 | 5.9 | 0 | 0 | 7.3 | 0 | 0 | 0 | 3.1 | 0 | BNT,BT,RT |
| 1342 | Taylor Creek | Cherry Creek Mtns. | 27N | 64E | El | 178 | | | 6.0 | 3.0 | | | | | | | | | | | | | RT |
| 743 | Third Creek | Schell Creek Range | 20N | 65E | Wh | 179 | | | 6.0 | 0 | 1.00 | | 0.30 | 0.2 | | | | | 0 | 0 | 0 | 0 | |
| 375 | Thompson Creek | Ruby Mountains | 31N | 59E | El | 176 | | | 4.0 | 3.0 | | | | | | | | | | | | | BT |
| 722 | Timber Creek | Duck Creek Basin | 18N | 65E | Wh | 179 | 10-53 | 112 | 1.5 | 1.3 | 3.33 | 3 | 1.00 | 1.2 | 1.5 | 0 | 0 | 0 | 1.3 | 0 | 0 | 0 | BT,RT |
| 722 | Timber Creek, N.F. | Duck Creek Basin | 18N | 65E | Wh | 179 | 10-53 | 44 | 0.8 | 0 | 1.84 | 2 | 0.19 | 0.6 | 0.8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 344 | Trail (Rose) Canyon Creek | White Mountains | 1S | 33E | Es | 117 | 5-52 | 77 | 11.0 | 6.0 | 2.17 | 2 | 0.92 | 0.6 | | | | | | | | | BT |
| 613 | Troy Canyon Creek | Grant Grange | 6N | 57E | Ny | 173 | 9-56 | 81 | 5.3 | 0.2 | 1.33 | 1 | 0.07 | 0.2 | 4.2 | 1.0 | 0 | 0 | 0.2 | 0 | 0 | 0 | BT |
| 1042 | Tulle Canyon Creek | Monitor Range | 12N | 49E | Ny | 150 | 10-56 | | 0.5 | 0 | | | | | 0.5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 606 | Twin River, N. | Toiyabe Range | 12N | 42E | Ny | 137 | 10-54 | 133 | 7.0 | 6.0 | 3.75 | 3 | 1.30 | 1.8 | 7.0 | 0 | 0 | 0 | 6.0 | 0 | 0 | 0 | BT,RT |
| 605 | Twin River, S. | Toiyabe Range | 12N | 42E | Ny | 137 | 10-54 | 139 | 7.0 | 6.7 | 4.09 | 3 | 1.10 | 1.8 | 7.0 | 0 | 0 | 0 | 6.7 | 0 | 0 | 0 | BT,RT |
| 851 | Unionville (Buena Vista) Creek | Humboldt Range | 30N | 34E | Pe | 129 | 2-52 | 93 | 7.0 | 4.0 | 3.83 | 4 | 1.00 | 1.8 | | 3.5 | | | | | | | BT,RT |
| 806 | Vipont (Stephens) Cr. | Schell Creek Range | 16N | 66E | Wh | 184 | 9-53 | 115 | 4.0 | 2.5 | 2.92 | 2 | 0.48 | 1.2 | 2.6 | 1.1 | 0.3 | 0 | 2.3 | 0.2 | 0 | 0 | BT |
| 1003 | Walters Canyon (Mine Canyon) Cr. | Diamond Mountains | 22N | 54E | Eu | 153 | | | 2.0 | 0 | 2.50 | | | 1.2 | | | | | 0 | 0 | 0 | 0 | |

| No. | HYDROGRAPHIC REGION 10 | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Stream Name | Valley or Mountain Range | Twn | Rng | County | Hydrographic Area | Date of Survey | Biological Rating | Total Length | Fishable Length | Average Width | Average Depth | Average Flow | Average Minimum C.F.S. for Cold Water Fishery | Ownership Total Length: Forest Service | Ownership Total Length: B.L.M. | Ownership Total Length: Private | Ownership Total Length: Other | Ownership Fishable Length: Forest Service | Ownership Fishable Length: B.L.M. | Ownership Fishable Length: Private | Ownership Fishable Length: Other | Game Fish Species |
| 1711 | Warm Creek | E. Humboldt Range | 33N | 61E | El | 177 | | | 2.0 | 0 | | | | | | | | 0 | 0 | 0 | 0 | 0 | | |
| 978 | Water Canyon Creek | Diamond Mountains | 19N | 55E | Wh | 154 | 7-52 | 86 | 2.0 | 1.7 | 3.17 | 2 | 0.86 | 1.2 | | | | | | | | | | |
| 823 | Water Canyon Creek | Schell Creek Range | 17N | 65E | Wh | 179 | | | 4.0 | 0 | 1.00 | | 0.30 | 0.2 | | | | 0 | 0 | 0 | 0 | 0 | | |
| 324 | Weeks Creek | E. Humboldt Range | 35N | 61E | El | 177 | 8-57 | 165 | 4.5 | 1.5 | 9.50 | 4 | 7.25 | 5.9 | 2.5 | 0.5 | 1.5 | 0 | 0 | 0.5 | 1.0 | 0 | BT | |
| 710 | Whiteman Creek | Schell Creek Range | 21N | 65E | Wh | 179 | 8-56 | 31 | 0.6 | 0 | 1.84 | 3 | 0.35 | 0.6 | 0.6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| 753 | Willard Creek | Snake Range | 13N | 67E | Wh | 184 | 10-57 | 60 | 3.5 | 3.0 | 2.75 | 1 | 0.50 | 1.2 | 1.3 | 1.9 | 0.3 | 0 | 1.0 | 2.0 | 0 | 0 | CT | |
| 1064 | Williams Creek | Diamond Mountains | 26N | 53E | Eu | 153 | 7-52 | 44 | 2.0 | 0 | 1.00 | | 0.41 | 0.2 | 0 | 0 | 2.0 | 0 | 0 | 0 | 0 | 0 | | |
| 689 | Williams Creek | Snake Range | 13N | 68E | Wh | 184 | 10-52 | 94 | 3.0 | 2.0 | 3.25 | 3 | 0.84 | 1.2 | 3.0 | 0 | 0 | 0 | 2.0 | 0 | 0 | 0 | RT | |
| 23 | Willow Creek | Spring Mountain Range | 18S | 56E | Cl | 161 | 2-72 | | 2.0 | 0.5 | 2.00 | 2 | | 0.6 | | | | | | | | | RT | |
| 1120 | Willow Creek | Battle Mountain Range | 31N | 43E | La | 131 | 6-52 | 54 | 4.0 | 0 | | | 0.50 | | | | | | 0 | 0 | 0 | 0 | RT | |
| 1279 | Willow Creek | Toquima Range | 11N | 44E | Ny | 137 | 9-57 | 68 | 2.7 | 0 | 1.25 | 1 | 0.07 | 0.2 | 2.6 | 0 | 0.1 | 0 | 0 | 0 | 0 | 0 | | |
| 612 | Willow Creek | Quinn Canyon Range | 4N | 56E | Ny | 173 | 9-56 | 62 | 0.8 | 0 | 1.58 | 1 | 0.11 | 0.6 | 0.8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| 1040 | Willow Creek | Monitor Range | 8N | 48E | Ny | 149 | 10-56 | 44 | 2.0 | 0 | 1.33 | 1 | 0.50 | 0.2 | 2.0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| 811 | Willow Creek (below reservoir) | Egan Range | 14N | 63E | Wh | 179 | 6-53 | 67 | 1.4 | 0.7 | 2.58 | 3 | 1.10 | 1.2 | 0 | 0 | 1.4 | 0 | 0 | 0 | 0.7 | 0 | BNT,RT | |
| 811 | Willow Creek N.F. | Egan Range | 14N | 63E | Wh | 179 | 10-53 | 90 | 0.3 | 0.2 | 2.67 | 2 | 0.64 | 1.2 | | | | | | | | | | |
| 811 | Willow Creek S.F. | Egan Range | 14N | 63E | Wh | 179 | 10-53 | 90 | 0.3 | 0.2 | 2.00 | 1 | 0.63 | 0.6 | | | | | | | | | | |
| 391 | Wilson Creek | Ruby Mountains | 29N | 58E | El | 176 | | | 3.0 | | | | | | | | | | | | | | | |
| 1134 | Wilson Creek | Wilson Creek Range | 6N | 67E | Li | 183 | 2-72 | | 1.8 | 0 | 1.00 | 1 | | 0.2 | | | | 0 | 0 | 0 | 0 | 0 | | |
| 1346 | Winchell Creek | E. Humboldt Range | 37N | 61E | El | 177 | | | 3.5 | | | | | | | | | | | | | | | |
| 1347 | Wines Creek | Ruby Mountains | 31N | 59E | El | 176 | | | 3.5 | 2.0 | | | | | | | | | | | | | BT | |
| 1041 | Wisconsin Creek | Toiyabe Range | 13N | 42E | Ny | 137 | 9-54 | 81 | 5.1 | 0.5 | 1.58 | 1 | 0.19 | 0.6 | 5.1 | 0 | 0 | 0 | 0.5 | 0 | 0 | 0 | BT,RT | |
| 1728 | Wiseman Creek | E. Humboldt Range | 34N | 61E | El | 177 | | | 2.5 | | | | | | | | | | | | | | | |
| 1348 | Withington Creek | Ruby Mountains | 33N | 59E | El | 176 | | | 1.5 | 1.5 | | | | | | | | | | | | | BT | |
| 1729 | Wood Creek | E. Humboldt Range | 35N | 61E | El | 177 | | | 2.0 | | | | | | | | | | | | | | | |
| 1730 | Woods Creek | E. Humboldt Range | 34N | 61E | El | 176 | | | 2.0 | 0 | | | | | | | | 0 | 0 | 0 | 0 | | | |
| 1732 | Woolverton Creek | E. Humboldt Range | 34N | 61E | El | 176 | | | 2.5 | 0 | | | | | | | | 0 | 0 | 0 | 0 | | | |
| 702 | Worthington Canyon Creek | Schell Creek Range | 17N | 65E | Wh | 179 | 10-53 | | 4.0 | 0 | 1.00 | 1 | 0.30 | 0.2 | | | | 0 | 0 | 0 | 0 | | | |

## HYDROGRAPHIC REGION 10

| No. | Lake, Reservoir or Pond | Valley or Mountain Range | Twn | Rng | County | Hydrographic Area | Date of Survey | Average Width | Average Length | Average Depth | Maximum Depth | Surface Acres | Volume (Acre-feet) | Shoreline Ownership Percentage: Forest Service | B.L.M. | Private | Other | Game Fish Species |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1171 | Angleworm Pond | Railroad Valley | 11N | 58E | Ny | 173 | | | | | | | | | | | | |
| 998 | Ardans Reservoir | Monitor Range | 17N | 50E | Eu | 151 | | 150F | 200F | 3.0 | 10.0 | 0.8 | 3.0 | | | | | RT |
| 1073 | Bailey Reservoir | Diamond Valley | 24N | 52E | Eu | 153 | | | | | | 0.5 | | | | | | RT |
| 1076 | Bartine Reservoir | Kobeh Valley | 19N | 50E | Eu | 139 | | | | | | (dry) | | | | | | Non-fishable |
| 697 | Bassett Lake | Steptoe Valley | 19N | 63E | Wh | 179 | 11-57 | 0.5M | 0.3M | 4.0 | 10.0 | 120.0 | 1,300.0 | 0 | 33% | 67% | 0 | B,BNT,LB,NP,RT,SP,YP |
| 1192 | Bench Creek Reservoir | Clan Alpine Range | | | Ch | 126 | | 140F | 285F | | 20.0 | | | | | | | BT |
| | Bull Creek No. 2 | Black Point | 14N | 56E | Wh | 173 | | | | | | 10.0 | 51.0 | | | | | |
| 1290 | Burro Lake | Ruby Mountains | 26N | 57E | El | 176 | | | | | | | | | | | | Non-fishable |
| 725 | Cave Lake | Schell Creek Range | 15N | 65E | Wh | 179 | | 0.2M | 0.4M | 50.0 | 55.0 | 32.0 | 784.0 | 0 | 0 | 0 | 100% | BNT,BT,RT |
| 1047 | Clear Lake | Monitor Range | 11N | 48E | Ny | 150 | 10-56 | 150F | 150F | | 3.0 | 0.5 | | 100% | 0 | 0 | 0 | Non-fishable |
| 821 | Cold Creek Reservoir | Newark Valley | 23N | 55E | Wh | 154 | | 250F | 400F | 4.0 | 8.0 | 7.0 | 3.5 | | | | | |
| 734 | Comins Lake | Steptoe Valley | 15N | 64E | Wh | 179 | | 0.3M | 1.9M | 8.0 | 14.0 | 40.0 | 290.0 | 0 | 0 | 100% | 0 | LB,BNT,NP,RT |
| 200 | Currie Pond | Cherry Creek Range | 27N | 64E | El | 179 | | | | | | 15.0 | 1,410.0 | | | | | RT |
| 1174 | Darroughs Pond | Smokey Valley | 11N | 43E | Ny | 137 | | | | | | | | | | | | B |
| 1087 | Dicalite Pond | White Mountains | 3S | 35E | Es | 117 | 2-72 | 50F | 60F | 4.0 | 10.0 | 0.3 | | | | | | |
| 1129 | Dredge Pond (Blossom Spring) | Pleasant Valley | 29N | 36E | La | 130 | | | | | | 0.5 | | | | | | LB |
| 600 | Dry Lake | Monitor Valley | 13N | 47E | Ny | 140 | | | | | | | | | | | | Non-fishable |
| 1151 | Duck Creek Reservoir | Duck Creek Basin | 19N | 65E | Wh | 179 | | 500F | 0.2M | 6.0 | 16.0 | 14.0 | 100.0 | 0 | 0 | 100% | 0 | RT |
| 1152 | Eldridge Lake | Newark Valley | 21N | 55E | Wh | 154 | 8-59 | 500F | 600F | 1.5 | 3.0 | 8.0 | 12.0 | | | | | |
| 1153 | Eldridge Pond | Newark Valley | 21N | 55E | Wh | 154 | 8-59 | 200F | 200F | 1.5 | 3.0 | 1.0 | | | | | | BNB |
| 396 | Fish Lake | Fish Lake Valley | 2S | 35E | Es | 117 | 6-52 | 135F | 290F | 10.0 | 20.0 | 0.5 | | | | | | LB,BB |
| 591 | Fish Lake | Little Fish Lake Valley | 9N | 56E | Ny | 150 | 8-56 | 800F | 0.6M | | 0.5 | 80.0 | 160.0 | 0 | 67% | 33% | 0 | Non-fishable |
| 999 | Fish Creek Springs | Little Smoky Valley | 16N | 53E | Eu | 155 | 7-52 | 300F | 700F | | 15.0 | 4.0 | | 0 | 0 | 100% | 0 | BNT,BT,RT |
| 1172 | Fish Springs, Big | Hot Creek Range | 11N | 50E | Ny | 150 | | | | | | | | | | | | |
| 1046 | Five-Mile Pond | Stone Cabin Valley | 3N | 48E | Ny | 149 | | | | | | 1.0 | | | | | | LB |
| 1294 | Flowery Lake | Goshute Valley | 33N | 66E | El | 187 | | | | | | | | | | | | |
| 1295 | Franklin Lake | Ruby Valley | 28N | 58E | El | 176 | | | | | | | | | | | | Non-fishable |
| 1131 | Givens Reservoir | Smokey Valley | 19N | 45E | La | 137 | | | | | | | | | | | | RT |
| 1155 | Goicoechea Ponds | Newark Valley | 22N | 55E | Wh | 154 | | | | 3.0 | 10.0 | 3.5 | 7.0 | | | | | LB,NP |
| 1132 | Groves Lake | Toiyabe Range | 16N | 43E | La | 137 | | | | | | 17.0 | 190.0 | | | | | BNT,BT,RT |
| 540 | Haggerty Ranch Ponds | Cave Valley | 9N | 63E | Li | 180 | 2-72 | | | 3.0 | 5.0 | 3.3 | 10.0 | | | | | |
| 1157 | Hospital Ponds | City of Ely | 16N | 63E | Wh | 179 | | 75F | 75F | 3.0 | 3.0 | 0.3 | 0.8 | | | | | |
| 1178 | Hot Creek Spring | Hot Creek Range | 8N | 50E | Ny | 156 | | | | | | | | | | | | |
| 1156 | House Pond | Newark Valley | 20N | 55E | Wh | 154 | 8-59 | 100F | 200F | 2.0 | 4.0 | 0.5 | 1.0 | | | | | |
| 1079 | Hunter's Pond | Diamond Mountains | 19N | 54E | Eu | 153 | | | | | | | | | | | | RT |
| 813 | Illipah Creek Res. | White Pine Range | 17N | 59E | Wh | 174 | | 500F | 400F | 4.0 | 12.0 | 29.7 | 176.5 | | | | | RT |
| 1180 | Jefferson Pond | Big Smokey Valley | 10N | 44E | Ny | 134 | | | | | | | | | | | | |
| 47 | Johnson Ranch Pond | Goshute Valley | 36N | 66E | El | 187 | | | | | | | | | | | | |
| 1158 | Keegan Pond | Spring Valley | 18N | 67E | Wh | 184 | 7-56 | 100F | 0.1M | 2.0 | 3.0 | 1.0 | 2.0 | | | | | |
| 1080 | Labarry Ponds | Newark Valley | 20N | 55E | Wh | 154 | | | | | | | | | | | | |
| 1048 | Locke Ponds | Railroad Valley | 9N | 56E | Ny | 173 | | | | | | | | | | | | End. species |
| 1045 | Manhattan Ponds | Toquima Range | 8N | 43N | Ny | 137 | 9-57 | 123F | 230F | | 4.0 | 0.3 | | | | | | RT |
| | Manzonie Reservoir | Horse Range | 11N | 59E | Ny | 173 | | | | | | 40.0 | 250.0 | | | | | |
| 1160 | McDougal (Hooper) Pond | Newark Valley | 21N | 55E | Wh | 154 | | 200F | 300F | 2.0 | 4.0 | 1.5 | 3.0 | | | | | |
| 1161 | McGill Dairy Ponds | Steptoe Valley | 18N | 64E | Wh | 179 | | 150F | 500F | 2.0 | 10.0 | 2.0 | 4.0 | | | | | RT |
| 1181 | McLoed Pond | Smokey Valley | 14N | 43E | Ny | 137 | | | | | | | | | | | | LB |
| 1159 | Meadow (Millick) Lake, Little | Spring Valley | 17N | 67E | Wh | 184 | | 300F | 1.0M | 1.5 | 4.0 | 10.0 | 15.0 | | | | | |

## HYDROGRAPHIC REGION 10

| No. | Lake, Reservoir or Pond | Valley or Mountain Range | Twn | Rng | County | Hydrographic Area | Date of Survey | Average Width | Average Length | Average Depth | Maximum Depth | Surface Acres | Volume (Acre-feet) | Shoreline Ownership Percentage: Forest Service | B.L.M. | Private | Other | Game Fish Species |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 589 | Moores Sta. Reservoir | Hot Creek Range | 10N | 51E | Ny | 156 | | | | | 2.00 | | | | | | | RT |
| 1081 | Morrison Dam | Diamond Mountains | 20N | 54E | Eu | 153 | | | | | | | | | | | | |
| 603 | Northumberland Ponds | Toquima Range | 12N | 46E | Ny | 140 | | | | | 0.5 | | | | | | | RT |
| 46 | Odger Pond | Butte Valley | 28N | 63E | El | 178 | | 250F | 700F | 8.0 | 1.0 | | | 0 | 0 | 100% | 0 | B,LB |
| 284 | Overland Lake | Ruby Mountains | 30N | 58E | El | 176 | 8-59 | | | 55.0 | 20.0 | 120.0 | | 100% | 0 | 0 | 0 | BT |
| 1183 | Peavine Pond | Toiyabe Range | 8N | 42E | Ny | 137 | | | | | | | | | | | | |
| 1049 | Pine Lake | Toquima Range | 11N | 45E | Ny | 140 | 9-57 | 130F | 365F | 0.8 | 1.0 | 1.0 | | 100% | 0 | 0 | 0 | Non-fishable |
| 1184 | Potash Pond | Railroad Valley | 9N | 57E | Ny | 173 | | | | | | 0.5 | | | | | | Non-fishable |
| 1163 | Prather Pond | Steptoe Valley | 19N | 63E | Wh | 179 | | 400F | 200F | 4.0 | 8.0 | 2.0 | 8.0 | | | | | |
| 611 | Railroad Valley Ponds | Railroad Valley | 8N | 55E | Ny | 173 | 8-56 | | | | 7.0 | 3.0 | | 0 | 0 | 0 | 100% | LB |
| 1082 | Roberts Creek Reservoir | Roberts Mountain | 22N | 50E | Eu | 139 | | | | | | 10.0 | 117.0 | | | | | RT |
| 303 | Robinson Lake | Ruby Mountains | 33N | 59E | El | 176 | 7-56 | | | 4.0 | | 17.4 | 95.0 | | | | | BT |
| 814 | Ruby Marsh | Ruby Valley | 27N | 58E | El | 176 | | | | | | 9,000.0 | 30,000.0 | | | | | BNT,BT,LB,RT |
| 1164 | Ruth Pond | Egan Range | 16N | 62E | Wh | 179 | | 200F | 200F | | 1.0 | (Dry) | | | | | | LB |
| 618 | Rye Patch Ponds | Ralston Valley | 4N | 44E | Ny | 141 | | | | | | 2.5 | | | | | | |
| 1088 | Seminario Reservoir | Fish Lake Valley | 1S | 35E | Es | 117 | 2-72 | 200F | 200F | 5.0 | 8.0 | 1.0 | | 0 | 0 | 100% | 0 | RT |
| 1077 | Shipley Reservoir, Big | Diamond Valley | 22N | 54E | Eu | 153 | | 200F | 300F | | | 1.5 | | | | | | LB |
| 1170 | Shoshone Artesian Ponds | Spring Valley | 12N | 67E | Wh | 184 | | 40F | 40F | 3.5 | 4.0 | 0.1 | 0.4 | | | | | |
| 1089 | Silver Lake Reservoir | Silver Peak Range | 1N | 36E | Es | 117 | 2-72 | 240F | 500F | 8.0 | 15.0 | 2.5 | | | | | | |
| 402 | Silver Peak Pond | Silver Peak | 2S | 37E | Es | 117 | 2-72 | 25F | 60F | 3.0 | 5.0 | 0.5 | | | | | | RT,B |
| | Smith Creek Reservoir | Smith Creek Valley | 18N | 39E | La | 134 | | | | | | 25.0 | 350.0 | | | | | |
| 45 | Smith-Roger Ranch Ponds | Ruby Valley | 30N | 59E | El | 176 | 6-63 | | | | | 0.3 | | | | | | BT,RT |
| 1304 | Snow Water Lake | Clover Valley | 34N | 62E | El | 177 | | | | | | | | | | | | Non-fishable |
| 1234 | Sodaville Pond | Soda Spring Valley | 6N | 35E | Mi | 121 | | | | | | | | | | | | End. species |
| | Spring Valley Wash Dam | Spring Valley | 20N | 66E | Wh | 184 | | | | | | 64.0 | 121.0 | | | | | |
| 326 | Steele Lake | E. Humboldt Range | 35N | 61E | El | 177 | | | | | 48.0 | 6.0 | 30.0 | | | | | BT |
| 1083 | Sullivan Pond | Antelope Valley | 17N | 50E | Eu | 151 | | | | | | | | | | | | |
| 1075 | Sulphur Pond | Diamond Valley | 23N | 52E | Eu | 153 | | 15F | 25F | | | | 0.5 | | | | | |
| 1084 | Three Bar Ponds | Red Hills | 23N | 49E | Eu | 139 | | | | | | | 3.0 | | | | | RT |
| 1085 | Tule Pond | Diamond Valley | 22N | 52E | Eu | 153 | | 15F | 40F | | | | 0.2 | | | | | LB |
| 1166 | Tule Pond | Newark Valley | 21N | 55E | Wh | 154 | | 300F | 400F | 1.00 | 2.0 | 3.00 | 3.00 | | | | | |
| 1289 | Warm Springs (Goicoechea Pond) | Johnson Ranch | 36N | 66E | El | 187 | | | | | | | | | | | | LB |
| 35 | Warm Springs Pond | Independence Valley | 36N | 64E | El | 188 | | | | | | 0.5 | | | | | | LB |
| 820 | Warm Springs Pond | Newark Valley | 22N | 56E | Wh | 154 | | 120F | 0.4M | 12.0 | 12.0 | 9.3 | 30.0 | | | | | BB,LB,B |
| 93 | Weeks Pond | Clover Valley | 35N | 61E | El | 177 | | | | | | 2.0 | | | | | | |
| 1167 | Willow Pond, East | Newark Valley | 20N | 55E | Wh | 154 | | 200F | 200F | 3.0 | 5.0 | 1.0 | 3.0 | | | | | |
| 1168 | Willow Pond, West | Newark Valley | 20N | 55E | Wh | 154 | | 200F | 200F | 2.0 | 3.0 | 1.0 | 2.0 | | | | | |
| 1269 | Willow Creek Pond | E. Humboldt Range | 31N | 36E | Pe | 129 | | 50F | 150F | | 15.0 | 0.5 | 8.0 | | | | | |
| 524 | Willow Creek Res. | Battle Creek | 31N | 43E | La | 131 | | 75F | 150F | 5.0 | 10.0 | 10.0 | | 0 | 100% | 0 | 0 | BT |
| 808 | Willow Creek Res. | Steptoe Valley | 14N | 63E | Wh | 179 | | 100F | 200F | 1.5 | 3.0 | 0.5 | 0.8 | | | | | |
| 330 | Winchell Lake | E. Humboldt Range | 30N | 61E | El | 177 | 6-60 | | | | | 2.0 | 9.0 | | | | | |
| 327 | Wright Pond | Clover Valley | 36N | 62E | El | 177 | 12-61 | | | | | 2.0 | | 0 | 0 | 100% | 0 | |
| 1169 | Yelland (Sand Hill Lake) Pond | Spring Valley | 17N | 67E | Wh | 184 | | 200F | 200F | 3.0 | 4.0 | 1.0 | 3.0 | | | | | |

| No. | HYDROGRAPHIC REGION 11 | | | | County | Hydrographic Area | Date of Survey | Biological Rating | Total Length | Fishable Length | Average Width | Average Depth | Average Flow | Average Minimun C.F.S. for Cold Water Fishery | Ownership Total Length | | | | Ownership Fishable Length | | | | Game Fish Species |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Stream Name | Valley or Mountain Range | Twn | Rng | | | | | | | | | | | Forest Service | B.L.M. | Private | Other | Forest Service | B.L.M. | Private | Other | |
| 417 | Badger Creek | Tijuana John Peak | 45N | 67E | El | 189 | | | | | | | | | | | | | | | | | |
| 766 | Baker Creek | Snake Range | 13N | 68E | Wh | 195 | 9-52 | 190 | 9.0 | 8.5 | 7.42 | 5 | 5.20 | 3.7 | 6.5 | 2.0 | 0.5 | 0 | 6.4 | 2.0 | 0.1 | 0 | BT, CT, RT |
| 766 | Baker Creek, S.F. | Snake Range | 13N | 68E | Wh | 195 | 9-52 | 101 | 4.0 | 3.0 | 4.17 | 3 | 1.80 | 1.8 | 4.0 | 0 | 0 | 0 | 3.0 | 0 | 0 | 0 | RT |
| 116 | Bedridge Creek | Pilot Range | 36N | 70E | El | 190 | | | | | | | | | | | | | | | | | RT |
| 769 | Big Wash & S. F. | Snake Range | 12N | 70E | Wh | 195 | 9-52 | 131 | 13.0 | 7.0 | 6.00 | 3 | 3.90 | 3.0 | | | | | | | | | BT, CT, RT |
| 1427 | Bluff Creek | Bald Mountains | 44N | 69E | El | 189 | | | | | | | | | | | | | | | | | |
| 1429 | Boulder Creek | Rock Spring Creek Valley | 45N | 67E | El | 189 | | | | | | | | | | | | | | | | | |
| 1433 | Brush Creek | Black Mountain | 40N | 64E | El | 189 | | | 5.0 | | | | | | | | | | | | | | |
| 1437 | Burnt Creek | Knoll Mountain | 43N | 66E | El | 189 | | | | | | | | | | | | | | | | | |
| 716 | Can Young Canyon | Snake Range | 13N | 69E | Wh | 195 | | | 4.0 | 0 | 2.00 | 2 | 0.30 | 0.6 | | | | | 0 | 0 | 0 | 0 | |
| 206 | Crittenden Creek | Bald Mountain | 43N | 69E | El | 189 | | | 7.5 | 0.5 | 5.00 | 3 | | 2.3 | | | | | | | | | RT |
| 1496 | Dairy Valley Creek | China Jim Mountain | 43N | 70E | El | 190 | | | 1.5 | 0 | | | | | | | | | 0 | 0 | 0 | 0 | |
| 1497 | Deadman Creek | Black Mountain | 39N | 65E | El | 189 | | | 6.0 | 0 | | | | | | | | | 0 | 0 | 0 | 0 | |
| 709 | Deadman Creek | Snake Range | 17N | 69E | Wh | 195 | 10-52 | 143 | 6.0 | 5.5 | 4.25 | 3 | 1.80 | 1.8 | | | | | | | | | |
| 1500 | Death Valley Creek | Bald Mountain | 44N | 70E | El | 190 | | | 1.0 | | | | | | | | | | | | | | |
| 708 | Deep Canyon Creek | Snake Range | 17N | 70E | Wh | 195 | 10-52 | 130 | 4.0 | 3.0 | 3.75 | 4 | 1.60 | 1.8 | 4.0 | 0 | 0 | 0 | 3.0 | 0 | 0 | 0 | CT |
| 149 | Granite Creek | China Jim Mountain | 42N | 69E | El | 189 | | | 8.0 | 0 | | | | | | | | | 0 | 0 | 0 | 0 | |
| 772 | Hampton Creek | Snake Range | 16N | 70E | Wh | 195 | 10-52 | 122 | 7.5 | 4.0 | 2.50 | 3 | 0.97 | 1.2 | 6.0 | 0 | 1.5 | 0 | 3.5 | 0 | 0.5 | 0 | |
| 771 | Hendrys Creek | Snake Range | 16N | 70E | Wh | 195 | 10-52 | 157 | 11.0 | 7.3 | 6.25 | 4 | 3.00 | 3.0 | 6.9 | 0 | 4.1 | 0 | 6.9 | 0 | 0.4 | 0 | CT, RT |
| 810 | Horse Canyon Creek | Snake Range | 17N | 70E | Wh | 195 | 10-52 | 50 | 2.0 | 0 | 2.00 | 2 | 0.35 | 0.6 | 2.0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 762 | Lake (Big Springs) Cr. | Snake Range | 10N | 69E | Wh | 196 | 9-53 | 153 | 7.0 | 7.0 | 8.92 | 10 | 7.00 | 5.1 | 0 | 2.0 | 5.0 | 0 | 0 | 2.0 | 5.0 | 0 | BNT |
| 695 | Lehman Creek | Snake Range | 13N | 68E | Wh | 195 | 9-52 | 178 | 11.0 | 8.0 | 6.50 | 5 | 5.70 | 3.7 | 5.5 | 3.5 | 2.0 | 0 | 5.5 | 0.5 | 2.0 | 0 | BNT, CT, RT |
| 770 | Lexington Creek | Snake Range | 11N | 69E | Wh | 195 | 9-52 | 44 | 8.2 | 1.2 | 2.84 | 2 | 0.48 | 1.2 | 6.0 | 2.2 | 0 | 0 | 1.2 | 0 | 0 | 0 | RT |
| 207 | Loomis Creek | Black Butte | 41N | 62E | El | 189 | | | | | | | | | | | | | | | | | BT |
| 1605 | Lost Creek | Black Butte | 41N | 62E | El | 189 | | | | | | | | | | | | | | | | | BT |
| 1517 | Medicine Creek | Black Mountain | 39N | 65E | El | 189 | | | | | | | | | | | | | | | | | |
| 1622 | Mill Creek | Delano Mountains | 43N | 69E | El | 189 | | | | | | | | | | | | | | | | | |
| 765 | Mill Creek | Snake Range | 14N | 69E | Wh | 195 | | | 4.0 | 2.0 | 2.00 | | 1.50 | 0.6 | | | | | 0 | 0 | 0 | 0 | |
| 553 | Millard Creek | White Rock Mountains | 6N | 69E | Li | 196 | | | | | | | | | | | | | | | | | |
| 715 | Miller Basin Wash | Snake Range | 15N | 69E | Wh | 195 | | | 6.0 | 0 | 1.00 | | 0.50 | 0.2 | | | | | 0 | 0 | 0 | 0 | |
| 1634 | Pilot Creek | Pilot Range | 37N | 69E | El | 192 | | | | | | | | | | | | | | | | | |
| 1331 | Pole Creek | Antelope Peak | 40N | 62E | El | 189 | | | | | | | | | | | | | | | | | |
| 353 | Rock Spring Creek | Delano Mountains | 43N | 67E | El | 189 | | | 12.0 | 0 | | | | | | | | | 0 | 0 | 0 | 0 | |
| 1647 | Rock Springs | Delano Peak | 44N | 67E | El | 189 | | | | 0 | | | | | | | | | 0 | 0 | 0 | 0 | |
| 554 | Rosencrans Creek | White Rock Mountains | 6N | 69E | Li | 196 | 2-72 | | 0.3 | 0 | 0.66 | 4 | | 0.2 | | | | | 0 | 0 | 0 | 0 | |
| 730 | Sage Creek | Snake Range | 14N | 68E | Wh | 195 | 10-52 | 44 | 3.0 | 0 | 0.84 | 1 | 0.10 | 0.2 | 2.8 | 0.2 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 809 | Schist Creek | Snake Range | 16N | 70E | Wh | 195 | 5-53 | 88 | 4.0 | 1.0 | 2.09 | 1 | 0.24 | 0.6 | 4.0 | 0 | 0 | 0 | 1.0 | 0 | 0 | 0 | |
| 1667 | Silva Creek | China Jim Mountain | 42N | 69E | El | 189 | | | | | | | | | | | | | | | | | |
| 763 | Silver Creek | Snake Range | 14N | 70E | Wh | 195 | 10-52 | 121 | 15.0 | 10.0 | 4.84 | 4 | 2.60 | 2.3 | 10.2 | 1.8 | 3.0 | 0 | 10.0 | 0 | 0 | 0 | BNT, CT, RT |
| 763 | Silver Creek, Main Fork | Snake Range | 14N | 70E | Wh | 195 | 10-52 | | 3.0 | 1.0 | 4.01 | 2 | 1.40 | 1.8 | 3.0 | 0 | 0 | 0 | 1.0 | 0 | 0 | 0 | |
| 778 | Silver Creek Second Fork | Snake Range | 14N | 70E | Wh | 195 | 10-52 | 106 | 3.0 | 2.5 | 3.25 | 3 | 1.10 | 1.2 | 3.0 | 0 | 0 | 0 | 2.5 | 0 | 0 | 0 | RT |
| 693 | Smith Creek | Snake Range | 17N | 69E | Wh | 195 | 10-52 | 72 | 12.0 | 8.0 | 4.25 | 4 | 1.80 | 1.8 | | 1.3 | | 0 | | | | 0 | RT |
| 767 | Snake Creek | Snake Range | 12N | 70E | Wh | 195 | 10-52 | 176 | 13.5 | 10.5 | 6.09 | 6 | 5.20 | 3.0 | | | | | | | | | BNT, BT, RT |
| 767 | Snake Creek, N. F. | Snake Range | 12N | 70E | Wh | 195 | 9-52 | 122 | 3.0 | 2.0 | 3.00 | 3 | 0.84 | 1.2 | 3.0 | 0 | 0 | 0 | 2.0 | 0 | 0 | 0 | BT, CT, RT |
| 767 | Snake Creek, S. F. | Snake Range | 12N | 70E | Wh | 195 | 9-52 | 144 | 2.0 | 2.0 | 4.92 | 4 | 2.30 | 2.3 | 2.0 | 0 | 0 | 0 | 2.0 | 0 | 0 | 0 | RT |
| 974 | Spring Creek | Snake Range | 15N | 69E | Wh | 195 | 10-52 | 124 | 3.0 | 2.5 | 2.58 | 3 | 0.39 | 1.2 | 3.0 | 0 | 0 | 0 | 2.5 | 0 | 0 | 0 | |

| No. | HYDROGRAPHIC REGION 11 | | | | | | | | | | | | | | | | Ownership Total Length | | | | Ownership Fishable Length | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Stream Name | Valley or Mountain Range | Twn. | Rng. | County | Hydrographic Area | Date of Survey | Biological Rating | Total Length | Fishable Length | Average Width | Average Depth | Average Flow | Average Minimun C.F.S. for Cold Water Fishery | Forest Service | B.L.M. | Private | Other | Forest Service | B.L.M. | Private | Other | Game Fish Species |
| 975 | Spring Creek | Snake Range | 12N | 70E | Wh | 195 | 9-53 | 161 | 0.8 | 0.8 | 2.84 | 7 | 3.30 | 1.2 | | | | | | | | | RT |
| 694 | Strawberry Creek | Snake Range | 14N | 69E | Wh | 195 | 10-52 | 95 | 7.0 | 4.5 | 4.17 | 3 | 1.50 | 1.8 | 5.0 | 1.4 | 0.6 | 0 | 2.5 | 1.4 | 0.6 | 0 | BT, CT, RT |
| 208 | Thousand Springs Creek | Snake Mountains | 40N | 62E | E1 | 189 | 9-52 | 54 | 60.0 | 0 | | 3 | | | | | | | 0 | 0 | 0 | 0 | BT |
| 1704 | Trout Creek | Tijuana John Peak | 45N | 66E | E1 | 189 | | | | | | | | | | | | | | | | | |
| 764 | Weaver Creek | Snake Range | 14N | 69E | Wh | 195 | 9-56 | 60 | 11.0 | 0 | 3.25 | 3 | 0.90 | 1.2 | 4.8 | 5.2 | 1.0 | 0 | 0 | 0 | 0 | 0 | |
| 1720 | Willow Creek | Crittenden Reservoir | 43N | 69E | E1 | 189 | | | | | | | | | | | | | | | | | |

| No. | HYDROGRAPHIC REGION 11 | | | | | | | | | | | | | | Shoreline Ownership Percentage | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Lake, Reservoir or Pond | Valley or Mountain Range | Twn | Rng | County | Hydrographic Area | Date of Survey | Average Width | Average Length | Average Depth | Maximum Depth | Surface Acres | Volume (Acre-feet) | Forest Service | B.L.M. | Private | Other | Game Fish Species |
| 707 | Baker Lake | Snake Range | 13N | 68E | Wh | 195 | 9-52 | 150F | 600F | 4.0 | 12.0 | 10.0 | 50.0 | | | | | BT, CT, RT |
| 1148 | Baker Pond | Snake Valley | 13N | 70E | Wh | 195 | | 500F | 300F | 4.0 | 10.0 | 5.0 | 12.0 | | | | | RT |
| 1149 | Central Pond | Snake Range | 15N | 68E | Wh | 195 | | 50F | 100F | 3.0 | 5.0 | 0.2 | 0.6 | 0 | 0 | 100% | 0 | LB |
| 31 | Crittenden Reservoir | Thousand Springs | 42N | 69E | El | 189 | | 0.8M | 0.5M | 12.0 | 33.0 | 230.0 | 4,300.0 | 0 | 0 | 100% | 0 | BNT, LB, RT |
| 43 | Daek Reservoir | Thousand Springs Drainage | 40N | 70E | El | 189 | | | | | | 2,909.0 | 5,340.0 | | | | | LB, WP |
| 802 | Dead (Lost) Lake | Snake Range | 12N | 69E | Wh | 195 | | 50F | 100F | 2.0 | 4.0 | 10.0 | 10.0 | | | | | |
| 1154 | Fielding Pond | Snake Valley | 13N | 69E | Wh | 195 | | 50F | 25F | 5.0 | 8.0 | 0.1 | 0.3 | | | | | |
| 679 | Goshute (CCC) Res. | Antelope Valley | 24N | 69E | Wh | 193 | | | | | | 200.0 | 300.0 | 0 | 0 | 0 | 100% | CT |
| 1162 | Gruden Spring Pond, Old | Snake Range | 12N | 70E | Wh | 195 | | 25F | 25F | 2.0 | 3.0 | 0.1 | 0.1 | | | | | LB |
| 706 | Johnson (Treasure, Snake) Lake | Snake Range | 13N | 68E | Wh | 195 | 9-52 | 300F | 410F | 4.5 | 17.0 | 5.0 | 25.0 | | | | | BT, RT |
| 976 | Me-Me (Brown) Lake | Snake Range | 13N | 68E | Wh | 195 | 9-52 | 100F | 200F | 2.0 | 2.0 | 0.5 | 1.0 | 100% | 0 | 0 | 0 | |
| 812 | Silver Creek Reservoir | Snake Valley | 14N | 70E | Wh | 195 | | 600F | 400F | 7.0 | 12.0 | 13.0 | 200.0 | | | | | BNT, CT, RT |
| 705 | Stella Lake | Snake Range | 13N | 68E | Wh | 195 | 9-52 | 300F | 400F | 3.0 | 6.0 | 5.0 | 25.0 | 100% | 0 | 0 | 0 | CT |
| 704 | Teresa (Blanch) Lake | Snake Range | 13N | 68E | Wh | 195 | | 200F | 400F | 6.0 | 15.0 | 1.0 | 6.0 | 100% | 0 | 0 | 0 | Non-fishable |
| 1287 | Thousand Springs, Res. | Near Tecoma | 40N | 70E | El | 189 | | | | | | | | | | | | BB, LB, WCR |
| 147 | Twenty-three Mile Res. | Thousand Springs Creek Drainage | 42N | 67E | El | 189 | | | | | | 652.0 | 7,457.0 | | | | | |

| No. | HYDROGRAPHIC REGION 12 | | | | | | | | | | | | | | | | | Ownership Total Length | | | | Ownership Fishable Length | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Stream Name | Valley or Mountain Range | Twn | Rng | | | County | Hydrographic Area | Date of Survey | Biological Rating | Total Length | Fishable Length | Average Width | Average Depth | Average Flow | Average Minimun C.F.S. for Trout Fishery | Forest Service | B.L.M. | Private | Other | Forest Service | B.L.M. | Private | Other | Game Fish Species |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |

| No. | HYDROGRAPHIC REGION 12 | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Lake, Reservoir or Pond | Valley or Mountain Range | Twn | Rng | | County | Hydrographic Area | Date of Survey | Average Width | Average Length | Average Depth | Maximum Depth | Surface Acres | Volume (Acre-feet) | Shoreline Ownership Percentage | | | | | Game Fish Species |
| | | | | | | | | | | | | | | | Forest Service | B.L.M. | Private | Other | | |

| No. | HYDROGRAPHIC REGION 13 | | | | County | Hydrographic Area | Date of Survey | Biological Rating | Total Length | Fishable Length | Average Width | Average Depth | Average Flow | Average Minimun C.F.S. for Cold Water Fishery | Ownership Total Length | | | | Ownership Fishable Length | | | | Game Fish Species |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Stream Name | Valley or Mountain Range | Twn | Rng | | | | | | | | | | | Forest Service | B.L.M. | Private | Other | Forest Service | B.L.M. | Private | Other | |
| 544 | Beaver Dam Wash | Pine Park | 5S | 71E | Li | 222 | 8-56 | 77 | 8.9 | 3.1 | 5.00 | 2 | 1.00 | 2.3 | 0 | 2.5 | 2.9 | 3.5 | 0 | 2.5 | 0 | 0.6 | RT |
| 545 | Camp Valley Creek | Eagle Valley | 4N | 69E | Li | 201 | 2-72 | | 5.0 | | 2.00 | 2 | | 0.6 | | | | | | | | | |
| 548 | Caselton Creek | Highland Range | 1S | 67E | Li | 203 | 2-52 | | 1.5 | 1.0 | 2.42 | 4 | 1.09 | 0.6 | | | | | | | | | |
| 543 | Clover (Big Springs) Creek | Clover Valley | 4S | 67E | Li | 204 | 2-52 | 97 | 11.0 | 5.0 | 4.00 | 7 | 2.00 | 1.8 | | | | | | | | | CT, RT |
| 25 | Cold Creek | Spring Mountain Range | 18S | 56E | Cl | 211 | 2-72 | | 2.0 | 0.5 | 2.00 | 2 | | 0.6 | | | | | | | | | RT |
| 1090 | Colorado River | Colorado River Drainage | 23S | 65E | Cl | 223 | 2-72 | | 15.0 | 15.0 | 600.00 | 84 | | | | | | | | | | | CC, LB, RT, STB |
| 1133 | Cottonwood Creek | Clover Mountains | 7S | 68E | Li | 205 | 2-72 | | 2.0 | 0 | 2.00 | 3 | | 0.6 | | | | | 0 | 0 | 0 | 0 | |
| 538 | Crystal Spring | Pahranagat Valley | 5S | 60E | Li | 209 | 2-72 | | 2.0 | 0 | 8.00 | 15 | 11.21 | 4.4 | | | | | 0 | 0 | 0 | 0 | LB, End. Sp. |
| 542 | Eagle Valley Creek | Wilson Creek Range | 2S | 69E | Li | 200 201 | 2-52 | 81 | 8.0 | 6.0 | 3.00 | 18 | 1.50 | 1.2 | | | 5.0 | | | | | | BT, RT |
| 731 | Ellison Creek | White Pine Range | 13N | 59E | Wh | 207 | 8-56 | 48 | 10.0 | 2.0 | 2.33 | 1 | 0.31 | 0.6 | 10.0 | 0 | 0 | 0 | 2.0 | 0 | 0 | 0 | |
| 617 | Forest Home Creek | Grant Range | 6N | 59E | Ny | 207 | 12-58 | | 10.0 | 2.0 | 1.50 | 2 | 3.60 | 0.6 | | | | | | | | | BNT |
| 547 | Meadow Valley Creek | Meadow Valley Wash | 7S | 67E | Li | 205 | 2-72 | | 45.0 | 0 | 4.00 | 3 | | 1.8 | | | | | 0 | 0 | 0 | 0 | |
| 1093 | Muddy River | Muddy Valley | 15S | 65E | Cl | 219 | 2-72 | | 20.0 | 0 | 3.00 | | | 1.2 | | | | | 0 | 0 | 0 | 0 | BB, CC |
| 550 | Pine Creek | Wilson Creek Range | 4N | 67E | Li | 202 | 2-72 | | 4.0 | 0 | 1.00 | | | 0.2 | | | | | 0 | 0 | 0 | 0 | |
| 1278 | Sunnyside Creek | White River Valley | 7N | 62E | Ny | 207 | | | 6.0 | 1.8 | 2.00 | 6 | 5.00 | 0.6 | | | | | | | | | BNT, BT |
| 29 | Virgin River | Virgin Valley | 13S | 68E | Cl | 222 | 2-72 | | 30.0 | 0 | 50.00 | 8 | | | | | | | 0 | 0 | 0 | 0 | BB, CC |
| 827 | Water Canyon Creek | Egan Range | 13N | 62E | Wh | 207 | 9-56 | 62 | 10.4 | 4.1 | 3.00 | 3 | 1.60 | 1.2 | 0 | 2.2 | 8.2 | 0 | 0 | 0 | 4.1 | 0 | RT |
| 687 | White River | White Pine Range | 13N | 61E | Wh | 207 | 10-52 | 114 | 19.0 | 13.0 | 4.58 | 3 | 1.70 | 2.3 | 11.9 | 3.5 | 3.6 | 0 | 10.9 | 2.1 | 0 | 0 | BNT, BT, RT |

| No. | HYDROGRAPHIC REGION 13 | | | | | | | | | | | | | | Shoreline Ownership Percentage | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Lake, Reservoir or Pond | Valley or Mountain Range | Twn | Rng | County | Hydrographic Area | Date of Survey | Average Width | Average Length | Average Depth | Maximum Depth | Surface Acres | Volume (Acre-feet) | Forest Service | B.L.M. | Private | Other | Game Fish Species |
| 577 | Adams-McGill Reservoir | White River Valley | 6N | 61E | Ny | 207 | 8-56 | 0.4M | 3.0M | 7.0 | 10.0 | 791.0 | 3,330.0 | 0 | 0 | 100% | 0 | B, LB, RT |
| 26 | Bowman Reservoir | Moapa Valley | 15S | 67E | Cl | 220 | 2-72 | 0.5M | 1.0M | 12.0 | 25.0 | 165.0 | 4,000.0 | | | | | BNB, LB |
| 1272 | Caselton Pond | Highland Range | 1S | 67E | Li | 203 | | | | | | (Dry) | | | | | | Mine shut down |
| 1136 | Conway Beaver Pond | Meadow Valley Wash | 4S | 66E | Li | 205 | 2-72 | 20F | 40F | 1.0 | 4.0 | 0.3 | 0.3 | | | | | LB |
| 1137 | Crystal Springs Pond | Pahranagat Valley | 5S | 60E | Li | 209 | 2-72 | 50F | 50F | 4.0 | 8.0 | 0.3 | 1.0 | | | | | LB |
| 1173 | Dacey Reservoir | White River Valley | 6N | 61E | Ny | 207 | | | | 6.0 | 7.0 | 215.0 | 784.0 | | | | | CT, RT |
| 563 | Eagle Valley Reservoir | Spring Valley | 2N | 70E | Li | 201 | 2-72 | 800F | 1.1M | 50.0 | 52.0 | 59.0 | 640.0 | | | | | RT |
| 952 | Echo Reservoir | Dry Valley | 1N | 69E | Li | 199 | 2-72 | | | | | 64.0 | 1,400.0 | | | | | RT |
| 534 | Frenchy Lake | Pahranagat Valley | 5S | 60E | Li | 209 | 2-72 | 0.3M | 0.3M | 1.5 | 4.0 | 74.0 | 150.0 | | | | | LB |
| | Glassand Pond | Moapa Valley | 16S | 67E | Cl | 220 | | | | | | 16.0 | 53.0 | | | | | |
| 539 | Grapevine Beaver Ponds | Meadow Valley Wash | 6S | 66E | Li | 205 | 2-72 | 100F | 50F | 2.0 | 5.0 | 1.0 | | | | | | LB |
| 1177 | Hay Meadow Reservoir | White River Valley | 6N | 61E | Ny | 207 | | 0.2M | 2.0M | 6.0 | | 203.0 | 1,120.0 | | | | | BNT, CT, LB |
| | Hiko Lake | Pahranagat Valley | 4S | 60E | Li | 209 | | | | | | 246.0 | 500.0 | | | | | |
| | Hollinger Debris Basin | Dry Valley Wash | 3N | 70E | Li | 201 | | | | | | 90.0 | 640.0 | | | | | |
| 1096 | Honey Bee Pond | Moapa Valley | 16S | 68E | Cl | 220 | 2-72 | 200F | 300F | 3.0 | 8.0 | 32.0 | 100.0 | | | | | Non-fishable |
| 1094 | Lake Mead | Colorado River Drainage | 16S | 64E | Cl | 215 | 2-72 | 4.0M | 115M | 225.0 | 589.0 | 90,000.0[1] | 29,700,000.0[3] | | | | | B, BB, BC, CC, GS, LB, RT, ST, STB |
| 1095 | Lake Mohave | Colorado River Drainage | 25S | 66E | Cl | 213 | 2-72 | 2.2M | 67M | 35.0 | 100.0 | 14,000.0[2] | 1,820,000.0[3] | | | | | B,BC,CC,GS,LB,RT,ST |
| 1138 | Leith Beaver Ponds | Meadow Valley Wash | | | Li | 205 | | | | | | | | | | | | Washed out 1968 |
| 1139 | Mathews Canyon Res. | Clover Valley | 5S | 69E | Li | 204 | 2-72 | | | | | 420.0 | 12,420.0 | | | | | Flood storage use |
| 533 | Nesbitt Lake | Pahranagat Valley | 4S | 60E | Li | 209 | 2-72 | 0.4M | 0.5M | 2.5 | 5.5 | 240.0 | 500.0 | 0 | 0 | 100% | 0 | B, BB, LB |
| | Pahranagat Lake, Lower | Pahranagat Valley | 8S | 62E | Li | 209 | | | | | | 583.0 | 1,000.0 | | | | | |
| 1135 | Pahranagat Lake, Upper | Pahranagat Valley | 7S | 61E | Li | 209 | 2-72 | 900F | 2.8M | 2.0 | 5.0 | 370.0 | 3,580.0 | | | | | LB |
| 1140 | Pine Canyon Dam | Clover Valley | 5S | 69E | Li | 204 | 2-72 | | | | | 354.0 | 12,470.0 | | | | | Flood storage use |
| | Preston Reservoir | White River Valley | 13N | 61E | Wh | 207 | | | | | | 109.0 | 1,271.0 | | | | | |
| 1097 | Roger's Springs | Muddy Mountains | 18S | 68E | Cl | 215 | 2-72 | 50F | 80F | 2.0 | 4.0 | 0.1 | 0.2 | | | | | Non-fishable |
| 562 | Schroeder Reservoir | Beaver Dam Wash | 5S | 71E | Li | 222 | 2-72 | 300F | 0.5M | 40.0 | 40.0 | 20.0 | 270.0 | | | | | RT |
| 1098 | Silica Sand Co. Pond | Moapa Valley | 16S | 67E | Cl | 220 | 2-72 | | | | | | | | | | | |
| 1141 | Silver Springs Res. | White River Valley | 8N | 62E | Li | 207 | | | | 14.0 | | 1.0 | | | | | | |
| | Tule Field Reservoir | White River Valley | 5N | 60E | Ny | 207 | | | | | | 218.0 | 507.0 | | | | | |

1. Nevada only (164,000 surface acres Nevada-Arizona)
2. Nevada only (28,200 surface acres Nevada-Arizona)
3. Combined Nevada and Arizona

| No. | HYDROGRAPHIC REGION 14 | | | | County | Hydrographic Area | Date of Survey | Biological Rating | Total Length | Fishable Length | Average Width | Average Depth | Average Flow | Average Minimun C.F.S. for Cold Water Fishery | Ownership Total Length | | | | Ownership Fishable Length | | | | Game Fish Species |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Stream Name | Valley or Mountain Range | Twn | Rng | | | | | | | | | | | Forest Service | B.L.M. | Private | Other | Forest Service | B.L.M. | Private | Other | |
| 1092 | Ash Meadows Springs | Ash Meadows | 18S | 50E | Cl | 230 | 2-72 | | 0.3 | 0 | 1.00 | | 4.0 | | 0.2 | | | | 0 | 0 | 0 | 0 | End. Species |

| No. | HYDROGRAPHIC REGION 14 | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Lake, Reservoir or Pond | Valley or Mountain Range | Twn | Rng | County | Hydrographic Area | Date of Survey | Average Width | Average Length | Average Depth | Maximum Depth | Surface Acres | Volume (Acre-feet) | Shoreline Ownership Percentage: Forest Service | B.L.M. | Private | Other | Game Fish Species |
| 1175 | Devil's Hole | Ash Meadows | 17S | 50E | Ny | 230 | | | | | | | | | | | | End. Species |
| | Lake "C" | Ash Meadows | 18S | 51E | Ny | | | | | | | 70.0 | 618.0 | | | | | |
| | Lake No. 1 | Ash Meadows | 17S | 50E | Ny | 230 | | | | | | 69.9 | 243.0 | | | | | |
| 1185 | Swink's Ranch Ponds | Ash Meadows | 17S | 50E | Ny | 230 | | | | | | | | | | | | BB, LB |