

WELL LOG AND REPORT TO THE STATE  
ENGINEER OF NEVADA

Log No. 393  
 Rec. 3/11 1948  
 Well No. ....  
 Permit No. ....

Do not fill in

Owner L. H. Tipton Driller W. H. Meyer

Address Holcomb Lane Address 1718 1/2 Ave Lic. No. 3

Location of well:  $\frac{1}{4}$   $\frac{1}{4}$  Sec. 21, T. 18 N/S, R. 19 E, in WASHO County

Water will be used for House Hold Total depth of well 111'

Size of drilled hole 6" Weight of casing per linear foot 20 LBS.

Thickness of casing 6 5/8 Temp. of water COLD

Diameter and length of casing 6" - 111'  
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure. ....

If nonflowing well give depth of standing water from surface 30'

If flowing well describe control works. ....  
 (Type and size of valve, etc.)

Date of commencement of well 2-20-48 Date of completion of well 2-22-48

Type of well rig CABLE TOOL

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	35'	35	CLAY RIVER GRAVEL
35	80	45	SANDY CLAY (WATER)
80	85	5	HARD PAN GRAY CLAY
85	106	21	TINE SAND
106	111	5	WATER SAND & GRAVEL
		?	CLAY

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 106 to 111 ft.

Other aquifers

35-80'

First water at 35 feet.

Casing perforated

from 86' to 109 ft.

Size of perforations

6" slots

LOG OF FORMATIONS—Continued

From feet	To feet	Thickness	Type of material

CASING RECORD

Diam. casing	From feet	To feet	Length	"Remarks"—Seals, Grouting, Etc.
6 5/8	0	111'	111'	STD MILL PIPE STD 6" DRIVE SHOP HEAVY MILL CAP

GENERAL INFORMATION—Pumping Test, Quality of Water, Etc.

Bailed 5 HRS.	
Bailed 3 HRS	2-22-48
Bailed 2 HRS	2-23-48
Bailed Down 30' STANDING TO 55'	
Ran THREE BAILERS EACH 2 MIN. 15 GAL. EX.	

WELL DRILLERS STATEMENT

This well was drilled under my jurisdiction and the above information is true to my best information and belief.

Signed [Signature]  
Well Driller

By [Signature]

License No. 3

Dated 2-24-48, 194

(Not to be filled in by Driller)

