

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

X  
 Log No. 749  
 Rec. 1716 1948  
 Well No. \_\_\_\_\_  
 Permit No. \_\_\_\_\_  
Do not fill in

Owner G. F. Ricci Driller HARVEY MEYER  
 Address DAYTON Address CARSON Lic. No. 10  
 Location of well: NW 1/4 NE 1/4 Sec. 25, T. 16 N/S, R. 21 E, in LYON County  
 or Cross the Bridge and First Road Right  
 Water will be used for DOMESTIC Total depth of well 75 FEET  
 Size of drilled hole 6" Weight of casing per linear foot 20 LBS.  
 Thickness of casing 5/16 Temp. of water COOL  
 Diameter and length of casing 6" - 64' 2"  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)  
 If flowing well give flow in c.f.s. or g.p.m. and pressure NO  
 If nonflowing well give depth of standing water from surface 11 FEET  
 If flowing well describe control works NO  
(Type and size of valve, etc.)  
 Date of commencement of well Nov 14 Date of completion of well Nov 18  
 Type of well rig CRANK TOOLS

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	12	12	CLAY
12	20	8	SAND - WATER
20	24	4	POICK-SAND
24	32	6	SAND - ROCKS
32	46	12	CLAY
46	55	9	ROCKS
55	64	9	WATER SAND
64	75	11	CLAY - ROCKS

Water-bearing Formation, Casing Perforations, Etc.

---

Chief aquifer (water-bearing formation)  
 from 55 to 64 ft.

Other aquifers \_\_\_\_\_

---

First water at 20 feet.

---

Casing perforated  
 from 0 to 20 ft.

---

Size of perforations  
1/8

