

WELL LOG AND REPORT TO THE STATE
ENGINEER OF NEVADA



Log No. 823
 Rec. 3/10 1949
 Well No. 5
 Permit No. 132367
 Do not fill in

Owner Dan Filippini Driller Louis Clarkson
 Address Beowawe Nev. Address Elko Nev. Lic. No. 4
 Location of well: SW 1/4 NW 1/4 Sec. 16, T28 N/S, R48 E, in Eureka County

Water will be used for Stock Total depth of well 108 ft
 Size of drilled hole 4" Weight of casing per linear foot 11 lbs.
 Thickness of casing 1/4" Temp. of water

Diameter and length of casing 4" 108'
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure 20 gals. per min. at surface.
 If nonflowing well give depth of standing water from surface [Will raise to 4 ft. above ground]
 If flowing well describe control works Reduced to 1 1/2" pipe
 (Type and size of valve, etc.)

Date of commencement of well 1-11-49 Date of completion of well 2-22-49
 Type of well rig Spindler (Cable Tool)

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
Surface	11	11	yellow clay
11	20	9	sand
20	28	8	Blue clay
28	72	44	Sandy yellow clay
72	108	36	sand

Water-bearing Formation, Casing Perforations, Etc.
 Chief aquifer (water-bearing formation)
 from 72 to 108 ft.
 Other aquifers 11-20
 First water at 11 feet.
 Casing perforated
 from 70 to 108 ft.
 Size of perforations
 1/8" x 6"



