

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 95-2
 Rec. 7/2 1949
 Well No. _____
 Permit No. _____
Do not fill in

Owner... MARK S. & CLORENE S. WHITTLE Driller... C.C. Mason
 Address... Black Springs, Nevada Address... 665 West St Lic. No. 75
 Location of well: As per attached property description
1/4 - 1/4 Sec. 9, T. 20 N/S, R. 9 E, in Washoe County
 or.....
 Water will be used for Domestic Total depth of well 300 ft
 Size of drilled hole 6" Weight of casing per linear foot.....
 Thickness of casing..... Temp. of water 60°
 Diameter and length of casing.....
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure.....
 If nonflowing well give depth of standing water from surface 125 ft
 If flowing well describe control works.....
 (Type and size of valve, etc.)
 Date of commencement of well May. 12, 1949 Date of completion of well May. 27, 1949
 Type of well rig Keystone 50

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	52	52	Clay + gravel
52	55	3	Sand + gravel
55	65	10	Clay + Heliconic Rock
65	135	70	Sticky Clay
+35	165	30	Sand Clay + Gravel
165	251	91	Clay + gravel
251	269	18	Fine Sand + Small gravel
269	278	9	Broken Clay
278	280	2	Rock
280	297	17	Clay + gravel
297	300	3	Clay

Water-bearing Formation, Casing Perforations, Etc.
 Chief aquifer (water-bearing formation)
 from to ft.
 Other aquifers
 First water at 65 feet.
 Casing perforated
 from 135 to 165 ft.
265 to 269
276 to 291
 Size of perforations
3/16 x 6

LOG OF FORMATIONS—Continued

From feet	To feet	Thickness	Type of material

CASING RECORD

Diam. casing	From feet	To feet	Length	"Remarks"—Seals, Grouting, Etc.

GENERAL INFORMATION—Pumping Test, Quality of Water, Etc.

Well makes about 3 1/2 g. p. m.

WELL DRILLERS STATEMENT

This well was drilled under my jurisdiction and the above information is true to my best information and belief.

Signed *C. C. Mason*
Well Driller

By.....

License No. *25*

Dated *July 1*, 194*9*



(Not to be filled in by Driller)

.....

665 west st.

Description of property
MARK S. & CLORENE S. WHITTLE

Commencing at a point which is situate S $23^{\circ} 27'$ W 1085.95 feet from the $\frac{1}{4}$ section corner common to sections 9 & 16, T 20N R 19E, M D B & M; said point further described as situate on the south right of way of Highway #395, also known as the Purdy Highway. Thence N $28^{\circ} 00'$ E 200 feet to the center line of above described highway; thence N $62^{\circ} 00'$ W 50 feet along said center line to the true place of beginning; thence westerly along said center line 100 feet; thence southerly at right angles 400 feet; thence easterly at right angles 100 feet; thence northerly at right angles 400 feet; to the place of beginning.