

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 1122
 Rec. 11/23 1948
 Well No. _____
 Permit No. _____
Do not fill in

(Under contrac to

Owner S.R. Doty (Wm. Cocnor) Driller C.J. Brackney
 Address Fallon Nev. Address P.O. Box 82 Fallon Lic. No. 16
 Location of well: S. W. 1/4 S. W. 1/4 Sec. 17, T. 19 N/S, R. 29 E, in Churchill County
 or _____
 Water will be used for Domestic purpose Total depth of well 34'6"
 Size of drilled hole 6" Weight of casing per linear foot _____
 Thickness of casing 1 1/4 gauge Temp. of water 65 F.
 Diameter and length of casing 6" by 36'
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure _____
 If nonflowing well give depth of standing water from surface 7'6"
 If flowing well describe control works _____
 (Type and size of valve, etc.) _____
 Date of commencement of well 8/11/49 Date of completion of well 9/11/49
 Type of well rig Churn Drill

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
00	2'	2'	Heavy Loam
2'	8'	6'	Coarse Sand
8'	18'	10'	Quicksand
18'	21'	3'	Quicksand
21'	27'6"	6'6"	quicksand with clay mixed
27'6"	34'6"	7'	Blue sand

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 27'6" to 34'6" ft.

Other aquifers 7'6" to 21'

First water at 7'6" feet.

Casing perforated

from 31'6" to 34'6" ft.

Size of perforations

1/32 by 1"

