

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 1200  
 Rec. 7/4 1950  
 Well No. \_\_\_\_\_  
 Permit No. \_\_\_\_\_  
*Do not fill in*

Owner SAURES Driller John CHAMPION  
 Address BALTIMORE GUEST Ranch Address RTF Box 352 Lic. No. 29  
 Location of well:  $\frac{1}{4}$   $\frac{1}{4}$  Sec. 24, T. 10 N/S, R. 20 E, in WASHOE County  
 or \_\_\_\_\_  
 Water will be used for DOMESTIC & POOL Total depth of well 131  
 Size of drilled hole 8 Weight of casing per linear foot 24  
 Thickness of casing 3/8 Temp. of water Cold  
 Diameter and length of casing 8" X 131'  
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)  
 If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_  
 If nonflowing well give depth of standing water from surface 12  
 If flowing well describe control works \_\_\_\_\_  
 (Type and size of valve, etc.) \_\_\_\_\_  
 Date of commencement of well 7/25/49 Date of completion of well 7/27/49  
 Type of well rig CABLE TOOL

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	9	9	CLAY + GRAVEL
9	13	4	SAND WATER
13	32	19	CLAY + SAND
32	39	7	SAND + WATER
39	43	4	" " "
43	57	14	SANDY CLAY
57	71	14	CLAY GRAVEL
71	93	22	CLAY
93	102	9	SAND + WATER
102	107	5	" " "
107	116	9	CLAY + SAND
116	124	8	SAND + WATER
124	131	7	CLAY

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 116 to 124 ft.

Other aquifers \_\_\_\_\_

First water at 13 feet.

Casing perforated

from 112 to 130 ft.

Size of perforations

6" X 1/4"

