

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 1215  
 Rec. 3/3 1950  
 Well No. \_\_\_\_\_  
 Permit No. \_\_\_\_\_  
*Do not fill in*

Owner M. K. Stewart Driller Darell Free  
 Address Alamo Nevada Address Proche Nev. Lic. No. 30  
 Location of well: N2 1/4 Sec. 8, T. 78 N/S, R. 6 E, in Lincoln County  
 or \_\_\_\_\_

Water will be used for Culinary Total depth of well 52 ft.  
 Size of drilled hole 10 in. Weight of casing per linear foot \_\_\_\_\_  
 Thickness of casing 12 Gauge Temp. of water \_\_\_\_\_  
 Diameter and length of casing 10 in 51 ft.  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_  
 If nonflowing well give depth of standing water from surface 12 ft.  
 If flowing well describe control works \_\_\_\_\_  
(Type and size of valve, etc.)

Date of commencement of well Feb. 24, 1950 Date of completion of well Feb. 27, 1950  
 Type of well rig Shurn drill

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	15	15	Sand, Gravel + some Boulders.
15	30	15	Fine sand.
30	33	3	Coarse Sand
33	45	12	Sand.
45	47	2	Orange Clay
47	52	5	Gravel + sand

Water-bearing Formation, Casing Perforations, Etc.

---

Chief aquifer (water-bearing formation)  
 from 12 to 52 ft.

Other aquifers \_\_\_\_\_

---

First water at 12 feet.

Casing perforated  
 from 45 to 51 ft.

Size of perforations  
3/8 by 3 in

