

WELL LOG AND REPORT TO THE STATE
ENGINEER OF NEVADA

Log No. 1245
Rec. 3/20 1950
Well No. _____
Permit No. _____

Do not fill in

Owner HARRY UGBINS Driller HARVEY MEYER
Address VERDI Address CARSON CITY Lic. No. 10
Location of well: NE SE 18 7-22-12 12 18 Sec. 12, T. 19 N/S, R. 18 E, in WASHOE County
or 20 feet southwest of red asphalt simulated brick house on west side of N/S road
Water will be used for DOMESTIC Total depth of well 115 FEET
Size of drilled hole 6" Weight of casing per linear foot 20 LBS.
Thickness of casing 5/16 Temp. of water COOL
Diameter and length of casing 6" - 115'
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
If flowing well give flow in c.f.s. or g.p.m. and pressure NO
If nonflowing well give depth of standing water from surface 36'
If flowing well describe control works NO
(Type and size of valve, etc.)
Date of commencement of well FEB 18TH Date of completion of well FEB 21TH
Type of well rig CABLE TOOLS

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	18	18	CLAY-BOOKERS.
18	35	17	CLAY SANDY.
35	37	2	ROCK-LITTLE WATER.
37	47	10	CLAY.
47	51	4	ROCK.
51	93	42	BLUE CLAY.
93	110	13	DARK ROCK.
110	115	5	SAND WATER.

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 110 to 115 ft.

Other aquifers _____

First water at 35 feet.

Casing perforated

from 0 to 20 ft.

from bottom of 95 to 115'

Size of perforations

1/8

