

WELL LOG AND REPORT TO THE STATE  
ENGINEER OF NEVADA



Log No. 1249  
 Rec. 3/20 1900  
 Well No. \_\_\_\_\_  
 Permit No. \_\_\_\_\_

Owner HENRY MANKA Driller HARVEY MEYER  
 Address GARDNERVILLE Address CARSON CITY Lic. No. 10  
 Location of well: NW 1/4 Sec. 9, T. 13 N/S, R. 20 E, in DOUGLAS County  
 or SAW-MILL  
 Water will be used for DOMESTIC Total depth of well 43' 6"  
 Size of drilled hole 6" Weight of casing per linear foot 20 LBS.  
 Thickness of casing 5/16 Temp. of water COOL  
 Diameter and length of casing 6" — 43' 6"  
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)  
 If flowing well give flow in c.f.s. or g.p.m. and pressure. NO  
 If nonflowing well give depth of standing water from surface. 7 FEET  
 If flowing well describe control works. NO (Type and size of valve, etc.)  
 Date of commencement of well MAR. 16th Date of completion of well MAR 18th  
 Type of well rig. CABLE TOOLS —

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	21	21	ROCKS - CLAY.
21	23	2	SAND - WATER.
23	39	16	HARD SAND.
39	43' 6"	4 1/2	SAND GRAVEL - WATER.

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 39 to 43' 6" ft.

Other aquifers \_\_\_\_\_

First water at 21 feet.

Casing perforated

from 0 to 15 ft.

Size of perforations

1/8



LOG OF FORMATIONS—Continued

From feet	To feet	Thickness	Type of material

CASING RECORD

Diam. casing	From feet	To feet	Length	"Remarks"—Seals, Grouting, Etc.

GENERAL INFORMATION—Pumping Test, Quality of Water, Etc.

Well with MAKE 1800 GALS -  
PER - BRILING TEST

WELL DRILLERS STATEMENT

This well was drilled under my jurisdiction and the above information is true to my best information and belief.

Signed Harvey Meyer  
Well Driller

By Harvey Meyer

License No. 10

Dated MAR. 18, 19 50

(Not to be filled in by Driller)

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

