

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 1262 ✓
 Rec. 4/7 1950
 Well No.
 Permit No.
Do not fill in

Owner Evlyn & George Cook Driller C. O. Moon
 Address Box 480 P.O. Box 655 Address Gene Nevada Lic. No. 75
 Location of well: SE 1/4 SW 1/4 Sec. 36, T. 20 N/S, R. 19 E, in Washoe County
 or
 Water will be used for Domestic Total depth of well 160 ft
 Size of drilled hole 6" Weight of casing per linear foot 19 #
 Thickness of casing Temp. of water Cold
 Diameter and length of casing 6" 145 ft
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure
 If nonflowing well give depth of standing water from surface 105 ft
 If flowing well describe control works
(Type and size of valve, etc.)
 Date of commencement of well March 28, 1950 Date of completion of well April 1, 1950
 Type of well rig Keystone 50

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	20	20	Clay & Soulders
20	39	19	Cement gravel
39	43	#	Sand & Clay
43	56	13	Sticky Clay
56	120	64	Hard Sand & Clay
120	126	6	Sticky grey shale
126	138	5	Hard Sand & Clay
131	134	3	Sticky Brown Clay
134	138	4	Sand & gravel
138	156	18	Broken shell streaks
156	160	4	Sand & gravel

Water-bearing Formation, Casing Perforations, Etc.

 Chief aquifer (water-bearing formation)
 from to ft.
 Other aquifers

 First water at 138 feet.

 Casing perforated
 from 135 to 145 ft.

 Size of perforations
3/16 x 6