

WELL LOG AND REPORT TO THE STATE
ENGINEER OF NEVADA

Log No. 1278
 Rec. 4/24 1940
 Well No.
 Permit No.

Do not fill in

Owner. HAROLD M. MCKENZIE Driller. HARVEY MEYER
 Address. NEW-AMPIRE Address. CARSON CITY Lic. No. 10
 Location of well: NE 1/4 Sec. 9, T. 15 N/S, R. 20 E, in ORMSBY County

Water will be used for DOMESTIC Total depth of well 68'
 Size of drilled hole 6" Weight of casing per linear foot 12x135
 Thickness of casing 10-GAUGE Temp. of water COOL
 Diameter and length of casing 6" 68'
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure. No
 If nonflowing well give depth of standing water from surface. 11'
 If flowing well describe control works. No (Type and size of valve, etc.)
 Date of commencement of well. Apr. 20 Date of completion of well. Apr. 21
 Type of well rig. CABLE TOOLS

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	3	3	SAND-
3	5	2	HARD PAN-
5	18	13	SANDY CLAY
18	20	2	SAND-WATER
20	35	15	SANDY CLAY-
35	40	5	SAND WATER.
40	55	15	SANDY BLUE CLAY
55	65	10	WATER-SAND-
65	68	3	SANDY CLAY-

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)
 from 55' to 65' ft.

Other aquifers

First water at 18' feet.

Casing perforated
 from 0 to 20 ft.

Size of perforations
 1/8"



LOG OF FORMATIONS—Continued

From feet	To feet	Thickness	Type of material

CASING RECORD

Diam. casing	From feet	To feet	Length	"Remarks"—Seals, Grouting, Etc.

GENERAL INFORMATION—Pumping Test, Quality of Water, Etc.

WELL WILL MAKE 900-
GAL. PER HOUR—
BAIKING TEST.

WELL DRILLERS STATEMENT

This well was drilled under my jurisdiction and the above information is true to my best information and belief.

Signed *Harry Meyer*
Well Driller

By *Harry Meyer*

License No. *10*

Dated *Feb-21*, 19 *50*

(Not to be filled in by Driller)

OFFICE
STATE ENGINEER
APPROVED