

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 1290
 Rec. 7/19 1950
 Well No. _____
 Permit No. _____
Do not fill in

Owner Mr Peterson Driller Mel. Meyer
 Address Glendale rd. Sparks, Address 120 Moana Lane Reno, Lic. No. 3
 Location of well: W. 1/4 W. 1/4 Sec. 9, T. 19. N/S, R. 20E, in Washoe County
 or Rear Of new store by P.F.E. ice loading yard Glendale rd. Sparks,
 Water will be used for Store Total depth of well 33'
 Size of drilled hole 6" Weight of casing per linear foot 20#
 Thickness of casing 5/16" Temp. of water Cold
 Diameter and length of casing 6" id 33 1/2'
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure. _____
 If nonflowing well give depth of standing water from surface 6'
 If flowing well describe control works. _____
 (Type and size of valve, etc.) _____
 Date of commencement of well 4-7-50 Date of completion of well 4-8-50
 Type of well rig Cable Tool

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	10	10	Rock-Sand
10	17	7	Sandy Clay
17	23	5	Rock-Sand
20	26	3	Clay
26	30	4	Rock-Sand
30	33	3	Sand

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)
 from 26 to 33 ft.
 Other aquifers 8' - 10

First water at 8' feet.

Casing perforated
 from 27 to 31 ft.

Size of perforations
4" cutting torch
9 slots



