

WELL LOG AND REPORT TO THE STATE
ENGINEER OF NEVADA

Log No. 1299
 Rec. 731 1950
 Well No.
 Permit No.

Do not fill in

Owner Gracian Bidarrreta Driller Claude R. Keenan
 Address Winnemucca, Nev. Address Winnemucca, Nev. Lic. No. 13
 Location of well: $\frac{1}{4}$ $\frac{1}{4}$ Sec. 22, T. 36 N/S, R. 33 E, in Humboldt County
 or Approx - 1100 Block E. 2nd St. City of Winnemucca
 Water will be used for Domestic & Garden Total depth of well 78'
 Size of drilled hole 8" Weight of casing per linear foot 16#
 Thickness of casing $\frac{3}{16}$ " Temp. of water
 Diameter and length of casing 8" x 78'
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure
 If nonflowing well give depth of standing water from surface 7 1/2'
 If flowing well describe control works
 (Type and size of valve, etc.)
 Date of commencement of well 5/13/50 Date of completion of well 5/20/50
 Type of well rig Cable tool

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	2	2	Broken
2	12	10	Sand & Gravel
12	30	18	Clay & Gravel
30	36	6	Sand & Gravel
36	69	33	Clay & Gravel
69	75	6	Sand & Gravel
75	78	3	Clay & Gravel

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 68 to 75 ft.

Other aquifers 12'
30-36

First water at 12 feet.

Casing perforated from 57 to 78 ft.

Size of perforations

1/2" slots



