

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 1313
 Rec. 6/12 1948
 Well No. _____
 Permit No. _____

Do not fill in

Owner Mr Lloyd Kessler Driller Conada Drilling Co.
 Address Crystal Bay Nevada Address King Beach Calif. Lic. No. 85
 Location of well: $\frac{1}{4}$ Sec. 2, T. 13 N. 4 E, R. 22 E, in Washoe County
 or one half mile east of the Mount Rose road entrance.
 Water will be used for house hold Total depth of well 100 ft.
 Size of drilled hole 2 1/2 in. Weight of casing per linear foot _____
 Thickness of casing 12 gauge Temp. of water cold
 Diameter and length of casing one hundred feet of eight inch casing
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure _____
 If nonflowing well give depth of standing water from surface party put.
 If flowing well describe control works _____
(Type and size of valve, etc.)
 Date of commencement of well 11/8/49 Date of completion of well 11/14/49
 Type of well rig Baynes Eric 21 W. cable.

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	40	40	<i>decomposed granite</i>
4	100	60	<i>all quick sand</i>

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 70 feet to 100 ft. ft.

Other aquifers _____

First water at 40 feet.

Casing perforated

from 75 feet to 100 ft.

Size of perforations

1/8 X 3 inches

