

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 1329  
 Rec. 6/20 1950  
 Well No. \_\_\_\_\_  
 Permit No. \_\_\_\_\_

*Do not fill in*

Owner Thomas Ormichea Driller W. L. Petersen

Address Austin Nev. Address Austin Nev. Lic. No. 68

Location of well:  $\frac{1}{4}$   $\frac{1}{4}$  Sec. 8, T. 2 N. 8 R. 39 E, in Churchill County  
 or Healy Valley 5 mi. East of Byers Ranch.

Water will be used for Stock watering Total depth of well 100 Ft

Size of drilled hole 6 in. Weight of casing per linear foot 6 #

Thickness of casing 3/16 Temp. of water 72.

Diameter and length of casing 6 3/8.  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure. \_\_\_\_\_

If nonflowing well give depth of standing water from surface 6.5

If flowing well describe control works. \_\_\_\_\_  
(Type and size of valve, etc.)

Date of commencement of well Mar 5 1950 Date of completion of well Mar 10 1950

Type of well rig Star 33.

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material	Water-bearing Formation, Casing Perforations, Etc.
0	35		Clay	
35	100		Sand.	Chief aquifer (water-bearing formation) from <u>35</u> to <u>100</u> ft. Other aquifers _____ _____ _____ First water at <u>35</u> feet. Casing perforated from <u>35</u> to <u>100</u> ft. Size of perforations <u>1/8"</u>

LOG OF FORMATIONS—Continued

From feet	To feet	Thickness	Type of material

CASING RECORD

Diam. casing	From feet	To feet	Length	"Remarks"—Seals, Grouting, Etc.

GENERAL INFORMATION—Pumping Test, Quality of Water, Etc.

---



---



---



---



---

WELL DRILLERS STATEMENT

This well was drilled under my jurisdiction and the above information is true to my best information and belief.

Signed W. S. Peterson  
Well Driller

By.....

License No.....

Dated....., 19.....

(Not to be filled in by Driller)

---



---



---



---



---



---



---



---



---



---