

WELL LOG AND REPORT TO THE STATE  
ENGINEER OF NEVADA

Log No. 1339  
 Rec. 6/28 1950  
 Well No.  
 Permit No.



Do not fill in

Owner Fred Fawcett Driller Warell Free  
 Address Sioche New Address Sioche New Lic. No.  
 Location of well: <sup>SE NW</sup> ~~NE NW~~ 1/4 Sec. 13, T. 9N/S, R. 65E, in Lincoln County

Water will be used for Irrigation Total depth of well 52 ft  
 Size of drilled hole 10 in Weight of casing per linear foot 12 lb  
 Thickness of casing 12 Gauge Temp. of water 67  
 Diameter and length of casing 10 in 52 ft  
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure 65 g.p.m.  
 If nonflowing well give depth of standing water from surface.  
 If flowing well describe control works none  
 (Type and size of valve, etc.)

Date of commencement of well June 8, 1950 Date of completion of well June 17, 1950  
 Type of well rig Churn drill

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material	Water-bearing Formation, Casing Perforations, Etc.
0	12	12	Clay	Chief aquifer (water-bearing formation) from <u>33</u> to <u>47</u> ft.
12	22	10	Gravel	
22	25	3	Clay	Other aquifers
25	33	8	Gravel	
33	47	14	Sand & Gravel	
47	52	5	Gravel & Clay	
				First water at <u>surface</u> feet.
				Casing perforated from <u>3 ft</u> to <u>52 ft</u> .
				Size of perforations <u>1/4 by 12 in</u>



