WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

I

Log No. 1351
Rec. 7/3 1950
Well No.
Permit No.
Do not fill in

Owner Van Gardner Driller J. O. Hill
Address Lund Address Ely Lic. No. 14

Location of well: ¼ ¼ Sec. 33, T. 12 N/S, R. 62 E, in White Pine County
or Lund town Site

Water will be used for Corrals Total depth of well 55

Size of drilled hole 6 inch Weight of casing per linear foot 20

Thickness of casing 1/2 Temp. of water

Diameter and length of casing 6 inch 55
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure

If nonflowing well give depth of standing water from surface

If flowing well describe control works
(Type and size of valve, etc.)

Date of commencement of well June 4 Date of completion of well June 5

Type of well rig Churn

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	40		Silt
40	55		Silt and Sand

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)
from 40 to 55 ft.

Other aquifers

First water at 40 feet.

Casing perforated
from 40 to 55 ft.

Size of perforations
1/4 x 2"

(OVER)

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 1352
Rec. 2/3 1970
Well No.
Permit No. [redacted]
Do not fill in

Owner: Lance Smith
Driller: J. D. Hill
Address: Lund
Address: Ely
Lic. No. 14

Location of well: ¼ ¼ Sec. 33, T. 12 N/S, R. 61 E, in White Pine County
or Lund Town Sight

Water will be used for: Household
Total depth of well: 100 ft.

Size of drilled hole: 6 inch
Weight of casing per linear foot: 2 lbs

Thickness of casing: ½ in.
Temp. of water

Diameter and length of casing: 6 in. and 100 ft.
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure

If nonflowing well give depth of standing water from surface: 10 feet

If flowing well describe control works
(Type and size of valve, etc.)

Date of commencement of well: June 6
Date of completion of well: June 7

Type of well rig: Churn

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	16		clay
16	17		sand & clay
17	75		clay
75	76		sand & clay
76	98		clay
98	100		sand

(OVER)

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)
from 98 to 100 ft.

Other aquifers
16 to 17
75 to 76

First water at 16 feet.

Casing perforated
from none to ft.

Size of perforations

LOG OF FORMATIONS—*Continued*

From feet	To feet	Thickness	Type of material

CASING RECORD

Diam. casing	From feet	To feet	Length	"Remarks"—Seals, Grouting, Etc.

GENERAL INFORMATION—Pumping Test, Quality of Water, Etc.

WELL DRILLERS STATEMENT

This well was drilled under my jurisdiction and the above information is true to my best information and belief.

Signed J. O. Hill
Well Driller

By

License No. 14

Dated June 10, 1940

OFFICE
STATE ENGINEER
JUL 22 50
RECEIVED

(Not to be filled in by Driller)