

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA



Log No. 1360  
 Rec. 1947  
 Well No. \_\_\_\_\_  
 Permit No. \_\_\_\_\_  
*Do not fill in*

Owner Neil F. Talcott Driller Some

Address Unionville Nev Address \_\_\_\_\_ Lic. No. \_\_\_\_\_

Location of well: SW 1/4 NE 1/4 Sec. 26, T. 20 N/S, R. 35 E, in Pershing County  
 or \_\_\_\_\_

Water will be used for Domestic Total depth of well 41'

Size of drilled hole \_\_\_\_\_ Weight of casing per linear foot \_\_\_\_\_

Thickness of casing \_\_\_\_\_ Temp. of water \_\_\_\_\_

Diameter and length of casing \_\_\_\_\_  
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_

If nonflowing well give depth of standing water from surface 17.5

If flowing well describe control works \_\_\_\_\_  
 (Type and size of valve, etc.)

Date of commencement of well \_\_\_\_\_ Date of completion of well 1949

Type of well rig \_\_\_\_\_

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	16	16	clay
16	24	8	clean gravel
24	31	7	clay
31	35	4	clean gravel
35	41	6	clay

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from \_\_\_\_\_ to \_\_\_\_\_ ft.

Other aquifers \_\_\_\_\_

First water at \_\_\_\_\_ feet.

Casing perforated

from 15 to 41 ft.

Size of perforations \_\_\_\_\_



