

**WELL LOG AND REPORT TO THE STATE
ENGINEER OF NEVADA**

Log No. 1443
 Rec. 10/4 1950
 Well No. _____
 Permit No. _____

Do not fill in

Owner SUPP Water Co. Driller P. Blanchard

Address Wells Nevada Address Wells Nevada Lic. No. 90

Location of well: 1/4 SE 1/4 Sec. 11, T. 32 N/S, R. 61 E, in ELKO County _____
 or _____

Water will be used for STOCK Total depth of well 72

Size of drilled hole 8" Weight of casing per linear foot _____

Thickness of casing 12 GAGE - H.P.S. Temp. of water Cold

Diameter and length of casing 8" = 72'
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface 30'

If flowing well describe control works _____
 (Type and size of valve, etc.)

Date of commencement of well Aug 16-50 Date of completion of well Sept 5-50

Type of well rig BUCCYPUS-ERIE - 22-W

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material	Water-bearing Formation, Casing Perforations, Etc.
Surface	54	54	Rock and clay mixed.	Chief aquifer (water-bearing formation) from <u>5.6</u> to <u>6.0</u> ft. Other aquifers <u>6.8-10.70 FT</u> First water at <u>5.6</u> feet. Casing perforated from <u>5.0</u> to <u>7.2</u> ft. Size of perforations <u>3/16" x 8" long - 5 Rows</u> Approximate 8" between CUS.
54	56	2	Yellow clay.	
56'	60	4	Fine Gravel - water	
60	68	8	Clay	
68	70	2	Fine Gravel - water	
70	72	2	Rock.	

