

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 1498  
 Rec. 12/21 1950  
 Well No. ....  
 Permit No. ....  
*Do not fill in*

Owner U S Land Management Driller Mel Meyer  
 Address P O Box 539 Susanville, Calif. Address 120 Moana Lane Reno. Lic. No. 3  
 Location of well: se 1/4 se 1/4 Sec. 34, T. 40 N/S, R. 18 E, in Washoe County  
 or Bicondoa  
 Water will be used for Stock Total depth of well 68' 86'  
 Size of drilled hole 8" Weight of casing per linear foot 20#  
 Thickness of casing 5/16 Temp. of water Warm  
 Diameter and length of casing 6" id x 82'  
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)  
 If flowing well give flow in c.f.s. or g.p.m. and pressure.....  
 If nonflowing well give depth of standing water from surface 27'  
 If flowing well describe control works.....  
 (Type and size of valve, etc.)  
 Date of commencement of well 12-8-50 Date of completion of well 12-9-50  
 Type of well rig Cable Tool

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	3	3	Top Soil
3	38	35	Broken Rock
38	50	12	Broken Rock Hard Clay
50	86	36	Sand And Gravel

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 50 to 86 ft.

Other aquifers .....

First water at 50 feet.

Casing perforated  
 from 40 to 80 ft.

Size of perforations  
1/8 x 5 "

