


WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 1499
 Rec. 1726 1950
 Well No. _____
 Permit No. _____
Do not fill in



Owner U S Land Management Driller Mel Meyer

Address P O Box 539 Susanville, Calif Address 120 Moana Lane Reno, Lic. No. 3

Location of well: SW 1/4 SW 1/4 Sec. 32, T. 41N/S, R. 21E, in Washoe County

or Big Flat

Water will be used for Stock Total depth of well 307'

Size of drilled hole 8' Weight of casing per linear foot 20#

Thickness of casing 5/16 Temp. of water Cold

Diameter and length of casing 6" id 296'
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface 170' 87'

If flowing well describe control works _____
 (Type and size of valve, etc.)

Date of commencement of well 12-5-50 Date of completion of well 12-7-50

Type of well rig Cable Tools

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	2	2	Red Clay
2	4	2	Gravel and Rocks
4	20	16	Gray Clay sand Volcanic Glass
20	70	50	Red Clay Sand Gravel
70	90	20	Yellow Clay Sand Gravel
90	110	20	Brown Clay Sand Gravel
110	200	90	Red Clay Sand Gravel
200	235	35	Red Clay Sand Gravel
235	270	35	White Clay Sand
270	283	13	Sand
283	307	24	Sandy Clay

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 160 to 307 ft.

Other aquifers _____

First water at 160' feet.

Casing perforated from 146' to 296'6" ft.

Size of perforations

1/8 x 5"

