

WELL LOG AND REPORT TO THE STATE  
ENGINEER OF NEVADA



Log No. 1517  
 Rec. 1/15 1951  
 Well No. ....  
 Permit No. ....

Do not fill in

Owner W. T. STURGIS Driller HARVEY MEYER  
 Address AFNOA Address CARSON CITY Lic. No. 10  
 Location of well: S.E. 1/4 S.E. 1/4 Sec. 15, T. 13 N/S, R. 19 E, in DOUGLAS County  
 or .....  
 Water will be used for Domestic Total depth of well 178'  
 Size of drilled hole 6" Weight of casing per linear foot 20 LBS.  
 Thickness of casing 5/16 Temp. of water Cool.  
 Diameter and length of casing 6" — 176'  
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)  
 If flowing well give flow in c.f.s. or g.p.m. and pressure. NO  
 If nonflowing well give depth of standing water from surface. 40 FEET  
 If flowing well describe control works. NO  
 (Type and size of valve, etc.)  
 Date of commencement of well Dec 5th Date of completion of well Dec 16th  
 Type of well rig CABLE TOOLS

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material	Water-bearing Formation, Casing Perforations, Etc.
0	52	52	CLAY GRANIT SAND.	Chief aquifer (water-bearing formation)
52	62	10	SAND WATER.	from 105 to 178 ft.
62	71	9	GRANIT SAND.	Other aquifers .....
71	92	21	SAND CLAY.	.....
92	105	13	GRANIT SAND.	.....
105	178	73	SAND WATER.	.....
				First water at <u>52</u> feet.
				Casing perforated from <u>0</u> to <u>18</u> ft.
				<u>50 LBS.</u>
				Size of perforations <u>1/8"</u>



