


WELL LOG AND REPORT TO THE STATE
ENGINEER OF NEVADA



Log No. 1615
 Rec. 5/1 1951
 Well No.
 Permit No.
 Do not fill in

Owner LOMONT
 Address HENOA
 Driller HARVEY MEYER
 Address CARSON CITY Lic. No. 10
 Location of well: NE 1/4 NE 1/4 Sec. 27, T. 13 N/S, R. 19 E, in DOUGLAS County

Water will be used for DOMESTIC Total depth of well 201'
 Size of drilled hole 6" Weight of casing per linear foot 20 LBS.
 Thickness of casing 5/16 Temp. of water COOL
 Diameter and length of casing 6" — 201
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure. NO
 If nonflowing well give depth of standing water from surface. 40'
 If flowing well describe control works. NO
 (Type and size of valve, etc.)
 Date of commencement of well Apr. 2nd Date of completion of well Apr. 13th
 Type of well rig CABLE TOOLS

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	3	3	DARK LOAM SAND.
3	51	48	GRANIT SAND CLAY.
51	78	27	GRANIT WATER.
78	146	68	GRANIT FINE SAND.
146	168	22	HARD GRANIT.
168	182	14	GRANIT SAND.
182	186	4	HARD GRANIT.
186	201	15	GRANIT SAND.

Water-bearing Formation, Casing Perforations, Etc.
 Chief aquifer (water-bearing formation)
 from 51 to 78 ft.
 Other aquifers
 First water at 51 feet.
 Casing perforated
 from 51 to 201 ft.
 Size of perforations
 1/8 - 3/16

