

WELL LOG AND REPORT TO THE STATE  
ENGINEER OF NEVADA



Log No. 1641  
Rec. 6/6 1967  
Well No.  
Permit No. 13738

Do not fill in

Owner Ray W. Suter Driller J B Reynolds  
Address Gardnerville Nevada Address Fallon Nev Lic. No. 28

Location of well: NW 1/4 SW 1/4 Sec. 4, T. 11 N, R. 36 E, in NYE County  
or Near El Rancho Buena Vista

Water will be used for Milling & Domestic Total depth of well 139

Size of drilled hole 6" Weight of casing per linear foot 20

Thickness of casing Armor 8 1/2" Temp. of water

Diameter and length of casing 6" Diam 139 long.  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure

If nonflowing well give depth of standing water from surface 30'

If flowing well describe control works  
(Type and size of valve, etc.)

Date of commencement of well May 29/67 Date of completion of well May 29/67

Type of well rig Cable tools

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	30	30	Sand & silt.
30	48	18	sand and clay and silt. not much water at this level.
48	108	60	gray clay some gravel in it.
108	139	31	water gravel & sand some clay

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 30' to 48 ft.

Other aquifers 108 To 139 Bottoms.

First water at 30 feet.

Casing perforated

from 30 to 48 ft.

108 " 136.  
Size of perforations



