

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 1245  
 Rec. 7/17 1951  
 Well No. \_\_\_\_\_  
 Permit No. \_\_\_\_\_  
*Do not fill in*

Owner CHEESMAN Driller HARVEY MEYER  
 Address SPANDNERVILLE Address CARSON CITY Lic. No. 10  
 Location of well: NE 1/4 SW 1/4 Sec 34, T.13.N/S, R.19.E, in DOUGLAS County

Water will be used for DOMESTIC Total depth of well 78'  
 Size of drilled hole 6" Weight of casing per linear foot 22 LBS  
 Thickness of casing 7/16 Temp. of water COOL  
 Diameter and length of casing 6" — 78'  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)  
 If flowing well give flow in c.f.s. or g.p.m. and pressure NO  
 If nonflowing well give depth of standing water from surface 26  
 If flowing well describe control works NO  
(Type and size of valve, etc.)  
 Date of commencement of well Aug 5th Date of completion of well Aug 14th  
 Type of well rig CABLE TOOLS

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	6	6	SEALER
6	18	12	SAND LOAM
18	28	10	SAND
28	35	7	SAND WATER
35	55	20	CLAY SAND
55	78	23	BOLDERS

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 26 to 28 ft.

Other aquifers \_\_\_\_\_

First water at 28 feet.

Casing perforated

from 0 to 24 ft.

Size of perforations

1/8



