

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 1271 ✓
 Rec. 10/22 1951
 Well No. _____
 Permit No. _____
Do not fill in

Owner Warren Hursh Driller Mel Meyer
 Address Holcomb Lane Address 120 Moana Lane, Reno Lic. No. 3
 Location of well: ~~NE~~ ^{NW} 1/4 NE 1/4 Sec. 12, T. 19 N/S, R. 20 E, in Washoe County
 or Holcomb & Timothy Lane, Reno MORE LIKELY NE 1/4 NW 1/4 T. 19 N / R. 19 E
 Water will be used for House Total depth of well 136'
 Size of drilled hole 6" Weight of casing per linear foot 8#-20#
 Thickness of casing 12 Ga. & 5/16 Temp. of water Cold
 Diameter and length of casing 6" ID x 136'
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure _____
 If nonflowing well give depth of standing water from surface 7'
 If flowing well describe control works _____
(Type and size of valve, etc.)
 Date of commencement of well 9-4-51 Date of completion of well 9-7-51
 Type of well rig Cable Tools

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	3	3	Top Soil
3	18	15	Water, Rock, & Gravel
18	84	66	Sand & Gravel
84	120	36	Yellow Clay & Sand
120	136	16	Sand & Gravel
136	145	9	Clay

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)
 from 120 to 130 ft.
 Other aquifers 3-18, 18-84

First water at 3 feet.

Casing perforated
 from 119 to 134 ft.

Size of perforations
3/8 x 2 1/4



