

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA



Log No. 1773 ✓  
 Rec. 10/22 1951  
 Well No. \_\_\_\_\_  
 Permit No. \_\_\_\_\_  
*Do not fill in*

Owner Byron Rae Driller Mel Meyer  
 Address Red Maple Drive Address 120 Moana Lane, Reno Lic. No. 3  
 Location of well: SE 1/4 NW 1/4 Sec. 36, T19 N/S, R 19E, in Washoe County  
 or 1 1/2 Section 36 Township 19N Range 19E M D B & M.  
 Water will be used for House Total depth of well 68 1/2'  
 Size of drilled hole 6" Weight of casing per linear foot 20#  
 Thickness of casing 5/16 Temp. of water Cold  
 Diameter and length of casing 68 1/2' x 6" I.D.  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)  
 If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_  
 If nonflowing well give depth of standing water from surface 15  
 If flowing well describe control works \_\_\_\_\_  
(Type and size of valve, etc.)  
 Date of commencement of well 9-28-51 Date of completion of well 10-2-51  
 Type of well rig Cable Tools

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	2	2	Top Soil
2	28	26	Sandy Clay & Rocks
28	40	12	Sand & Water
40	65	15	Yellow Clay
65	68 1/2	3 1/2	Gravel & Sand

Water-bearing Formation, Casing Perforations, Etc.

---

Chief aquifer (water-bearing formation)

from 65 to 68 1/2 ft.

Other aquifers 28-40'

---

First water at 28' feet.

---

Casing perforated

from 46' to 66 ft.

---

Size of perforations

1/4x6" Slots



