

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA



Log No. 1884
 Rec. April 2 1952
 Well No. _____
 Permit No. _____
Do not fill in

Owner Rudolf Miller Driller Mel Meyer
 Address (Ranch) Fernley, Nevada Address Reno, Nevada Lic. No. 3
 Location of well: NE 1/4 NE 1/4 Sec. 34, T. 20 N, R. 24 E, in LYON County
 or IN GARDEN NEXT TO HOUSE.
 Water will be used for House Total depth of well 79'
 Size of drilled hole 6" Weight of casing per linear foot 8#
 Thickness of casing 12 ga hard red Temp. of water cold
 Diameter and length of casing 6" x 80'
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure _____
 If nonflowing well give depth of standing water from surface 18'
 If flowing well describe control works _____
 (Type and size of valve, etc.)
 Date of commencement of well I-8-52 Date of completion of well I-II-52
 Type of well rig Cable Tools

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	5	5	Top Soil
5	35	30	sandy clay
35	58	18	brown clay
58	70	12	sand fine
70	79	9	corse sand

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)
 from 60 to 79 ft.

Other aquifers _____

First water at 60 feet.

Casing perforated
 from 69 to 79 ft.

Size of perforations
4" x 1/8" 1 to 8'



