

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 1838
 Rec. April 7 1952
 Well No. _____
 Permit No. 13966
Do not fill in

Owner Stephen Damele & Sons Driller L.K. Reed
 Address Palisade, Nevada Address Box 1053, Eureka, Nev. Lic. No. 124
 Location of well: SW 1/4 SW 1/4 Sec 6, T.25 N/8, R. 51E, in Eureka County
 or _____
 Water will be used for Irrigation Total depth of well 400
 Size of drilled hole 20' Weight of casing per linear foot 22 lb.
 Thickness of casing 3/16 Temp. of water _____
 Diameter and length of casing 160 feet 16" 140 feet 10" 96 feet 8"
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure _____
 If nonflowing well give depth of standing water from surface _____
 If flowing well describe control works _____
 (Type and size of valve, etc.) _____
 Date of commencement of well July 5 Date of completion of well July 25, 1951
 Type of well rig Rotary

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	6	6	Soil
6	20	14	Yellow Clay
20	120	100	Sand and gravel
120	140	20	Yellow Clay
140	250	90	Sand and gravel
250	260	10	Yellow Clay
260	365	105	Sand and gravel
365	380	15	Yellow Clay
380	400	20	Sand

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 20 to 120 ft.

Other aquifers 140 to 250

260 to 365 380 to 400

First water at 20 feet.

Casing perforated

from 20 to 400 ft.

Size of perforations

3/16 x 2 slots



