

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 1889  
 Rec. April 7 1952  
 Well No. 2  
 Permit No. \_\_\_\_\_  
*Do not fill in*

Owner Stephen Damele & Sons Driller L. K. Reed  
 Address Palisade, Nevada Address Box 1053, Eureka, Nev. Lic. No. 124  
 Location of well: NE 1/4 N 1/4 Sec 26, T. 24 N/S, R. 49 E, in Eureka, County \_\_\_\_\_  
 or \_\_\_\_\_  
 Water will be used for Irrigation Total depth of well 100  
 Size of drilled hole 15" Weight of casing per linear foot 22 lb.  
 Thickness of casing \_\_\_\_\_ Temp. of water \_\_\_\_\_  
 Diameter and length of casing 100 feet 10 inch  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)  
 If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_  
 If nonflowing well give depth of standing water from surface \_\_\_\_\_  
 If flowing well describe control works \_\_\_\_\_  
(Type and size of valve, etc.)  
 Date of commencement of well June 26 Date of completion of well July 2, 1951  
 Type of well rig Rotary

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	6	6	Soil
6	30	24	Sand and gravel
30	33	3	Red rock
33	70	37	Sand
70	100	30	Gravel

Water-bearing Formation, Casing Perforations, Etc.

---

Chief aquifer (water-bearing formation)

from 6 to 30 ft.

Other aquifers 33 to 70  
70 to 100

---

First water at 6 feet.

Casing perforated

from 6 to 100 ft.

Size of perforations

3/16 x 2 slots



