

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 1931  
 Rec. June 10 1952  
 Well No. \_\_\_\_\_  
 Permit No. \_\_\_\_\_

*Do not fill in*

Owner Dan H. Patterson Driller J. B. Reynolds  
 Address Fallon Address Fallon Lic. No. 28  
 Location of well: NW 1/4 SW 1/4 Sec. 31, T. 19 N/S, R. 29 E, in Churchill County

Water will be used for domestic Total depth of well 30'

Size of drilled hole 8" Weight of casing per linear foot \_\_\_\_\_

Thickness of casing 10 ga. Temp. of water cold

Diameter and length of casing 8" x 30'  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_

If nonflowing well give depth of standing water from surface 10 ft.

If flowing well describe control works \_\_\_\_\_  
(Type and size of valve, etc.)

Date of commencement of well Apr 26, 52 Date of completion of well Apr 27, 52

Type of well rig Star 71 Percussion

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	9	9	topsoil
9	10	1	clay
10	17	7	sand
11	22	5	clay
22	29	7	sand
29	30	1	silt

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 22 to 29 ft.

Other aquifers 10 - 17

First water at 10 feet.

Casing perforated

from 12 to 28 ft.

Size of perforations

1/4 x 1"



