

**WELL LOG AND REPORT TO THE STATE
ENGINEER OF NEVADA**

Log No. 1961 ✓
 Rec. 7/3 1952
 Well No. _____
 Permit No. _____

Do not fill in

Owner H. H. Smith Driller J. C. Faretto & Son
 Address Rt. 1 Box 429; Reno, Nev. Address 736 Humboldt St, Reno Lic. No. 2
 Location of well: SW 1/4 SE 1/4 Sec. 17, T. 18 N, R. 20 E, in Truckee Meadows, Washoe County
 or about 1/4 mile west on Zolezzi Lane from Reno-Carson Highway
 Water will be used for Domestic Total depth of well 40'-04"
 Size of drilled hole 7 inch Weight of casing per linear foot 23.47
 Thickness of casing .300 Temp. of water 60°
 Diameter and length of casing 7 1/8" inside diameter, 9'-11" to 10'-05" random lengths.
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure _____
 If nonflowing well give depth of standing water from surface 14'-10"
 If flowing well describe control works _____
(Type and size of valve, etc.)
 Date of commencement of well June 26, 1952 Date of completion of well June 28, 1952
 Type of well rig Cable Tool Rig

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material	Water-bearing Formation, Casing Perforations, Etc.
0	21	21	clay with coarse sand & gravel & rocks,	
21	40	19	1st water. Water level 15'-09", Little water. Clay with fine to coarse sand & gravel few rocks & stony.	Chief aquifer (water-bearing formation) from <u>40</u> to <u>43</u> ft.
40	43	3	2nd water. Little water. Clay with fine to coarse sand & gravel & stony.	Other aquifers _____ First water at <u>21</u> feet.
				Casing perforated from _____ to _____ ft.
				Size of perforations _____



