

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 1985
 Rec. Aug. 11 1952
 Well No.
 Permit No.

Do not fill in

Owner W. H. GILLES CO Driller ARL D. FINCH

Address WELLS NEV. Address RIJEROME DA. Lic. No. 131

Location of well: SW 1/4 SE 1/4 Sec 22, T. 42 N/S, R. 6 E, in ELKO County
 or

Water will be used for DOMESTIC Total depth of well 140'

Size of drilled hole 8" Weight of casing per linear foot 13

Thickness of casing 10 GA. Temp. of water

Diameter and length of casing 6" - 140'
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure

If nonflowing well give depth of standing water from surface 40'

If flowing well describe control works

(Type and size of valve, etc.)

Date of commencement of well JULY 2-52 Date of completion of well JULY 12-52

Type of well rig 50 KEYSTONE CHURN DRILL

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
1	2	2	TOP SOIL & LACIC
2	22	18	HARD PAN (CLAY)
20	100	80	CLAY & PEA GRAVEL
100	140	40	GRAY CLAY

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 40 to 90 ft.

Other aquifers 110'

Also 130'

First water at 40 feet.

Casing perforated

from 90 to 130 ft.

Size of perforations

1/2 x 6" LONG

WELL LOG AND REPORT TO THE STATE
ENGINEER OF NEVADA

Log No. 1955
 Rec. Aug. 11 1952
 Well No.
 Permit No.

Do not fill in

Owner W. H. Gibbs Co. Driller ARNOLD FINCH

Address Wells Nev. Address RT JEROME T. DA Lic. No. 131

Location of well: SW 1/4 SE 1/4 Sec. 32, T. 43 N/8, R. 60 E, in ELKO County

Water will be used for DOMESTIC USE Total depth of well 140'

Size of drilled hole 8" Weight of casing per linear foot 13

Thickness of casing 10 GA Temp. of water

Diameter and length of casing 6" - 140'
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure

If nonflowing well give depth of standing water from surface HO'

If flowing well describe control works.....
 (Type and size of valve, etc.)

Date of commencement of well JULY 2 - 52 Date of completion of well JULY 12 - 52

Type of well rig 50 KEYSTONE CHURN DRILL

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
1	2	2	TOP SOIL BLACK-
2	20	17	HARD PAN (CLAY)
20	100	80	CLAY & (PEA) GRAVEL
100	140	40	GREY CLAY

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)
 from HO to 90 ft.

Other aquifers HO'
ALSO - 130'

First water at 40 feet.

Casing perforated
 from 90 to 130 ft.

Size of perforations
3/16" X 6" LONG

Duplicate

