

WELL LOG AND REPORT TO THE STATE  
ENGINEER OF NEVADA

Log No. 2002  
 Rec. Aug 21 1952  
 Well No. \_\_\_\_\_  
 Permit No. 17575

Do not fill in

Owner W. W. Birdsell Driller Avery Blanchard  
 Address Wells Nevada Address Wells Nevada Lic. No. 83  
 Location of well: NW 1/4 SE 1/4 Sec. 10, T. 32 N/8, R. 62 E, in Elko County  
 or 4 1/2 mi. S. 400 ft. N. highway 40, 600 ft. East highway 93  
 Water will be used for domestic Total depth of well 100 ft.  
 Size of drilled hole 6 in. Weight of casing per linear foot 20 lbs.  
 Thickness of casing 1/4 in. Temp. of water Cold  
 Diameter and length of casing 5 1/2 in. diameter 60 ft. long  
 (Casing 12" in diameter and under give inside diameter, casing 12" in diameter give outside diameter.)  
 If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_  
 If nonflowing well give depth of standing water from surface 25 ft.  
 If flowing well describe control works \_\_\_\_\_  
 (Type and size of valve, etc.) \_\_\_\_\_  
 Date of commencement of well Aug. 4, 1952 Date of completion of well Aug. 7, 1952  
 Type of well rig Cable Rig

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
			Deepening old well hand dug to 35 ft.
35	40	5	gravel
40	50	10	rock, clay
50	60	10	gravel
60	100	40	rock, clay

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 50 to 60 ft.

Other aquifers 35 to 40 ft.

First water at 35 feet.

Casing perforated

from 30 to 60 ft.

Size of perforations

1/8 in. wide 6 in. long 4 to the ft.

