

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. <u>20017</u>	19 <u>52</u>
Rec. <u>July 12</u>	
Well No. <u>33</u>	
Permit No. _____	
<i>Do not fill in</i>	

Owner Gilcrest Driller John Champion  
 Address Black Springs Address Box 352, So. Virginia Road                       
 Location of well: SE 1/4 SW 1/4 Sec. 9, T. 20N/S, R. 19E, in Washoe County  
 or \_\_\_\_\_  
 Water will be used for domestic Total depth of well 120 feet  
 Size of drilled hole 6 Weight of casing per linear foot \_\_\_\_\_  
 Thickness of casing 6" standard pipe Temp. of water \_\_\_\_\_  
 Diameter and length of casing \_\_\_\_\_  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)  
 If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_  
 If nonflowing well give depth of standing water from surface 56 feet  
 If flowing well describe control works \_\_\_\_\_  
(Type and size of valve, etc.)  
 Date of commencement of well April 14, 1952 Date of completion of well April 15, 1952  
 Type of well rig Cable rig - 22 - T

LOG OF FORMATIONS				Water-bearing Formation, Casing Perforations, Etc.
From feet	To feet	Thickness feet	Type of material	
0	64	64	clay and small rock	Chief aquifer (water-bearing formation) from <u>82</u> to <u>86</u> ft. Other aquifers <u>64 to 67</u>  First water at <u>64</u> feet.  Casing perforated from <u>75</u> to <u>105</u> ft.  Size of perforations <u>1/4" x 1"</u>
64	67	3	coarse gravel	
67	82	15	clay	
82	86	4	gravel	
86	120	34	clay with hard streaks	

