

WELL LOG AND REPORT TO THE STATE  
ENGINEER OF NEVADA

Log No. 2030  
 Rec. Sept 8 1962  
 Well No. \_\_\_\_\_  
 Permit No. \_\_\_\_\_

Do not fill in

Owner ANDY HANSON Driller HARVEY MEYER

Address STEAM BOAT SPRINGS Address CARSON CITY Lic. No. 10

Location of well: S. 5 1/4 S. 1/4 Sec. 2, T. 17 N, R. 30 E, in WASHOE County

Water will be used for DOMESTIC Total depth of well 35'

Size of drilled hole 6" Weight of casing per linear foot 20 LBS

Thickness of casing 5/16" Temp. of water COOL

Diameter and length of casing 6" — 35'  
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure. NO

If nonflowing well give depth of standing water from surface. 0'

If flowing well describe control works. NO  
 (Type and size of valve, etc.)

Date of commencement of well AUG 13 Date of completion of well AUG 15-62

Type of well rig CABLE TOOLS.

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	12	12	CLAY-ROCK.
12	15	3	ROCK. WATER.
15	34	14	CLAY-ROCK.
34	35	1	GRAVEL.

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 34' to 35' ft.

Other aquifers \_\_\_\_\_

First water at 12 feet.

Casing perforated

from 0 to 16' ft.

Size of perforations

1/8"



