

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

2061  
 Log No. Oct. 13  
 Rec. Oct. 13 1952  
 Well No. \_\_\_\_\_  
 Permit No. \_\_\_\_\_  
*Do not fill in*

Owner Louise Bonarcorsi Driller Munk Elec. & Plumbing Shop  
 Address \_\_\_\_\_ Address Lovelock Lic. No. 52  
 Portion \_\_\_\_\_  
 Location of well: NW 1/4 SE 1/4 Sec. 13, T. 27N, R. 31E, in Pershing County  
 or Fairview District  
 Water will be used for Domestic use Total depth of well 40 feet  
 Size of drilled hole 8" Weight of casing per linear foot 17.6  
 Thickness of casing 1/8" Temp. of water 68°  
 Diameter and length of casing 8" Diameter, 40' length  
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)  
 If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_  
 If nonflowing well give depth of standing water from surface 10 feet  
 If flowing well describe control works \_\_\_\_\_  
 (Type and size of valve, etc.) \_\_\_\_\_  
 Date of commencement of well Aug. 25, 1952 Date of completion of well Sept. 15, 1952  
 Type of well rig Cable

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0'	35'	35'	Clay
35'	40'	5 ft.	Gravel

Water-bearing Formation, Casing Perforations, Etc.  
1/8 x 2" cuts  
 Chief aquifer (water-bearing formation)  
 from \_\_\_\_\_ to \_\_\_\_\_ ft.  
 Other aquifers \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 First water at 10 feet.  
 Casing perforated  
 from 20' to 40' ft.  
 Size of perforations  
1/8 cut x - 1/8 x 2"



