

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA



Log No. 2062 ✓  
 Rec. Oct. 13 1952  
 Well No. \_\_\_\_\_  
 Permit No. \_\_\_\_\_

*Do not fill in*

Owner Mr. Leon A. Bradshaw Driller Mel Meyer  
 Address 2295 South Virginia Rd. Address 120 Moana Lane Lic. No. 3  
 Location of well: SE 1/4 NW 1/4 Sec. 8, T. 18 N/S, R. 20 E, in W.A.S.H.O.C. County  
 or lots 5-6 BAR. D. VALLEY SPRINGS PL TRACT  
 Water will be used for House Total depth of well 108'  
 Size of drilled hole 6' Weight of casing per linear foot 16#  
 Thickness of casing 3/16 Temp. of water COLD  
 Diameter and length of casing 6 5/8 OD x 108'  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)  
 If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_  
 If nonflowing well give depth of standing water from surface 46'  
 If flowing well describe control works \_\_\_\_\_  
(Type and size of valve, etc.)  
 Date of commencement of well 9/11/52 Date of completion of well 9/15/52  
 Type of well rig Cable Tool

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	4	4	Top Soil
4	20	16	Clay and Rocks
20	55	35	Gravel
55	79	24	Sand
79	89	10	Sand
89	101	12	Fine Sand
101	108	7	Course Sand
			Sand comes up pipe 18'.

Water-bearing Formation, Casing Perforations, Etc.

---

Chief aquifer (water-bearing formation)  
 from 101 to 108 ft.

Other aquifers 20 - 55

---

First water at 70 feet.

Casing perforated  
 from 79-101 to 89-105 ft.

Size of perforations  
2 x 3/8

