

**WELL LOG AND REPORT TO THE STATE  
ENGINEER OF NEVADA**

Log No. 2082  
 Rec. Oct. 22 1952  
 Well No. \_\_\_\_\_  
 Permit No. \_\_\_\_\_

*Do not fill in*

Owner A. A. Ober Driller HARVEY M. ...  
 Address WASHOE VALLEY Address ... Lic. No. ...  
 Location of well: S2 1/4 Sec. 33, T. 17 N. R. 19 E. in ... County

Water will be used for DOMESTIC Total depth of well 89'

Size of drilled hole 6" Weight of casing per linear foot 20 lbs

Thickness of casing 5/16" Temp. of water 66.6

Diameter and length of casing 6" - 89'  
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure. NO

If nonflowing well give depth of standing water from surface. 25'

If flowing well describe control works. NO  
 (Type and size of valve, etc.)

Date of commencement of well SEP 29 Date of completion of well SEP 30

Type of well rig \_\_\_\_\_

**LOG OF FORMATIONS**

From feet	To feet	Thickness feet	Type of material
0	23	23	SANDY CLAY
23	28	5	SAND WATER
28	77	49	SANDY CLAY
77	89	12	WATER SAND

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 27 to 89 ft.

Other aquifers \_\_\_\_\_

First water at 33 feet.

Casing perforated

from 0 to 20 ft.

Size of perforations

1/8"



