

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA



Log No. 2099
 Rec. Nov. 20 1952
 Well No. _____
 Permit No. _____
Do not fill in

Owner Charles Haverland Driller J. C. Faretto & Son
 Address 920 Vassar St. Reno, Nev. Address 736 Humboldt St., Reno Lic. No. 2
 Location of well: NW 1/4 SE 1/4 Sec. 12, T. 19 N, R. 19 E, in Truckee Meadows, Washoe County
 or South Virginia St. on Vassar St.
 Water will be used for Domestic Total depth of well 81'-06"
 Size of drilled hole 6 inch Weight of casing per linear foot 19.18 bls.
 Thickness of casing .280 of an inch Temp. of water 60°
 Diameter and length of casing 6" inside diameter. 5'-07" to 9'-02" lengths
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure _____
 If nonflowing well give depth of standing water from surface 6'-02"
 If flowing well describe control works _____
(Type and size of valve, etc.)
 Date of commencement of well October 22, 1952 Date of completion of well November 12, 1952
 Type of well rig Cable Tool Rig

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	10	10	Boulders & rocks with sand.
10	20	10	1st water. Little water. Fine to coarse sand with soil. Loose & rocky.
20	27	14	and water. Little water. Fine to coarse sand with soil. Loose & rocky.
34	43	9	3rd water. Water level 20'-06". Little water. Coarse sand & coarse gravel with a little soil. Loose & rocky.
43	46	3	4th water. Water level 24'-09". Little water. Fine to coarse clean sand & gravel. Loose.
46	52	6	5th water. Little trickle water. Fine to coarse sand &

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)
 from 75 to 85 ft.

Other aquifers 68 to 75 ft
60 to 68 ft.
43 to 46 ft.
34 to 43 ft.

First water at 10 feet.

Casing perforated
 from 62 to 78 ft.

Size of perforations
3/8" x 1 1/2"

