

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 2102  
 Rec. Nov. 24 1952  
 Well No. \_\_\_\_\_  
 Permit No. \_\_\_\_\_

*Do not fill in*

Owner John Zucca Driller Vred Et.  
 Address Fallen Nev. Address East Star F. Fallon Lic. No. 121  
 Location of well: N.E. 1/4 N.W. 1/4 Sec 18, T. 18 N. R. 2 E. in Churchill County  
 or \_\_\_\_\_  
 Water will be used for Dom. & stock Total depth of well \_\_\_\_\_  
 Size of drilled hole 6" Weight of casing per linear foot \_\_\_\_\_  
 Thickness of casing 20 gauge Temp. of water \_\_\_\_\_  
 Diameter and length of casing 6" x 20'  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)  
 If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_  
 If nonflowing well give depth of standing water from surface 7'  
 If flowing well describe control works \_\_\_\_\_  
(Type and size of valve, etc.)  
 Date of commencement of well 11.05.19 Date of completion of well 11.05.21-52  
 Type of well rig cable tool

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	7	7	adobe
7	9	2	fine sand
9	19	10	coarse sand
19	20	1	adobe

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 7 to 19 ft.

Other aquifers sand

First water at 7 feet.

Casing perforated

from 12 to 20 ft.

Size of perforations

1/64 x 1'



