

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

No. 9 Well Edgar

Log No. 2107
 Rec. Dec. 11 1952
 Well No.
 Permit No.
Do not fill in

Owner Bureau of Land Management Driller Geo. W. Norcutt
 Address Box 539, Susanville, Calif. Address Fallon, Nevada Lic. No. 93

Location of well: 1/4 SE 1/4 Sec. 18, T.43 N. 8, R. 20 E, in Washoe County
 or

Water will be used for Stockwater Total depth of well 140'

Size of drilled hole 8" Weight of casing per linear foot 20#

Thickness of casing 3/16 Temp. of water

Diameter and length of casing 6" 130'
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure

If nonflowing well give depth of standing water from surface 35'

If flowing well describe control works

(Type and size of valve, etc.)

Date of commencement of well Nov. 14, 1952 Date of completion of well Nov. 18, 1952

Type of well rig Cable Tool

LOG OF FORMATIONS				Water-bearing Formation, Casing Perforations, Etc.
From feet	To feet	Thickness feet	Type of material	
0	7	7	Sand	
7	89	82	Red Clay	
89	119	30	White Clay	
119	124	5	Water Sand	Chief aquifer (water-bearing formation) from <u>119</u> to <u>124</u> ft.
124	136	12	White Clay	
136	140	4	Water Sand	Other aquifers from <u>136</u> to <u>140</u>
				First water at <u>119</u> feet.
				Casing perforated from <u>110'</u> to <u>130</u> ft.
				Size of perforations <u>1/8 x 2"</u>



LOG OF FORMATIONS—Continued

From feet	To feet	Thickness	Type of material
			NOV. 19, 1952 36 /s/ Geo. W. Norcutt

CASING RECORD

Diam. casing	From feet	To feet	Length	"Remarks"—Seals, Grouting, Etc.

GENERAL INFORMATION—Pumping Test, Quality of Water, Etc.

WELL DRILLERS STATEMENT

This well was drilled under my jurisdiction and the above information is true to my best information and belief.

Signed.....
Well Driller

By.....

License No.....

Dated....., 19.....

(Not to be filled in by Driller)

