

WELL LOG AND REPORT TO THE STATE
ENGINEER OF NEVADA

Log No. 2110 ✓
 Rec. Dec 19 1952
 Well No. _____
 Permit No. _____
 Do not fill in

Owner. Paul J. Muran Driller. J. C. Faretto & Son
 Address. R. F. D. Route 2 Box 8 Address. 736 Humboldt St., Reno Lic. No. 2
 Location of well: NE 1/4 SW 1/4 Sec. 18, T. 19 N. R. 20 E, in Truckee Meadows, Washoe County
 or. About 1/2 mile east Kietzke Lane on Vassar Road.
 Water will be used for. Domestic Total depth of well. 39'-06"
 Size of drilled hole. 6 inch Weight of casing per linear foot. 19.18 lbs
 Thickness of casing. .280 of an inch Temp. of water. 58°
 Diameter and length of casing. 6" inside diameter, 9'-09" to 9'-11" lengths
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure. _____
 If nonflowing well give depth of standing water from surface. 8'-00"
 If flowing well describe control works. _____
 (Type and size of valve, etc.)
 Date of commencement of well. November 17, 1952 Date of completion of well. November 24, 1952
 Type of well rig. Cable Tool Rig

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	10	10	Rocks, coarse sand & gravel with yellow clay.
10	13	3	1st water, Water level 6'-00", Boulders, rocks, Loose.
13	19	6	No water, Yellow clay with sand, boulders & rocks.
19	27	8	2nd water, Water level 9'-08". Water. Medium to coarse sand & gravel. Loose.
27	33	6	Yellow clay with coarse sand & gravel, Tight.
33	38	5	3rd water, Water level 18'-00", Little water. Fine sand to coarse sand a little gravel with soil, Hard & cemented.

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)
 from 38 to 40 ft.
 Other aquifers 19 to 27 ft.
 33 to 38 ft.

First water at 10 feet.

Casing perforated
 from _____ to _____ ft.

Size of perforations

