

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 2141 ✓
 Rec. Feb. 4 1953
 Well No. _____
 Permit No. _____
Do not fill in

Owner L. J. RUPPERT Driller CHAMPION PUMP & SUPPLY
 Address P. O. BOX 202 TARZANA, CALIF. Address RT. 1, BOX 352, RENO Lic. No. 29
 Location of well: NE 1/4 NE 1/4 Sec. 6, T. 18 N/8, R. 20 E, in WASHOE County
 or SO. VIRGINIA RD., 4 MILES SO. OF RENO. OPPOSITE HUFFAKER SCHOOL
 Water will be used for DOMESTIC USE Total depth of well 104 FT
 Size of drilled hole SIX INCH Weight of casing per linear foot STD. PIPE
 Thickness of casing 6" STD PIPE Temp. of water _____
 Diameter and length of casing 6" I.D., 104 FEET
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure _____
 If nonflowing well give depth of standing water from surface 3 FT
 If flowing well describe control works _____
 (Type and size of valve, etc.)
 Date of commencement of well NOV. 6, 1952 Date of completion of well NOV. 9, 1952
 Type of well rig BUCYRUS-ERIE 21W

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	15	15	SAND & GRAVEL (WATER)
15	20	5	CLAY
20	30	10	SAND
30	48	18	CLAY
48	60	12	PACKED SAND
60	86	26	CLAY & SAND
86	98	12	SAND & GRAVEL
98	104	6	CLAY & SAND

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 104 to _____ ft.

Other aquifers _____

First water at 5 feet.

Casing perforated

from NONE to _____ ft.

Size of perforations

NONE



LOG OF FORMATIONS—Continued

From feet	To feet	Thickness	Type of material

CASING RECORD

Diam. casing	From feet	To feet	Length	"Remarks"—Seals, Grouting, Etc.

GENERAL INFORMATION—Pumping Test, Quality of Water, Etc.

WELL DRILLERS STATEMENT

This well was drilled under my jurisdiction and the above information is true to my best information and belief.

Signed CHAMPION PUMP & SUPPLY
Well Driller

By John Champion (OWNER)

License No. 29

Dated NOV. 10, 1932

(Not to be filled in by Driller)

