

WELL LOG AND REPORT TO THE STATE
ENGINEER OF NEVADA

Log No. 2236V
Rec. June 2 1953
Well No.
Permit No.

Do not fill in

Owner Harriett Lang Driller J. C. Faretto & Son

Address P. O. Box 165 Reno, Nev. Address 736 Humboldt St, Reno Lic. No. 2

Location of well: NE 1/4 SW 1/4 Sec. 21, T. 18 N, R. 20 E, in Truckee Meadows, Washoe County
or 1/4 mile east from Reno-Carson Highway or east from Brown's School.

Water will be used for Domestic Total depth of well 50 ft

Size of drilled hole 6 inch Weight of casing per linear foot 19.18 bls

Thickness of casing .280 of an inch Temp. of water 66°

Diameter and length of casing 6" inside diameter. 7'-07" to 11'-05" lengths
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure

If nonflowing well give depth of standing water from surface 26'-04"

If flowing well describe control works
(Type and size of valve, etc.)

Date of commencement of well May 14, 1953 Date of completion of well May 18, 1953

Type of well rig Cable Tool Rig

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	15	15	Soil & fine to coarse sand.
15	30	15	Cemented sand & gravel, few rocks. Hard.
30	40	10	1st water. Little water. Water level 26'-04". Fine to coarse sand & gravel & stony, with soil.
40	50	10	2nd water. Little water. Fine to coarse sand & gravel, with soil. Loose.
50	53	3	3rd water. Little water. Water level 26'-04". Fine to coarse sand & gravel & stony with soil. Loose.

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 50 to 53 ft.

Other aquifers 40 to 50

30 to 40

First water at feet.

Casing perforated

from to ft.

Size of perforations

